Remington.



PROUDLY MADE IN THE USA BY AMERICAN WORKERS

+ + + +









R

2018 PRODUCT CATALOG







Rentingtons

A NEW ERA OF PRECISION

+ 2018 PRODUCT CATALOG +



FOR LIFE.

Every Remington firearm built from 2016 on is covered by our Lifetime Warranty. Because we know - without a shred of hesitation - our firearms are once again built to withstand your scrutiny and every hard mile of hunting and shooting you'll ever put in. For as long you live, your firearm will hold up its end of the bargain. Engineered with precision. Built with honor. Guaranteed for life.



R

NEW PRODUCTS —	04
SHOTGUNS —	10
СОМРАСТ	44
RIFLES -	46
CUSTOM SHOP —	78
HANDGUNS —	88
AMMUNITION —	120
ACCESSORIES —	164
PARTNERS —	192
SPECIFICATIONS —	194



SHOTGUNS



MODEL 870 DM

Built upon the foundation of the world's smoothest and most reliable shotgun, the all-new Model 870 DM incorporates the incomparable speed and versatility of a detachable magazine, so you can reload, respond and defend what's most important, instantly. Stack the odds in your favor. See our full lineup of Model 870 DM shotguns inside. Page 30





MODEL 870 TAC-14

It's the most powerful 26.369" of personal defense on the planet. The all-new Model 870 Tac-14 firearm delivers devastating, threat-stopping power to protect your home and family. Built with legendary Model 870 reliability, a Raptor pistol grip and Magpul M-Lock forend, it's personal protection at its absolute shortest – and finest. Look for our full line of Tac-14s inside. *Page 32*

SHOTGUN PARTS

From buttstocks to barrels, new magazines and grips to gas system parts, you'll find everything you need to upgrade and optimize your Remington shotgun inside. *Page 184*





PREMIER EXPANDER

Delivering 2 ¾" and 3" of magnum-caliber terminal performance plus AccuTip level accuracy, Premier Expander is the hardest-hitting, most deadly accurate slug load to hit the whitetail woods this season. *Page 136*

RIFLES



MODEL 700 5R THREADED GEN 2

The legendary strength and accuracy of our Model 700, further enhanced by high-precision 5R rifling. *Page 52*



MODEL SEVEN THREADED

Weighing in at 5.5 pounds, the epitome of quick-handling bolt-actions, now with a threaded muzzle for easily adding a suppressor. *Page 68*



MODEL 783 HBT (Heavy Barrel Threaded)

Our renowned bolt-action workhorse, now with a threaded muzzle with a 16.5" barrel for use with a suppressor. Page 70



MODEL 597 KRYPTEK THREADED

The pinnacle of semi-auto rimfire speed and accuracy, with a threaded barrel for whisper-quiet sound suppression. *Page 74*



HTP COPPER

All copper, pure devastation. Its four cutting petals deliver enormous terminal performance, and near 100% weight retention, every time. *Page 122*



HANDGUNS



REMINGTON RP45

Maximum capacity. Complete control. Combining one of the highest .45 ACP capacities with a slim, ergonomic grip to redefine shootability. Also available with Tritium night sights. *Page 92*



REMINGTON RM380 LIGHT BLUE / BLACK

The same shootability and control found in every Model RM380, in durable and handsome light blue and black finish. *Page 100*



MODEL 1911 R1 HUNTER FDE

Delivers 10mm knock-down power with superb accuracy via its 6" stainless match-grade barrel. A host of precision and sure handling features, and its tough PVD DLC finish make it the ideal hunting performer in all conditions. *Page 106*



REMINGTON R51 SMOKE

Page 96

The R51 Smoke delivers utmost subcompact

reliability, shootability and a sleek new look.

MODEL 1911 R1 ULTRALIGHT EXECUTIVE

Maximum 1911 strength and reliability, with minimum ounces. Featuring Tritium sights, 3.5" barrel, rounded frame and G10 laminate grips. *Page 104*



MODEL 1911 R1 RECON

Legendary 1911 performance, upgraded and enhanced with Tritium night sights, G10 laminate grip and checkered front strap in 9mm and 45 auto. *Page 112*



REMINGTON RM380 BLUE/SILVER

Available in distinctive blue/silver, the diminutiveyet-powerful RM380 delivers unrivaled accuracy, reliability and control. *Page 100*



MODEL 1911 R1 ULTRALIGHT COMMANDER

Its aluminum frame cuts 30% off the weight of steel, while its long list of enhanced features add substantially to accuracy, handling and shot-to-shot consistency. *Page 104*



MODEL 1911 R1 ENHANCED DOUBLE STACK

With a 15-round 45 Auto Double Stack magazine, it's more than double standard Model 1911 capacity. Its match barrel, adjustable rear sight, adjustable trigger and other enhanced features add superior accuracy and control to every shot. Page 116



GOLDEN SABER BLACK BELT

Trusted by law enforcement, available to you. Golden Saber Black Belt delivers reliable expansion – as tested through FBI barrier testing protocols. *Page 154*



PERFORMANCE WHEELGUN

Consistency, accuracy and iron clad reliability. Take your Revolver and Lever Rifle skills to the next level. Available in popular pistol calibers. *Page 158*




HANDGUN PARTS

Elevate your handgun's performance, and your own, with the enhanced control of G10 Laminate grips and the lowlight visibility advantage of Tritium night sights. *Page 190*

THE HELLISH TREATMENT EVERY REMINGTON GOES THROUGH TO GET TO YOUR HANDS.

Every aspect of every component of every firearm we build is tested and selected to deliver the ultimate in durability. Finishes are scrutinized at the molecular level under an electron scanning microscope to determine how they will react to salt, moisture, frost, heat and grit.

Each new Remington product is developed, built, tested and refined as a 3D virtual model, before it becomes a working prototype. With this technology, our engineers can test thousands of details, which are, improved and retested – using some of the world's most sophisticated product development software. These systems are calibrated to produce the highest levels of accuracy. Legacy products originally designed as physical blueprints, have now been converted digitally using the same programs to ensure identical precision and consistency.



And once a physical prototype is built, it's torture tested to past 1.5 times its service life. For example, 1.2 million rounds of ammunition were fired through the development phase of the R51 handgun alone. Speaking of ammunition, we have stepped up our quality assurance spot checks with more frequent monthly, weekly, daily sample tests than ever before.

The result? Firearms and ammunition of the tightest tolerances, highest level of precision, and greatest quality we, or any other firearms manufacturer has ever produced. From the hands of our craftsmen, R&D specialists and engineers, to yours.




























VERSA MAX1	4
V3	8
Model 11-87 2	2
Model 110024	4
Tactical2	6
Model 870 3	0
Youth / Compact 4-	4

THE VERSA PORT ADVANTAGE

CYCLES ANYTHING. CHANGES EVERYTHING.

AT THE HEART OF EVERY VERSAMAX AND V3 SHOTGUN IS A REVOLUTIONARY GAS PISTON SYSTEM THAT IS CHANGING THE WAY WE THINK ABOUT RECOIL.


The patented VersaPort system is able to reduce the felt recoil of a 12-gauge shotgun to that of a 20-gauge thanks to a series of gas pistons and strategically placed ports that self-regulate gas pressure depending on the length of the shell. The result is consistent, reliable cycling from the sporting clays course to the goose blind.

From light 2¾-inch loads to heavy 3½-inch magnums, the VersaPort system cycles every load with flawless consistency because only the precise amount of gas required to operate the rotary bolt is delivered. On top of that, the VersaPort system is self-cleaning, meaning reduced maintenance and more time to shoot.




VERSAMAX

THREE CUSTOM-TUNED ACTIONS INGENIOUSLY DISGUISED AS ONE.




LESS RECOIL.

VERSA MAX produces dramatically less recoil than the Benelli Super Black Eagle II.






THE V3 DELIVERS DRAMATICALLY LESS RECOIL VERSUS STANDARD AUTOLOADERS.



V3 FIELD SPORT V5. COMPETITOR PRODUCTS

The softest-recoiling auto in the field.



NEVER-SAY-DIE DEPENDABILITY.

Tested and proven with thousands of rounds.

In an extreme torture test, our engineers fed it thousands of rounds without cleaning



VERSA MAX BLACK SYNTHETIC

Left hand also available

Left hand also available.



ANY LOAD. ANYWHERE. EVERY TIME.

VERSA MAX, the new standard for reliability in autoloading shotguns. Powered by our revolutionary VersaPort gas-operated system, VERSA MAX shatters convention and all previous benchmarks for reliability. Proven in extreme endurance tests with thousands of rounds, VERSA MAX cycles any 12-gauge load with flawless consistency, dramatically reduced recoil and less maintenance than any autoloader ever. Equipped to take the flyways by force, the VERSA MAX Waterfowl Pro is decked in Mossy Oak® Shadow Grass Blades Camo, and features oversized controls, an enlarged feeding port and more. The VERSA MAX Competition Tactical is outfitted with the features top competitors demand, like a green Cerakote receiver, oversized controls, an enlarged feeding port and more. And the unstoppable reliability of VERSA MAX now fits comfortably in a southpaw's hands with VERSA MAX Left Hand models. Available in Realtree® Camo or Black Synthetic. Shoulder the ultimate power of VERSA MAX and you'll never look back.

SuperCell*

- Most versatile, reliable shotgun on the market
- Reliably cycles 12-gauge rounds from 2³/₄" to 3¹/₂" magnums
- VersaPort gas system regulates cycling pressure based on shell length
- Reduces recoil to that of a 20-gauge
- Self-cleaning continuously cycled thousands of rounds in torture test
- Enlarged trigger guard opening and larger safety for easier use with gloves
- Nickel plated barrels
- Nickel-Teflon® plated internal components offer extreme corrosion resistance
- Length of pull kit to extend length by 1"
- Fully adjustable stock for drop-cast-LOP-comb insert





SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo	83205	12/28"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Black Synthetic ¹	81043 81042	12/26" 12/28"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Competition Tactical ¹	81029	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Waterfowl Mossy Oak Duck Blind Camo	81048	12/28"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Waterfowl Realtree AP Camo ²	81054	12/26"	Vent Rib	Synthetic, w/ Over-Molded Grips

I Supplied with Flush Mount ProBore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended ProBore Choke Tubes - Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. 4 Supplied with Extended ProBore Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full.



NEW

VERSA MAX ACCESSORIES

We've added several new camo stocks to the VERSA MAX lineup to make finding the perfect pattern for your pursuit easier than ever. See page 184.









SPORTSMAN BLACK SYNTHETIC FEATURES

- Groundbreaking VersaPort operating system, featuring multi-port gas system, selfcleaning pistons and rotating bolt-head
- Reliably cycles 12-gauge rounds from 2³/₄" to 3¹/₂" magnums
- Synthetic stock with textured grip panels
- Black oxide barrel and anodized receiver
- SuperCell recoil pad for up to 54% less recoil
- Stepped tapered, undercut vent rib



VERSA MAX SPORTSMAN REALTREE AP HD

VERSA MAX SPORTSMAN

Remington.



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
VERSA MAX Sportsman Black Synthetic ¹	81045	12/28"	Vent Rib	Synthetic
VERSA MAX Sportsman Black Synthetic ¹	81046	12/26"	Vent Rib	Synthetic
VERSA MAX Sportsman Mossy Oak Duck Blind Camo ²	81049	12/28"	Vent Rib	Synthetic
VERSA MAX Sportsman Realtree AP Camo ²	81027	12/26"	Vent Rib	Synthetic
VERSA MAX Sportsman Turkey Mossy Oak Obsession Camo	81028	12/22"	Smooth Barrel Rifle Sights	Synthetic

1 Supplied with Flush Mount Pro Bore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended Pro Bore Choke Tubes - Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.



Every time. For every application.

SuperCell'

THE UNSTOPPABLE AMERICAN WORKHORSE.

The engineers at The Rock changed the world of autoloader design forever when they

VERSA MAX, yet driven by the same relentless heart. VersaPort. Our revolutionary, self-

regulating gas system, that flawlessly cycles any 12-gauge load – from light 2¾" to the heaviest 3½" magnums. Along with its unstoppable, self-cleaning design, it reduces the felt recoil of a 12-gauge load to that of 20-gauge pump gun. Meaning faster, smoother followups, more comfort and simply better shooting. Here to take the woods, fields and

flyways by force, the Sportsman is available in 5 configurations. Get your VERSA MAX Sportsman in standard black with a 26" or 28" barrel, or decked in Mossy Oak® Duck Blind or Realtree® AP HD camo coverage. The VERSA MAX Sportsman Turkey sports Mossy Oak Obsession camo and a highly maneuverable 22" barrel. Any load. Anywhere.

created the VERSA MAX - and then they boldly did it again when they unveiled the

VERSA MAX Sportsman. A hard-working, streamlined version of our breakthrough

NITRO STEEL

The steel more wingshooters choose, now in higher velocities and higher payloads. Premium, zinc-plated pellets deliver tighter patterns and more dead birds. See page 142.









We're proud to say the finest autoloaders in the world aren't made in Italy, Belgium or Japan. They're built right here. With the addition of the lightweight, 3-inch-capable V3 to our lineup, every possible hunting or sporting application is now under the reign of our VersaPort gas system. The V3 incorporates the system's unfailing reliability and super-soft recoil into a sleek platform with the athletic handling and pointability that have made Remington autos an icon in the field. From light 2¾" target loads to the hardest-hitting 3" mags, it cycles them all with the same unrelenting consistency. Choose from durable synthetic stocked models in all black or decked butt to bore in Mossy Oak® Blades camo. For traditional good looks, the V3 is also available with American walnut woodwork and a rich satin finish. All models with synthetic stocks are compatible with an adjustable length-of-pull system to create a custom fit for any shooter. It's the next generation of the most enduring, most innovative legacy in autoloaders. Built in the land where the best shotgun wins.

V3 FIELD SPORT

V3 FIELD SPORT WALNUT FEATURES

- World-class autoloader performance, made in America
- VersaPort gas system for flawless, dependable cycling and super-soft recoil
- Reliably cycles all 2¾" and 3" 12-gauge loads
- Self-cleaning design promotes extreme reliability
- Perfectly balanced for effortless pointability
- Walnut stock with satin finish for classic All-American Styling
- Crisp target style trigger
- The combination of any shell performance, light weight and lack of recoil make the V3 the most versatile autoloader you can buy



SuperCell'

V3 FIELD SPORT BLACK SYNTHETIC

V3 FIELD SPORT CAMO



V3 FIELD SPORT CAMO

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
V3 Field Sport Walnut	83421 83420	12/26" 12/28"	Light Contour Vent Rib	Walnut
V3 Field Sport Camo MO Shadowgrass Blades	83406	12/28"	Light Contour Vent Rib	Synthetic
V3 Field Sport Camo MO Break-Up Country	83408	12/26"	Light Contour Vent Rib	Synthetic
V3 Field Sport Black Synthetic	83401 83400	12/26" 12/28"	Light Contour Vent Rib	Synthetic

V3 ACCESSORIES

Choose from several new Mossy Oak camo patterns to give your V3 the ultimate in concealment. See page 184.






Mossy Oak Break-Up Country







OUTDOOR LIFE GUN TEST-

REMINGTON V3 FIELD SPORT

By John B. Snow, Shooting Editor

OUTDOORLIFE -





This new semi-auto is an outstanding mid-priced shotgun both in terms of the performance it delivers and the value it represents.

The V3 has a 3-inch chamber and runs on a short-stroke gas-piston system similar to that of Remington's flagship VERSA MAX gun; but, in truth, it is more refined. The V3's action is robust, durable, easy to maintain, and soft shooting.

The action is also compact. Its short length, in addition to the design of the stock, makes the V3 a natural shooter. It points fast, tracks smoothly, and breaks clays and downs birds with impressively consistent competence.

With its good recoil management and 7.5-pound weight, it is a shotgun you can haul all day and put hundreds of rounds through without getting beat up. It isn't pretty (future models will have better aesthetics), but despite its homely looks, it rose to the top in a competitive field to earn honors as both our Editor's Choice and our Great Buy — an unusual and impressive double win.

Reprinted with permission from our friends at Outdoor Life. Originally published June/July 2015.

The V3 rose to the top in a competitive field to earn honors as both our Editor's Choice and our Great Buy – an impressive double win.









NITRO PHEASANT LOADS

One of the most potent pheasant loads on the market. Uses our Copper-Lokt shot for deep penetration and consistent patterns. See page 150.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
11-87 Sportsman Field Walnut w/Fleur-De-Lis Checkering	83700	12/28"	Vent Rib	American
	83704	20/26"	Rem Choke Mod ⁴	Walnut

4 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem

SHOTGUNS-WITHOUT CLEANING THEM-ON A 4-DAY ARGENTINA **DOVE HUNT DURING PRODUCT** DEVELOPMENT OF THE GUN.

AUTOLOADERS

THE FIRST AUTOLOADING SHOTGUN PRODUCED IN THE U.S.-REMINGTON HAS BEEN AT THE FOREFRONT OF SEMI-AUTOMATIC SHOTGUN DESIGN AND INNOVATION FOR MORE THAN 100 YEARS.

STARTING WITH THE MODEL II

THE VERSAPORT SYSTEM IS

CAPABLE OF REDUCING THE FELT RECOIL OF A A 20 GAUGE.

MADE IN 12, 16, 20, AND 28 GAUGES AND .410 BORE AT THE TIME OF ITS INTRODUCTION

THE MODEL 1100 IS THE BEST-SELLING AUTOLOADER IN U.S. HISTORY. LAID END TO

END, THEY'D REACH FROM THE ATLANTIC TO THE PACIFIC.

RELIABLE: THE MODEL 1100 HOLDS THE RECORD FOR MOST ROUNDS RIFIED FROM AN AUTOLOADER WITHOUT

MORE THAN 24,000

MODEL 1100

MODEL 1100 COMPETITION

Competition

THE ULTIMATE COMPETITIVE ADVANTAGE.

Chosen by millions across the nation for its exceptionally soft recoil and sleek pointing characteristics, the Model 1100 has been dominating the competitive scene for over 50 years. The Model 1100 Competition features an action optimized for 2¾" target and light field loads, a fully adjustable stock, plus a handsome, nickel-Teflon® finish on the receiver and all internal parts for the smoothest, most reliable cycling possible.

MODEL 1100 COMPETITION FEATURES

- Twin target-style bead sights
- Polished nickel finish on receiver
- Nickel-Teflon® coated internals
- Adjustable comb and cast adjustment options
- Includes full set of five Briley (Target) ProBore choke tubes: skeet, improved cylinder, light modified, modified and full
- · Recoil reducing stock



PREMIER NITRO SPORTING CLAYS

A long-time favorite of trap and skeet shooters thanks to their 1300 fps velocity, pattern uniformity and "reloader-friendly" design. Pair your Model 1100 with this for an extra competitive edge. See page 148.

> MODEL 1100 SPORTING



THE MOST FAMOUS AUTOLOADER OF ALL TIME.

More than 50 years since it was first introduced, the Remington Model 1100 has cemented its name as the most popular autoloader in history. And it is still the choice of countless competitive shooters nationwide – for its proven-reliable Model 1100 action, superior handling qualities and rich tradition. One of the most successful competitors ever, the Model 1100 Classic Trap provides serious shooters all of the time-tested features of the Model 1100 field guns, but optimized to handle 2¾" target and light field loads. Ivory front bead and steel mid-bead sights provide for ease of target acquisition and improved followups. And it features a B-grade, American walnut stock with handsome high-gloss finish and cut checkering. The Model 1100 Sporting Series shotguns are quick to impress and sweet to shoot. Gold triggers and a custom Premier Sporting hard case complete the package. If you haven't already, shoulder this and you'll soon see why the Model 1100 is America's favorite.

MODEL 1100 CLASSIC TRAP FEATURES

- Twin bead target sights
- Polished blued receivers and barrels
- Semi-fancy American walnut stocks and fore-ends
- High gloss wood finish with cut checkering
- Gold-plated triggers





MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
1100 Competition Synthetic ⁵	82821	12/30"	Vent Rib Pro Bore	Synthetic
1100 Classic Trap	25333	12/30"	Lt. Contour Rib Rem Choke²	Semi-Fancy Amer. Walnut
1100 Sporting 12	25315	12/28"	Lt. Contour Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 20 (LT)	25399	20/28"	Lt. Contour Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 28	29583	28/27"	Vent Rib Rem Choke ³	Semi-Fancy Amer. Walnut
1100 Sporting 410	29549	410 bore/27"	Vent Rib Rem Choke ³	Semi-Fancy Amer. Walnut

1 Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. 2 These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). 3 NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 4 Model 1100 Shotguns have 2 3/4" chambers, unless otherwise noted. 5 Model 1100 Competition Synthetic shotgun is supplied with Pro Bore chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.



For competition or personal defense, no challenge is too great for Remington tactical shotguns. Our lineup includes some of the most trusted and popular shotguns in the industry, each fine-tuned for your specific tactical application. The flagship is the VERSA MAX Competition Tactical. We started with our VERSA MAX Tactical, then outfitted it to meet the 3-gunner's demands. Features include an 8-shot magazine with a carbon-fiber, two-shot extension; oversized controls for handling with gloves; green Cerakote receiver; an enlarged loading port for faster reloads; express dovetail sights and more. Built on the ever-reliable Model 870 platform, the Model 870 Express Tactical Magpul,® Model 870 Express Tactical 20-gauge, and Model 870 Express Tactical 6-Position, join our line-up of tactical workhorses for 2018. With features like 18.5", 6 + 1 capacity and adjustable tactical stocks, they deliver the edge you can count on when you need it most.





ULTIMATE DEFENSE BUCKSHOT

These new 12-gauge loads deliver a higher level of stopping power when you need it most. Available in standard and in managed recoil. See page 157.

VERSA MAX COMPETITION TACTICAL FEATURES

- Most versatile, reliable shotgun on the market
- Reliably cycles 3" 12-gauge rounds
- VersaPort gas system regulates cycling pressure based on shell length
- Reduces recoil to that of a 20-gauge
- Self-cleaning continuously cycled thousands of rounds in torture test
- Enlarged trigger guard opening and larger safety for easier use with gloves
- Nickel plated barrels
- Nickel-Teflon® plated internal components offer extreme corrosion resistance
- Length of pull kit to extend length by 1"
- Fully adjustable stock for drop-cast-LOP-comb insert



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 195-196.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
VERSA MAX Competition Tactical ¹	81029	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
VERSA MAX Tactical ¹	81059	12/22"	Vent Rib	Synthetic, w/ Over-Molded Grips
NEW 870 Express Tactical 6-Position Stock	81212	12/18½"	Fixed Cylinder Choke	Synthetic
NEW 870 Express Tactical Magpul	81192	12/18½"	Fixed Cylinder Choke	Synthetic
870 Express Tactical (w/XS Ghost Ring Sights)	81198	12/18½"	Rem Choke ¹	Synthetic

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Synthetic Tactical	25549	12/18½"	Fixed Cylinder Choke	Synthetic
870 Express Synthetic Tactical (7-Round Capacity)	25077 81100	12/18½" 20/18½"	Fixed Cylinder Choke	Synthetic
870 Express Hardwood Home Defense	25559	12/18½"	Fixed Cylinder Choke	Hardwood
870 Express Hardwood Home Defense	81197	12/18½"	Fixed Cylinder Choke	Hardwood
870 Marine Magnum²	25012	12/18"	Fixed Cylinder Choke	Synthetic

l Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Will not accept certain law enforcement accessories.

MODEL 870

WORKHORSE WITH A HEART OF STEEL.



MODEL 870 DM

It's the fastest response time of any pump shotgun in history, and the only magazinefed shotgun built on the world's strongest, smoothest, and most reliable pump gun platform.



TWIN ACTION BARS

With symmetrical support on either side of its slide, the Model 870 delivers smooth, sure cycling in even the most adverse conditions. Whether in arctic cold, desert heat or jungle humidity, its twin action bars prevent binding and allow you to drive home the bolt with certainty every time you shuck the forend.





STACK THE ODDS IN YOUR FAVOR.

Introducing the only magazine-fed shotgun built on the pedigree of the world's strongest, smoothest, and most reliable pump shotgun. Featuring a detachable magazine system and fire controls designed

from the ground, up available with 3-, and 6-round mags. It's the fastest response time of any pump shotgun in history, and the ultimate choice for a home defense shotgun. The Model 870 DM features a bead sight, black synthetic stock, corn cobb fore-end, SuperCell recoil pad, while our Model 870 DM Magpul® sports a Magpul SGA stock and fore-end, 18.5" barrel with Rem Choke, and tactical rail with ghost ring sights. The Model 870 DM Predator's ShurShot over-molded stock, and corncob fore-end deliver exceptional handling and stability. Features a 12-gauge 18.5" Rem Choke barrel with 2 Trulock chokes, and comes with 3-, and 6-round mags. The Model 870 DM Hardwood sports a tactical hardwood stock and fore-end. And the Model 870 DM Tactical brings 12-gauge authority courtesy of a Rem Choke barrel with ported tactical choke, corn cobb tactical fore-end, pistol grip tactical stock, and XS ghost ring sights with tactical rail.



MODEL 870 DM MAGPUL FEATURES

- Proven 12-gauge 3" Model 870 shotguns platform fed by a factory detachable 6-round box magazine
- Magpul SGA stock and fore-end, SuperCell recoil pad
- 18 ¹/₂" barrel with tactical Rem Choke
- XS Ghost Ring sights and tactical rail



MODEL 870 DM HARDWOOD

MODEL 870 DM PREDATOR

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 195.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
NEW 870 DM	81350	12/181/2"	Fixed Cylinder Choke	Synthetic
NEW 870 DM Magpul	81352	12/181/2"	Rem Choke	Synthetic
NEW 870 DM Predator	81354	12/181/2"	Rem Choke	Synthetic
NEW 870 DM Hardwood	81351	12/181/2"	Fixed Cylinder Choke	Hardwood
NEW 870 DM Tactical	81360	12/181/2"	Rem Choke	Synthetic



MODEL 870 TAC-14 MARINE MAGNUM

MODEL 870 TAC-14 ARM BRACE



THE SHORTEST ALLOWABLE DISTANCE BETWEEN POWERLESS AND PREPARED.

NEW

MODEL 870 TAC-14

Small in size, but huge on home defense capability, the Model 870 Tac-14 firearm delivers devastating, threat stopping power to protect your home and family. Featuring legendary Model 870 reliability, a Raptor pistol grip and Magpul® M-lock fore-end, it's powerful personal protection at its absolute shortest - and finest. Our new Model 870 Tac-14 Hardwood sports a hardwood grip and fore-end, while the Model 870 Tac-14 Arm Brace offers the sure handling of a Magpul M-Lock fore-end. The Model 870 Tac-14 Marine Magnum packs 4+1 rounds of 12-gauge in just 14 inches. Fully nickel coated internals and externals deliver all-weather durability. For more manageable recoil, the Model 870 Tac-14 20 Gauge brings 20-gauge wallop courtesy of a Mesa tactical Lucy adaptor. And with its detachable magazine, the Model 870 Tac-14 DM adds 6 rounds of 12-gauge backup when you need it most.







- Black Magpul M-Lock fore-end with Shockwave
- Raptor pistol grip
- 26.3" Overall length
- 14" Barrel length with bead sights
- Blued finish
- 4 + 1 capacity
- Available in 12-and 20-gauge

SHOCKWAVE RAPTOR PISTOL GRIP

design substantially reduces

felt recoil.



For a complete list of all model specifications, see page 196.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
NEW 870 Tac-14	81230 81145	12/14" 20/14"	CylBore	Synthetic
NEW 870 Tac-14 Marine Magnum	81312	12/14"	CylBore	Synthetic
NEW 870 Tac-14 Arm Brace	81240	12/14"	CylBore	Synthetic
NEW 870 Tac-14 Hardwood	81231	12/14"	CylBore	Hardwood
NEW 870 DM Tac-14	81348	12/14"	CylBore	Synthetic

SPECS AT A GLANCE.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
NEW 870 Tac-14	81230 81145	12/14" 20/14"	CylBore	Synthetic
NEW 870 Tac-14 Marine Magnum	81312	12/14"	CylBore	Synthetic
NEW 870 Tac-14 Arm Brace	81240	12/14"	CylBore	Synthetic
NEW 870 Tac-14 Hardwood	81231	12/14"	CylBore	Hardwood
NEW 870 DM Tac-14	81348	12/14"	CylBore	Synthetic

COMPACT FIREPOWER



MAGPUL M-LOCK FORE-END

Synthetic design features raised moldings for sure handling in all conditions.



MODEL 870 WINGMASTER



MODEL 870 WINGMASTER

THE GREATEST OF ALL TIME.

It's the strongest, smoothest and most reliable pump shotgun ever conceived, and it's still ahead of its time 66 years since its introduction. With a receiver machined from a solid billet of steel, the Model 870's sleek, bulletproof design remains the standard by which all other pump guns are measured. The fore-end glides effortlessly on twin action bars for positive chambering and ejection. The gun mounts, swings and points like an extension of your body. Consider that this unmatched combination of form and function has been produced in dozens of versions for every pursuit, and it's no wonder that the Model 870 is the best-selling shotgun in history with more than 12 million made. New for 2018, the **Model 870 Wingmaster Claro** matches the beauty of high polished metal, and high-gloss claro walnut stock and fore-end with the 12-gauge performance of our light contour 26" barrel that includes 3 chokes.



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 195.

MODEL	ORDER No.	GAUGE/BORE' BBL LENGTH	BARREL TYPE	STOCK Material
Wingmaster	26927 26929	12/28" 12/26"	Light Contour Vent Rib Rem Choke ²	American Walnut
Wingmaster	26947 26949	20/28" 20/26"	Vent Rib Rem Choke ²	American Walnut
Wingmaster	24983	28 (2 ¾") 25"	Vent Rib Rem Choke ²	American Walnut
Wingmaster	24991	410 Bore (3") 25"	Vent Rib Fixed Modified	American Walnut
870 Classic Trap	24857	12/30"	Light Contour Vent Rib Rem Choke	American Walnut
NEW Wingmaster Claro	82010	12/28"	Vent Rib Rem Choke ²	Claro Walnut

I NOTE: All Model 870 Wingmaster and Model 870 Wingmaster Super Magnum shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes.
2 Model 870 Wingmaster shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.

MODEL 870 WINGMASTER FEATURES

- America's most trusted pump shotgun
- Twin-action bars for remarkable action and durability
- The smoothest pump-action shotgun on the market
- Superior balance, handling and looks
- Points, swings and functions better than anything else in its class
- A wide array of barrel and choke options make versatility




AMERICAN CLAY & FIELD

A devastating combination of the best features of our worldchampion target loads and on-game performance that's equally effective on feathers and clay. See page 146.

THE LEGEND OF MR. 870

HOW ONE OF THE GREATEST
SHOTGUNNERS EVER POPULARIZED THE
GREATEST PUMP SHOTGUN EVER MADE.

f you were to draw a two-circle Venn diagram, withone circle representing the sport of trap shooting and the other circle representing the Model 870 pump shotgun, you likely would struggle to find many common elements. After all, most trap shooters' shotgun of choice is typically either an over-under or a semi-automatic. However, one man's name is sure to show up in the overlap: Fred R. "Rudy" Etchen, aka Mr. 870.



Etchen, the son of Trap Shooting Hall

of Famer Fred E. Etchen, started his competitive shotgunning career as a teenager in the 1930s. He would go on to win scores of trophies at competitions around the world in the decades that followed, and with a variety of guns. But it was in 1950 when Rudy earned the moniker by which he would come to be known. That year, he took one of the first dozen 870s ever produced to the Grand American Trap Championships and became the first person ever to break a registered 100 straight in trap doubles with a pump gun. As if that feat were not remarkable enough on its own, 32 years later - and with that same 870 - he registered another 100 straight in doubles at the 1982 Louisiana State Shoot.



MODEL 870 SPS
SUPER MAGNUM TURKEY
PREDATOR W/SCOPE

SuperCell® TRUGLO
RECOIL PAD

AN AMERICAN ICON, TURNED LONG-RANGE SPECIALIST.

The Model 870 SPS Super Magnum. The most popular slide-action of all time, engineered to deliver long-range payloads to turkeys and deer with deadly precision. It's an all-American icon of reliability taken to the next level of application-specific innovation. The Model 870 SPS Super Magnum Turkey Predator combines full camo concealment and super-magnum range. The ShurShot pistol grip stock with overmolds enables ambidextrous handling and pointability. The 20-inch barrel is topped with a TRUGLO® red/green selectable illuminated sight on a Weaver rail, making it a truly specialized turkey hunting platform. Plus, it handles 2¾-, 3- and 3½-inch 12-gauge loads. A black padded sling and a Wingmaster HD Turkey/ Predator Rem Choke are included. The 12-gauge Model 870 SPS ShurShot Synthetic Super Slug sets a new standard for deer-pounding accuracy. The, one-inch-diameter, 25½-inch-long barrel is pinned to the receiver to control harmonics and shot-to-shot variation. Longitudinal flutes minimize weight and heat buildup while enhancing barrel rigidity. Parabolic Ultragon rifling grooves with 1-in-35-inch twist optimize slug flight. The ambidextrous ShurShot pistol-grip synthetic stock with rubberized overmoldings promotes superior pointability and buttstock includes a SuperCell recoil pad. The receiver is drilled and tapped, and a Weaver rail and cling swivel studs are included.

NITRO TURKEY

Bird-hammering performance at an outstanding value. See page 152.



MODEL 870 SPS SUPER MAGNUM TURKEY PREDATOR FEATURES

- Handles 12-gauge, 2³/₄", 3" and 3¹/₂" shells
- 20" barrel Turkey/Predator Extended Rem Choke included
- ShurShot pistol grip stock
- TRUGLO 30mm Red/Green Dot Scope (Model TG8030DB) pre-mounted
- Full Mossy Oak® Obsession camo coverage
- 3 lb. "competition" style spring on trigger assembly
- Sling included



MOD SSY OAK FUL

MODEL 870 SPS SHURSHOT FULLY RIFLED SUPER SLUG

SuperCell*

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 196.

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 SPS Super Mag Turkey/ Predator w/Scope w/ Overmolded Grips	81062	12 (3½") 20"	Clean Barrel Bead Sight Rem Choke	Synthetic
870 SPS Super Slug	82101	12 (3") 25½"	Fully Rifled Extra Heavy (Fluted)	Synthetic

I All 3" and 3 ½" chambers also handle 2 ¾" shells.





A TURKEY'S GOBBLE CAN BE HEARD UP TO A MILE AWAY. MORE THAN
1/5th OF ALL
U.S. HUNTERS
PERSUE WILD TURKEYS



THE WILD TIPE

THERE IS NO GREATER CONSERVATION STORY IN NORTH AMERICA THAN THAT OF THE WILD TURKEY. REBOUNDING FROM NEAR EXTINCTION A CENTURY AGO, HEALTHY POPULATIONS OF THE QUIRKY AND—AT TIMES—CONFOUNDING BIRD NOW RESIDE IN 49 STATES.



A FULLY-GROWN WILD TURKEY HAS APPROXIMATELY 5,500 FEATHERS.

ALASKA IS THE ONLY U.S. STATE WHERE
WILD TURKEYS ARE NOT FOUND.

47.603

NUMBER OF WILD TURKEYS HARVESTED IN MISSOURI IN 2014, THE MOST IN THE U.S.

OF SOUTH CAROLINA AND ALABAMA, THE HIGHEST IN THE COUNTRY.



THERE ARE 5 SUBSPECIES OF WILD TURKEYS IN THE U.S. THE MOST COMMON IS THE EASTERN, WITH MORE THAN 5 MILLION BIRDS.



37.6 lbs.

23,000% INCR

WILD TURKEY POPULATION IN THE U.S. SINCE 1930

THE HEAVIEST TURKEY EVER TAKEN BY
A HUNTER WEIGHED 37.6 POUNDS. THE
BIRD WAS SHOT BY DAVID GUESS IN 2015
AT HIS FAMILY FARM IN KENTUCKY.



100% ALL-AMERICAN.

No imported parts. No aluminum. Just 100% pure American muscle. And with 12 million unleashed into the woods, fields and flyways since 1951, the Model 870's reign as this nation's favorite shotgun continues uncontested. The reason is simple - it remains the most advanced, smoothest shooting pump shotgun on the planet. Shot after shot, the pump slides seamlessly on twin action bars for positive chambering and ejection. And the receiver is machined from solid steel, for unrivaled strength and reliability.



Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.



MODEL 870 EXPRESS WATERFOWL FEATURES

- 12-gauge, HiViz vent-rib sight with replaceable fiber optics
- 28" barrel with Rem Choke
- All-weather synthetic stock and fore-end
- Mossy Oak Shadow Grass Blades full camo
- Shoots 2¾", 3" and 3½" shells
- Super Cell recoil pad



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 195-196.

MODEL	ORDER No.	GAUGE(BORE)/ BBL LENGTH	BARREL TYPE	STOCK Material
NEW 870 Express Super Mag Waterfowl Camo ¹	81074	12 (3½")/28"	Vent Rib Rem Choke ⁸	Synthetic
870 Express	25568 25569	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Magnum w/ShurShot	81114	12/21"	Vent Rib Rem Choke (Turkey Extra Full)	Synthetic
870 Express	25583 25582 25601	20/28" 20/26" 410/25"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Lam. Compact ⁴	25561	20/21"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Synthetic	25587 25589	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Turkey Camo	81115	12/21"	Vent Rib Rem Choke (Turkey Extra Full)	Synthetic
870 Express Compact ¹	81148	20/21"	Vent Rib Rem Choke (Mod)	Synthetic

MODEL	ORDER No.	GAUGE(BORE)/ BBL LENGTH	BARREL TYPE	STOCK Material
870 Express Compact Camo ¹	81166	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Jr. ¹	81161	20/18¾"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Pink Blaze Camo ¹	81150	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Left Hand	25577	12/28"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Super Mag Turkey/Waterfowl Camo	81125	12 (31/2")/26"	Vent Rib Rem Choke ^{7,8}	Synthetic
870 Express Super Mag Waterfowl Camo¹	81111	12 (31/2")/28"	Vent Rib Rem Choke ⁸	Synthetic
870 Express Super Mag	25100	12 (31/2")/28"	Vent Rib Rem Choke (Mod)	Hardwood
870 Express Super Mag Synthetic	25103 25102	12/28" 12/26"	Vent Rib Rem Choke (Mod)	Synthetic

Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 Supplied with sling swivel studs. 3 Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 %" and 3" shotshells.

4 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 %", 3" and 3 ½" shotshells. 5 Wood laminate stock model does not include Length of Pull Kit. 6 Combo Deer barrel has 3" chamber.

7 Turkey Extra Full Rem Choke tube. 8 Supplied with Rem Choke "Over-Decoys" choke tube.





DEER, WATERFOWL, UPLAND, ALL OF THE ABOVE.

The world's strongest, smoothest, most reliable pump shotgun is also the most versatile. Our fully-rifled slug gun offerings deliver the rifle-like performance American deer hunters have depended on for decades. And supplied with either 26", 28", or 21" Youth Rem Choke vent-rib smoothbore field barrels, Remington Combo guns provide all the value a shotgun hunter needs. Smoothbore, riffled, or both, it's the all-around hunter, ready for any season whenever you are.



PREMIER EXPANDER

Delivering 2¾" and 3" of magnum-caliber terminal performance plus AccuTip level accuracy, Premier Expander is the hardesthitting, most deadly accurate slug load to hit the whitetail woods this season. See page 136.



MODEL 870 EXPRESS FULLY RIFLED CANTILEVER FEATURES

- Available in 12 and 20 gauge (2¾" and 3")
- 12-gauge fully rifled, heavy-contour barrel
- All-weather stock and fore-end
- Nonglare matte finish on metalwork
- Ultra-strong Model 870 steel receiver
- Twin-action bars deliver smooth, sure cycling



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 195-196.


MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Synthetic Fully Rifled Deer	25097	12/20"	Fully Rifled	Monte Carlo Synthetic
870 Express Deer	25565	12/20"	Fixed Imp. Cyl. Choke	Monte Carlo Laminate
870 Express Fully Rifled Deer	25575	12/20"	Fully Rifled	Monte Carlo Laminate
870 Express Synthetic Fully Rifled Cantilever	2509	12/23"	Fully Rifled Heavy Contour Fully Rifled	Monte Carlo Synthetic
870 Express Super Mag Extra Barrel Combo	25114 -	12/26" 12/20"	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁶	Hardwood
870 Express Combo ²	25578	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	Vent Rib Rem Choke (Mod) Fully Rifled Deer	Hardwood

MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Combo ²	25597	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	Vent Rib Rem Choke (Mod) Fully Rifled Deer	Hardwood
870 Express Synthetic Compact Combo ²	25659	20/21"(Vent Rib) 20/20" (Fully Rifled)	Vent Rib Rem Choke (Mod) Fully Rifled Deer	Synthetic
NEW 870 Express Synthetic Field and Home Combo ²	81280	12/23" (Fully Rifled) 12/28" (Vent Rib)	Vent Rib Rem Choke (Mod) Fully Rifled Deer	Synthetic
870 Express Field and Home Combo ²	81291	12/26"(Vent Rib) 12/18½" (Vent Rib)	Vent Rib Rem Choke (Mod) Fixed Cyl. Choke	Synthetic
870 Express Field and Home Combo ²	81293	12/28"(Vent Rib) 12/18½" (Vent Rib)	Vent Rib Rem Choke (Mod) Fully Rifled Deer	Flat

1 Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 Supplied with sling swivel studs. 3 Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells.
4 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 5 Wood laminate stock model does not include Length of Pull Kit. 6 Combo Deer barrel has 3" chamber.
7 Turkey Extra Full Rem Choke tube. 8 Supplied with Rem Choke "Over-Decoys" choke tube.















OVER THE PAST 18 MONTHS, WE'VE UNDERGONE THE MOST SIGNIFICANT TRANSFORMATION IN OUR 201-YEAR HISTORY AS AMERICA'S GUNMAKER.

It's a company-wide shift to Aerospace precision that's pushing Remington firearms innovation to higher levels of performance than ever before. As a hunter or shooter, it's reassuring to know, because when you're capable of more, you can achieve more. And these new offerings are only the first examples of our new commitment.

Like Remington firearms 5R rifling found on most new Model 700 rifles. With its asymmetrical lands and tapered grooves its engineered to create a superior gas seal and reduce bullet deformation. And our New Model 700 PCR (Precision Chassis Rifle) – a fully optimized system to stretch your effective range and shrink your groups like no other production rifle in the world today. It not only claims sub-MOA accuracy, each rifle ships with its own sub-MOA confirmation, in the form of a Computer Aided Target System (CATS) printout.

From new tactical configurations, to big-game, varmint and rimfires, and across every category, you'll find products built with advanced materials, more durable finishes, and new innovative features like suppressor-ready threaded muzzles.

All firearms backed by our new Lifetime Warranty that comes with every Remington firearms manufactured from 2016 on – from our hands to yours.

COMPACT/YOUTH



SuperCell®

LOP

Remington is committed to the future of hunting and shooting. And because young shooters are more apt to continue with the shooting sports if they start with a gun that fits them properly, we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. All synthetic compact firearms feature our adjustable length-of-pull kit. This kit grows with youngsters, and also helps smaller-framed adults tailor their firearm to their specific builds. These guns feature the world's most effective recoil pad, the SuperCell. It's standard equipment on all Compact firearms to ensure maximum shooting comfort. All Model 870 Express Compact shotguns are equipped with 21-inch barrels, while the Model 700 rifle has a 20-inch barrel.

ADJUSTABLE LENGTH OF PULL KIT INCLUDED WITH COMPACT FIREARMS

Our Adjustable Length of Pull Kit is included with all synthetic compact firearms. The kit offers a full 1" adjustment, so any compact model can be custom-fit to shooters of smaller-frame and grow alongside youngsters – all the way up to the standard LOP. See pags 182.



KIT INCLUDES:

MODEL 870 EXPRESS

COMPACT CAMO

- Two ¼" LOP spacers
- One 1/2" LOP spacer
- Corresponding screw lengths to accommodate
 3 different lengths
- Full 1" adjustment
- SuperCell recoil pad

MODEL 870 EXPRESS COMPACT CAMO FEATURES

- 13" length of pull
- Adjustable length of pull system
- Features Rem Choke barrels
- Perfect length, weight and balance for smaller-framed shooters
- Model 870 action is the reliability standard for pump shotguns around the world
- Realtree Hardwoods HD camo
- Super Cell recoil pad

SHOTGUNS







SPECS AT A GLANCE. For a complete list of all model specifications, see pages 194-202.

HOTGUNS				
MODEL	ORDER No.	GAUGE/BBL Length	BARREL TYPE	STOCK Material
870 Express Compact ¹	81148	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Camo ¹	81166	20/21"	Vent Rib Rem Choke (Mod)	Synthetic
870 Express Compact Jr. ¹	81161	20/18¾"	Vent Rib Rem Choke (Mod)	Synthetic

DDEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
del 783	85852	243 Win	20"	Synthetic
	85853	308 Win	20"	Synthetic
del 700 SPS	27475	243 Win	20"	Synthetic
	27391	7mm-08 Remington	20"	Synthetic
del 700 ADL	27092	243 Win	20"	Synthetic
del Seven	85915	243 Win	181/2"	Synthetic
	85916	7mm-08 Remington	181/2"	Synthetic

1 Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.







odel 700 48	
odel 700 Ultimate Muzzleloader 66	
odel Seven 68	
odel 783 70	
odel 7600	
odel 59774	
odel 552/572	
ustom Shop	

MODEL 700 & MODEL SEVEN

CENTERFIRE SUPERIORITY AVAILABLE IN FULL-SIZE AND COMPACT

or 55 years and counting, the benchmark in boltaction reliability, strength, and out-of-the-box accuracy has been the Remington Model 700. With more than 5,000,000 sold to date, no other rifle has been so consistently relied upon to defend our freedoms, protect our communities, and fill our game tags.

That same pedigree of consistency and dependability is also available in a more nimble configuration, the Model Seven. Shorter and lighter than the 700, its receiver is based on that of its big brother. And with chamberings up to 300 WSM, it's the ideal choice for tight-quarters handling when sacrificing firepower simply is not an option.



EXTERNALLY ADJUSTABLE TRIGGER



Remington. It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro externally adjustable trigger delivers true custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory user adjustable from 3.5 to 5 lbs. While others use gadgets and ADJUSTABLE add-ons to hide inconsistencies, Remington eliminates them with state-of-the-art

manufacturing techniques and the tightest possible production tolerances.

HAMMER-FORGED BARRELS

All Model 700 and Model Seven rifles feature cold hammer-forged barrels. The method of hammer forging produces stronger barrels than any other barrel-making process. It also ensures excellent barrel-to-barrel consistency. All Model 700 and Model Seven barrels have exacting bore and rifling dimensions, as well as a carefully tuned exterior contour.

SUPERCELL RECOIL PAD

The product of more than 10 years of R&D, the Supercell Recoil Pad found on Model 700 and Model Seven rifles is proven to reduce felt recoil by an astounding 54 percent over standard factory pads. It's one more way we help you focus on your target and eliminate distractions that can rob you of accuracy.

emington's "three rings of steel" envelop the case head in a recessed bolt face, inside the barrel shank, inside the receiver. It's a strong design, widely copied. With Remington's hammer forged barrels, it's also a proven path to one-hole groups. During the Model 700's first decades, the trigger could be adjusted for weight of pull (lower front screw).

The rifle's moon-shaped beryllium extractor is stronger than it looks, and unlike the Mauser claw, requires no cut in the receiver or barrel. Remington's clip has won in shear tests against side-mounted hooks and contacts more of the case rim. In 40 years, I've never had a Model 700 extractor fail.

I'm pretty sure I shot the first elk taken with the .300 Short Action Mag. in Idaho's Frank Church Wilderness, after descending into a cliff-rimmed canyon. I crept close to a herd. But the bull had vanished! Then a twig broke above me. Out of position as antlers appeared, I hurried the shot and muffed it. Charitably, the bull held as I cycled the bolt and sent a bullet true. That short .300 is still one of my favorite big-game rounds.

THE SWEETHEART WITH BY WAYNE VAN ZWOLL 3 RINGS OF STEEL

- Recessed bolt face completely encloses cartridge head for maximum protection against case rupture.
- 2 Barrel surrounds bolt shroud for additional strength.
- Barrel threaded into receiver machined from hardened steel.





SUB-MOA ACCURACY CONFIRMED BY 'CATS' MEASUREMENT.

Every Model 700 PCR is shipped with a printout confirming its sub-MOA accuracy using our Computer Aided Targeting System (CATS), the same system utilized on Remington PSR Rifles for the U.S. Military.



SYSTEMATICALLY ELEVATING THE WORLD STANDARD FOR ACCURACY.

More than a rifle, a fully optimized system that'll stretch your effective range and shrink your groups like no other production rifle in the world today. The all-new **Model 700 PCR** (Precision Chassis Rifle) pairs the strongest action ever conceived - our legendary Model 700 - with an exclusive aircraftgrade aluminum alloy chassis of unmatched rigidity and atmospheric immunity to create the most stable and consistent platform possible for launching longdistance strikes. It's a potent combination made even more effective with a host of accurizing upgrades that include a 24" barrel with 5R rifling, free-floated in an aluminum handguard, plus a completely user-configurable Magpul PRS Gen 3 stock for the ultimate in comfort from any shooting position. Its sub-MOA accuracy is confirmed using our advanced CATS (Computer Aided Targeting System) before it ever gets to you. But the best part is confirming its tack-driving superiority for yourself. Available in three popular long-range chamberings including 6.5 Creedmoor, 308 Win, and 260 Remington.

MODEL 700 PRECISION CHASSIS RIFLE FEATURES

- Remington Chassis
- 24" barrel with 5R rifling
- Threaded muzzle with protector
- Tactical bolt knob, for swift, positive cycling
- X-Mark Pro externally adjustable trigger
- Aluminum handguard with SquareDrop
- Picatinny rail
- 5-round Magpul detachable magazine
- Adjustable Magpul® PRS Gen 3 stock
- Magpul pistol grip
- 3-shot sub-MOA assurance



5R BARREL ENHANCEMENT

Specially designed for superior gas seal and reduced bullet deformation, for improved accuracy.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 197.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
NEW 700 PCR	84583	260 Remington	24"	Polymer
	84587	308 Win	24"	Polymer
	84586	6.5 Creedmoor	24"	Polymer





Offers a wide range of adjustability for cant, cheek rest height length of pull and buttpad height.

MODEL 700 BARRELED ACTION //

The strongest and most accurate ever conceived, Cerakoted for extreme durability and corrosion resistance.

FREE-FLOATED BARREL //

Mechanically bedded and free-floated within the aluminum handguard.



是如何是是特定,是对

MAGPUL PISTOL GRIP //

AR-15 grip accessories.

Adds stability and control, with ability to accept most

TEFLON®-COATED ANODIZED ALUMINUM CHASSIS //

Completely impervious to weather and atmospheric conditions.
Unmatched rigidity.

OVERSIZED BOLT HANDLE //

For comfort and maximum grip. Threaded for easy aftermarket user customization.

SILENCER READY //

Threaded muzzle with protector.

REMOVABLE HANDGUARD //

SquareDrop and KeyMod accessory compatible and removable for barrel access during cleaning.



THE NEXT GENERATION OF **TACTICAL PRECISION.**

This year, Remington engineers are taking the strength and precision of the Model 700 action to new levels of hair-splitting accuracy with the latest additions to our tactical lineup. Introducing the Remington Model 700 Magpul Enhanced. Its Magpul Hunter stock with Magpul M-Lok mount and folding bipod serve as a rock-solid base for your best long-range performance yet. Its 20" heavy barrel with 5R rifling, delivers added stability and precision, and comes with a threaded muzzle and protector for ease in adding a suppressor. The Model 700 SPS Tactical Coyote sports a nails-tough Coyote Tan Cerakote Finish and also comes with a threaded muzzle. And the **Model 700** Long Range Stainless, Model 700 Stainless 5R, Model 700 Stainless 5R Threaded, and Model 700 Stainless 5R Threaded Gen 2 deliver the superior accuracy of Remington's exclusive 5R rifling in a variety of stocks and threaded and non-threaded configurations to choose from.

NEW

MODEL 700 MAGPUL ENHANCED

MODEL 700 MAGPUL ENHANCED FEATURES

- 20" heavy barrel with LTR flutes; 24" on 300 Win Mag
- Suppressor-ready threaded muzzle and protector
- Magpul® Hunter stock decked in Flat Dark Earth
- Picatinny rail
- 10-round Magpul magazine
- M-Lok bi-pod mount and folding bipod
- X-Mark Pro externally adjustable trigger
- Available in 300 Win Mag and 308 Win



MODEL 700 SPS TACTICAL

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 197-199.

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
NEW Model 700 Magpul Enhanced	84301	308 Win	20"	Polymer
	84302	6.5 Creedmoor	20"	Polymer
NEW Model 700 Long Range Stainless	85611	7mm Rem Mag	26"	Bell & Carlson M40 Stock
	85624	300 Win Mag	26"	Bell & Carlson M40 Stock
	85625	300 Rem Ultra Mag	26"	Bell & Carlson M40 Stock
NEW Model 700 SPS Tactical Coyote	85551	6.5 Creedmoor	22"	Hogue Overmold
NEW Model 700 Stainless 5R	85504	223 Remington	24"	H.S Precision
	29663	308 Win	24"	H.S Precision
	85505	300 Win Mag	26"	H.S Precision
NEW Model 700 Stainless 5R Threaded	85200	308 Win	20"	H.S Precision
	85507	223 Remington	20"	H.S Precision
	85508	300 Win Mag	24"	H.S Precision
NEW Model 700 Stainless 5R Threaded Gen 2	85196	308 Win	20"	H.S Precision
	85201	308 Win	24"	H.S Precision
	85197	300 Win Mag	24"	H.S Precision
	85198	6.5 Creedmoor	24"	H.S Precision





MODEL 700 LONG RANGE

MODEL 700 XCR TACTICAL LONG RANGE



BUILDING UPON A TACTICAL LEGACY.

Remington rifles built on the Model 700 action continue to make their mark at the front lines of combat and the firing lines of local shooting ranges. Adding to that reputation of tactical superiority in 2018, we proudly introduce the Remington Model 700 Magpul. Its Magpul Hunter Stock is made of reinforced polymer and features an anodized aluminum bedding block. It's designed to fit any shooter thanks to an adjustable length-of-pull kit and three comb-height inserts. The free-floated, 22-inch carbon threaded, steel barrel has a Cerakote finish, and 5R rifling means reduced fouling and improved accuracy. The Model 700 Tactical Chassis, equipped with an MDT TAC21 Chassis System is ergonomic and highly customizable. Featuring a TriNyte-coated stainless steel barreled action and a Bell and Carlson stock, the Model 700 XCR Tactical Long Range is a durable extended-range rifle. The Model 700 XCR Compact Tactical is its short-action counterpart with a 20-inch barrel. The Model 700 SPS Tactical offers tack-driving precision in a fast-handling package, threaded models accept AAC flash hiders, muzzle brakes and silencers.



MODEL 700 MAGPUL FEATURES

- Magpul® Hunter stock
- Adjustable length-of-pull (13-15")
- Three comb-height inserts
- 5-round detachable Magpul magazine
- Carbon steel barreled action with Cerakote finish
- X-Mark Pro externally adjustable trigger
- 22" free-floated barrel with 5R rifling
- Threaded muzzle with thread protector

ACCEPTS AAC® SILENCERS

Silencers are legal to own in 42 states according to the ASA.



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 197-198.

NO.	CALIBER	BARREL Length	STOCK MATERIAL
84291	260 Remington	22"	Synthetic
84293	308 Win	22"	Synthetic
84295	6.5 Creedmoor	22"	Synthetic
84286	300 Win Mag	24"	Synthetic
84474	308 Win	24"	Aluminum
84475	300 Win Mag	24"	Aluminum
84477	338 Lapua	26"	Aluminum
84461	308 Win	26"	Bell & Carlson Aramid Fiber Reinf.
84462	300 Win Mag	26"	Bell & Carlson Aramid Fiber Reinf.
84463	338 Lapua Magnum	26"	Bell & Carlson Aramid Fiber Reinf.
84467	308 Win	20"	H.S. Precision Aramid Fiber Reinf.
	84293 84295 84286 84474 84475 84477 84461 84462	84291 260 Remington 84293 308 Win 84295 6.5 Creedmoor 84286 300 Win Mag 84474 308 Win 84475 300 Win Mag 84477 338 Lapua 84461 308 Win 84462 300 Win Mag 84463 338 Lapua Magnum	84291 260 Remington 22" 84293 308 Win 22" 84295 6.5 Creedmoor 22" 84286 300 Win Mag 24" 84474 308 Win 24" 84475 300 Win Mag 24" 84477 338 Lapua 26" 84461 308 Win 26" 84462 300 Win Mag 26" 84463 338 Lapua Magnum 26"

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 SPS Tactical	84474	223 Remington	20"	Hogue Overmolded
	84207	308 Win	20"	Hogue Overmolded
Model 700 SPS Tactical AAC-SD	85549	223 Remington	16½"	Hogue Overmolded
	84205	300 Blackout	161/2"	Hogue Overmolded
	85538	308 Win	161/2"	Hogue Overmolded
	84203	308 Win	20"	Hogue Overmolded
	84204	6.5 Creedmoor	22"	Hogue Overmolded
Model 700 SPS Threaded	84158	223 Remington	20"	Synthetic
	84159	308 Win	20"	Synthetic
	84160	243 Win	20"	Synthetic
	84161	30-06 SPRG	20"	Synthetic

MODEL 700 BDL

MODEL 700 MOUNTAIN SS

MODEL 700 BIG GAME HUNTING RIFLES



THE EVOLUTION OF AN AMERICAN LEGEND.

The Remington Model 700 is an icon in every way. Its accuracy and dependability remain the standard more than half a century since it was unveiled. That superior performance is represented in the diverse lineup you see here. The Model 700 AWR (American Wilderness Rifle) meets extreme weather head-on with extreme precision. A nail-tough Cerakote® finish applied to its stainless steel components provides the ultimate in corrosion resistance. A favorite of the high country, the Model 700 Mountain Rifle SS combines a sleek 22-inch Mountain Contour barrel and a Bell and Carlson aramid-fiber-reinforced stock for an overall weight of just 6½ pounds. The ever-popular Model 700 CDL SF showcases a blend of traditional looks with the added performance of a 24" fluted barrel and stainless steel finish. The Model 700 CDL is available in either a high-polish blued finish or our satin finish. More than 50 years old and stronger than ever, the Model 700 BDL is an all-time bestseller. All cataloged models feature our X-Mark Pro externally adjustable trigger.



MODEL 700 AWR FEATURES

- 416 stainless steel barreled action with Cerakote finish to protect against corrosion, abuse and the harshest elements
- 24" or 26" free-floated barrel
- 5R rifling, for reduced fouling and improved accuracy
- High-end, pillar-bedded Grayboe stock will stand up to any amount of abuse
- X-Mark Pro externally adjustable trigger





MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 AWR	84550	270 Win	24"	Grayboe Fiber. & Epoxy
	84551	30-06 SPRG	24"	Grayboe Fiber. & Epoxy
	84555	300 Win Mag	24"	Grayboe Fiber. & Epoxy
NEW	84556	338 Win Mag	24"	Grayboe Fiber. & Epoxy
	84552	7mm Remington Mag	24"	Grayboe Fiber. & Epoxy
	84557	300 Remington Mag	26"	Grayboe Fiber. & Epoxy
	84558	338 Remington Ultra	26"	Grayboe Fiber. & Epoxy
Model 700 BDL	25787	243 Win	22"	American Walnut
	25791	270 Win	22"	American Walnut
	25803	7mm Remington Mag	24"	American Walnut
	25793	30-06 SPRG	22"	American Walnut
Model 700 CDL	27007	243 Win	24"	American Walnut
	27011	270 Win	24"	American Walnut
	27015	7mm-08 Remington	24"	American Walnut
	27047	7mm Remington Mag	26"	American Walnut
	27017	30-06 SPRG	24"	American Walnut
	27049	300 Win Mag	26"	American Walnut
NEW Model 700 CDL SF Limited Edition	84034	6.5 Creedmoor	22"	American Walnut
Model 700 CDL SF	84019	257 Weatherby Mag	26"	American Walnut
	84014	270 Win	24"	American Walnut
	84013	270 WSM	24"	American Walnut
	84012	7mm-08 Remington	24"	American Walnut

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
	84016	7mm Remington Mag	26"	American Walnut
	84015	30-06 SPRG	24"	American Walnut
	84017	300 WSM	24"	American Walnut
Model 700 Sendero SF II	25643	25-06 Remington	26"	H.S. Precision Black Aramid Fiber Reinf.
	27307	264 Win Mag	26"	H.S. Precision Black Aramid Fiber Reinf.
	27311	7mm Remington Mag	26"	H.S. Precision Black Aramid Fiber Reinf.
	27313	300 Win Mag	26"	H.S. Precision Black Aramid Fiber Reinf.
	27318	300 Remington Ultra Mag	26"	H.S. Precision Black Aramid Fiber Reinf.
Model 700 Long Range	84162	25-06 Remington	26"	Bell & Carlson M40 Stock
	84163	7mm Remington Mag	26"	Bell & Carlson M40 Stock
	84164	300 Win Mag	26"	Bell & Carlson M40 Stock
	84165	300 Remington Ultra Mag	26"	Bell & Carlson M40 Stock
	84166	30-06 SPRG	26"	Bell & Carlson M40 Stock
Model 700 Mountain SS	84272	25-06 Remington	22"	Bell & Carlson Aramid Fiber
	84273	270 Win	22"	Bell & Carlson Aramid Fiber
	84274	280 Remington	22"	Bell & Carlson Aramid Fiber
	84276	7mm-08 Remington	22"	Bell & Carlson Aramid Fiber
	84275	30-06 SPRG	22"	Bell & Carlson Aramid Fiber
	84277	308 Win	22"	Bell & Carlson Aramid Fiber

^{*}Compact and Left-Hand Models also available.

MODEL 700 HUNTING RIFLES



WORLD'S MOST UNCONQUERABLE. INFINITELY CONFIGURABLE.

The world's strongest, most accurate bolt-action rifle is adaptable for every application and pursuit. Available with a host of industry leading features in several SPS and ADL offerings, and a long list of chamberings there's a Model 700 configuration to match any hunting or shooting purpose and budget. Choose from the sleek, all-weather durability of the Model 700 SPS Stainless, the concealment of the Model 700 SPS Camo, the straightforward styling and reliability of our Model 700 ADL in black oxide, traditional deep blued, or the Model 700 ADL SS in stainless steel.



- Ergonomically designed synthetic stock
- Hinged floorplate
- Short and long-action caliber offerings feature a 24" clean barrel – Magnum and Ultra-Mag. offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger
- Drilled and tapped for scope mounts
- SuperCell reduces felt recoil by up to 54%







HTP COPPER NEW

All copper, pure devastation. Its four cutting petals deliver enormous terminal performance, and near 100% weight retention, every time. See page 122.



MODEL		ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 ADL		84601	22-250 Remington	24"	Synthetic
		84600	223 Remington	24"	Synthetic
		27093	243 Win	24"	Synthetic
		27094	270 Win	24"	Synthetic
		85407	308 Win	24"	Synthetic
	NEW	85447	6.5 Creedmoor	24"	Synthetic
		27095	30-06 SPRG	24"	Synthetic
		27097	7mm Rem Mag	26"	Synthetic
		27099	300 Win Mag	26"	Synthetic
		27092	243 Win	20"	Synthetic
Model 700 ADL SS		85486	243 Win	24"	Synthetic
		85488	270 Win	24"	Synthetic
		85490	308 Win	24"	Synthetic
		85491	30-06 SPRG	24"	Synthetic
Model 700 SPS*		27351	223 Remington	24"	Synthetic
		27355	243 Win	24"	Synthetic
	NEW	84148	6.5 Creedmoor	24"	Synthetic
		84149	260 Remington	24"	Synthetic
		27361	270 Win	24"	Synthetic
		27331	270 WSM	24"	Synthetic
		27357	7mm-08 Remington	24"	Synthetic
		27385	7mm Remington Mag	26"	Synthetic

			- 1	
MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
	27363	30-06 SPRG	24"	Synthetic
	27333	300 WSM	24"	Synthetic
	27387	300 Win Mag	26"	Synthetic
	27359	308 Win	24"	Synthetic
	27389	300 Remington Ultra Mag	24"	Synthetic
Model 700 SPS Camo	84185	270 Win	22"	Synthetic w/Overmold
	84186	30-06 SPRG	22"	Synthetic w/Overmold
	84187	7mm Remington Mag	24"	Synthetic w/Overmold
	84188	300 Win Mag	24"	Synthetic w/Overmold
Model 700 SPS Stainless	27133	223 Remington	24"	Synthetic w/Overmold
	27135	22-250 Remington	24"	Synthetic w/Overmold
	27263	243 Win	24"	Synthetic w/Overmold
	27251	25-06 Remington	24"	Synthetic w/Overmold
	27267	270 Win	24"	Synthetic w/Overmold
	27253	270 WSM	24"	Synthetic w/Overmold
	27265	7mm-08 Remington	24"	Synthetic w/Overmold
	27271	7mm Remington Mag	26"	Synthetic w/Overmold
	27269	30-06 SPRG	24"	Synthetic w/Overmold
	27255	300 WSM	24"	Synthetic w/Overmold
	27273	300 Win Mag	26"	Synthetic w/Overmold
	27136	308 Win	24"	Synthetic w/Overmold
	27140	300 Remington Ultra Mag	26"	Synthetic w/Overmold

*Compact and Left-Hand Models also available.

MODEL 700 VTR SS

MODEL 700 SPS VARMINT



SuperCell*

BECOME A LEGEND IN YOUR OWN RIGHT.

Three-shot groups that drop jaws. Long-range shots that split hairs. True to their reputation, our legendary Model 700 Varmint rifles will earn you one. Each member of this family is engineered to deliver varmint-crushing devastation with tactical efficiency. The Model 700 VTR comes in a Flat Dark Earth stock with black rubberized overmold grip panels, while the Model 700 VTR Stainless Steel has a black stock with gray overmold. Both also include a tactical bolt knob, Picatiny rail and bipod. The Model 700 SPS Varmint has a heavy contour, 26-inch barrel and SPS Varmint stock. The Model 700 Varmint Stainless Fluted (SF) has a heavy contour barrel with six longitudinal flutes for rapid cooling and less weight, with a concave target-style barrel crown for even greater consistency. And the Model 700 VLS features a richly blued finish, heavy contour barrel and a distinctive laminated stock, contributing to its status as a long-time favorite.



PREMIER ACCUTIP-V

MODEL 700 VTR

World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. See page 128.



- 22" barrel with integrated muzzle brake design and triangular barrel contour
- Available in FDE stock with carbon steel barrel and black overmold grips, or black stock with stainless steel barrel and gray overmold grips
- X-Mark Pro externally adjustable trigger
- Picatinny rail
- Bipod
- Oversized bolt handle



SPECS AT A GLANCE. For a complete list of all model specifications, see page 200.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 VTR	84374	223 Remington	22"	Synthetic Overmold Grip Panels
	84376	22-250 Remington	22"	Synthetic Overmold Grip Panels
	84375	260 Remington	22"	Synthetic Overmold Grip Panels
	84377	308 Win	22"	Synthetic Overmold Grip Panels
Model 700 VTR SS	84356	223 Remington	22"	Synthetic w/Hogue Overmold Grip Panels
	84358	308 Win	22"	Synthetic w/Hogue Overmold Grip Panel
Model 700 SPS Varmint	84214	204 Ruger	26"	Synthetic Overmold Grip Panels
	84216	22-250 Remington	26"	Synthetic Overmold Grip Panels
	84215	223 Remington	26"	Synthetic Overmold Grip Panels
	84217	243 Win	26"	Synthetic Overmold Grip Panels
	84218	308 Win	26"	Synthetic Overmold Grip Panels

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 Varmint SF	84342	22-250 Remington	26"	Synthetic w/Hogue Overmold Grip Panels
	84343	223 Remington	26"	Synthetic w/Hogue Overmold Grip Panels
	84344	220 Swift	26"	Synthetic w/Hogue Overmold Grip Panels
	84345	308 Win	26"	Synthetic w/Hogue Overmold Grip Panels
Model 700 VLS	27467	204 Ruger	26"	Brown Laminate
	27491	223 Remington	26"	Brown Laminate
	27489	22-250 Remington	26"	Brown Laminate
	27495	243 Win	26"	Brown Laminate
	27499	308 Win	26 "	Brown Laminate

-REMINGTON-MODEL 700 VTR

By American Rifleman staff



Remington, which is well-known for its popular sporting firearms, also has a somewhat lesser known tradition of developing firearms for the military, law enforcement and tactical communities. Seeing no need to reinvent the wheel, most if not all of these firearms are developed as variants of Remington's established hunting firearms, such as the Model 870 and 11-87 shotguns, the 7600-series pumpaction rifle, and the Model 700-series bolt-action rifle.

In fact, the latter of these is the basis for one of Remington's newest and more unique offerings, the Model 700 VTR, which stands for varmint/ tactical rifle. Officially part of Remington's sporting firearms line, the new rifle is designed around a dual-role approach that covers both varminting and tactical use. However, it eschews the usually heavyweight and lengthy barrels of such guns in exchange for a 22-inch barrel and 71/2-pound total weight. Also of note is the fact that the rifle features a surprisingly low retail price of around \$800. The short-action rifle is available in four chamberings that include the popular varminting cartridges of .204 Ruger, .223 Rem. and .22-250 Rem., as well as the .308 Win., which is traditionally seen in most tactical rifles.

While the Model 700 VTR's appearance is visually distinctive from the tip of its muzzle to the base of its buttpad, the barrel is particularly unique. Taking the concept of barrel fluting to an extreme, the VTR's hammer-forged carbon-steel barrel features a triangular exterior contour that is machined from a heavy blank. The thinking behind the design is that it offers increased structural rigidity over a conventional heavy contour

plated surfaces on key components provide crisp, clean breaks, as well as significantly lighter trigger pulls set from the factory. Functionally, the X-Mark Pro externally adjustable trigger operates the same as traditional Model 700 triggers and features a safety that blocks the sear and trigger, with two positions that allow the rifle's action to be cycled with the safety either on or off.

Just like the barrel,

barrel while also offering lighter weight and increased heat dissipation.

Another unique feature of the Model 700 VTR is its integral muzzle brake. Sporting three vents perpendicular to the bore axis, the VTR's muzzle brake is counter-bored from the muzzle end and features a recessed, internal barrel crown.

The VTR features Remington's new X-Mark Pro factory-adjustable trigger. Highly polished and nickel-

the VTR's synthetic stock represents a conscious effort on Remington's part to make the rifle's appearance as distinctive as its design. Displaying an overall color of matte green, it features black overmold gripping areas on both sides of the pistol grip as well as two panels on the lower portion of the fore-end. The stock features a beavertail fore-end with three horizontal cooling vents and dual sling swivel studs for equipping the rifle with both a bipod and sling. Working in concert with the VTR's muzzle

brake to help tame a perceived recoil is a 3/4-inch-thick synthetic buttpad.

Somewhat surprisingly, the barrel of the VTR is not free-floated, instead it seats on built-in pressure points located in the stock's barrel channel. Remington claims that the positioning of these contact points improves barrel harmonics and increases accuracy. The rifle has a hinged floorplate magazine system that is robust and sturdy, and its release button is located in the upper inside face of the trigger guard. The rifle is not supplied with sights, but the receiver is drilled and tapped to accept scope mounts.

The rifle received for testing was chambered in .308 Win. Immediately upon handling, our testers commented on the lightweight and handy size of the rifle, as well as the pleasant tactile qualities of the black overmolded sections on the stock. All metal parts featured an evenly applied matte-black finish. For testing, we fitted the rifle out with a Leupold Mark 2 3-9x40 mm scope mounted in Brownells steel rings.

Over the course of several boxes each of three types of ammunition, the rifle performed flawlessly.

Accuracy was good, and the rifle exhibited a loyal streak through

its preference for the Remington ammunition. It also showed a general preference for lighter rather than heavier weight bullets. It was noted during testing that the VTR's trigger had an extremely clean and consistent break, with a trigger pull gauge later revealing a consistent 3 pounds pull.

For the individual who wants a boltaction rifle that offers the uncommon combination of lightweight, compact size and good accuracy, as well as one that can serve in a variety of roles, the Remington Model 700 VTR is an excellent choice.

Reprinted with permission from our friends at American Rifleman. Originally published March 2009 issue.

63

MODEL 700 LEFT HAND



PART OF THE MOST COMPLETE SELECTION OF LEFT-HANDED **FIREARMS IN THE** INDUSTRY.

Nowhere will you find as broad a selection of left-handed centerfires, and Remington is proud to offer these specially configured Model 700 rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. Along with our unrivaled standard for out-of-the-box accuracy, all come equipped with the X-Mark Pro externally adjustable trigger for the ultimate shooting experience. The **Model** 700 SPS Left-Hand features a black matte finish and rugged synthetic stock. Our Model 700 SPS Compact Left-Hand is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, with an inch shorter length of pull and a swift-handling 20-inch barrel. The Model 700 SPS Varmint Left-Hand sports a 26-inch heavy-contour barrel, black matte finish and durable synthetic stock with a vented beavertail fore-end to facilitate rapid cooling.

MODEL 700 SPS LEFT HAND FEATURES

- Improved, ergonomically designed synthetic stock stainless steel contour barrel
- Hinged floorplate magazine
- Standard and long-action caliber offerings feature a 24" clean barrel - Magnum and Ultra-Mag. offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger
- Drilled and tapped for scope mounts
- SuperCell reduces felt recoil by up to 54%

MODEL 700 SPS LEFT HAND

MODEL 700 SPS COMPACT **LEFT HAND** SuperCell' **MODEL 700 SPS VARMINT LEFT HAND** SuperCell'

SPECS AT A GLANCE.

For a complete list of all model specifications, see pages 199-200.

MODEL	ORDER NO.	CALIBER	BARREL Length	STOCK MATERIAL
Model 700 SPS Left Hand	84177	270 Win	24"	Synthetic
	84179	7mm Remington Mag	26"	Synthetic
	84178	30-06 SPRG	24"	Synthetic
	84180	300 Win Mag	26"	Synthetic
Model 700 SPS Compact Left Hand	84150	243 Win	20"	Synthetic
	84151	7mm-08 Remington	20"	Synthetic
Model 700 SPS Varmint Left Hand	84226	22-250 Remington	26"	Synthetic w/Overmold Grip Panels
	84227	223 Remington	26"	Synthetic w/Overmold Grip Panels
	84228	243 Win	26"	Synthetic w/Overmold Grip Panels
	84229	308 Win	26"	Synthetic w/Overmold Grip Panels

THE LEGENDARY

SuperCell'



SINCE 1962



MODEL 700 ULTIMATE MUZZLELOADER

DOUBLE YOUR LETHAL RANGE.

The muzzleloader has been redefined, with super-magnum power and 300-yard lethal range as achieved by the revolutionary U.M.L. Ignition System and .50-caliber Premier AccuTip bullets. The Model 700 Ultimate Muzzleloader doubles your effective range with half the effort. Pre-primed cases load with the ease of centerfire cartridges, and super-hot magnum rifle primers ignite loads up to 200 grains with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup. This innovative new system is paired with a Model 700 receiver, a vault of strength and the most trusted in bolt action history. It's a superior rifle in every way, built to match most centerfires for precision, power and performance. The muzzleloader has been reinvented, as only America's most innovative gunmaker can.

MODEL 700 ULTIMATE MUZZLELOADER FEATURES

- U.M.L. Ignition System the patented new breech technology that handles 200-grain magnum charges for 300-yard performance
- Primed centerfire brass with Remington 9 ½ large magnum rifle primer
- Built from the Legendary Model 700 receiver that is machined from solid-steel bar stock for uniformity and strength
- Power, accuracy, and handling comparable to most centerfire rifles
- Bell and Carlson Medalist M40 synthetic stock with Williams peep sight (LSS only)
- 26" stainless steel fluted barrel
- Barrel twist: 1 in 26" right
- 13/8" drop comb, 13/8" drop heel
- 47" overall length, 91/2 lb. weight
- 133/8" length of pull
- Ships in hard case with 24 pieces of primed brass and 24 Barnes TEZ Sabots

REMINGTON MZL PATCH AND BORE

Made especially for muzzleloaders, 100 convenient, single-use patches are treated in Remington MZL Bore Cleaner to keep your bore clean between shots and after the shoot. See page 175.

JET ENGINE OF PROGRESS

U.M.L. Ignition System.
(Ultimate Muzzleloader)
For maximum burn and efficiency of Ultra
Magnum charges up to 200 grains.

Patented design funnels primer flame to ignite ultra-magnum charges

Primed centerfire brass with Remington 9½ magnum rifle primer

Brass case completely

SPECS AT A GLANCE. For a complete list of all model specifications,

see page 201.

MODEL	ORDER No.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 700 Ultimate Muzzleloader	86950	50 Caliber	26"	Laminate Wood
	86960	50 Caliber	26"	Bell & Carlson Medalist M40 Synthetic

seals flash hole



UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the U.M.L. Ignition System handles a 200-grain magnum charge resulting in lethal 300-yard performance.

BURNS 200-GRAIN CHARGES AND 300-YARD BUCKS

The Ultimate Muzzleloader makes in-line muzzleloaders truly primitive, with performance equal to most centerfires. Goes farther. Hits harder. With greater precision.



MODEL SEVEN SYNTHETIC (Scope, base and rings not included)

Left-hand models also available.

MODEL SEVEN NEW **MODEL SEVEN THREADED** HANDLES LIKE A SPORTS CAR, HITS LIKE A FREIGHT TRAIN. The Model Seven puts game-dropping precision and power in a fast-handling platform perfect for blinds, treestands or covering ground on foot. These rifles are equipped with 20" standard contour barrels in a wide range of chamberings. All deliver the breaks-likeglass feel of our X-Mark Pro externally adjustable trigger. The **Model Seven Stainless** adds the all-weather durability of stainless steel to this quick-handling platform. With a rugged black synthetic stock to complement. The **Model Seven Synthetic** also features

a rugged, black synthetic stock. The Model Seven Laminate combines the stunning looks of a brown laminate wood stock with fast-handling characteristics of a shorter action. Our Model Seven CDL is the quintessential short-action hunting rifle, sporting its classic, satin-finished walnut stock and a sleek stain-blued barreled action. And new for 2018, our Model Seven Threaded features a threaded muzzle. Now you can turn up the volume of your favorite pursuit with a whisper-quiet silencer.

MODEL SEVEN THREADED FEATURES

- Total weight is 51/2 lbs
- 161/2" barrel with threaded muzzle
- · Light, compact rifle perfect for quick handling and smaller statured shooters
- Carbon steel barreled action
- Receiver is 1/2" shorter than a Model 700 short action
- Features the same legendary strength as the Model 700 action: "Three rings of steel" with the bolt face, barrel and receiver encasing the cartridge head
- Synthetic stock decorated in KUIU® Vias camo with hinged flooplate
- X-Mark Pro externally adjustable trigger



SuperCell'

SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
NEW Model Seven Threaded	85922	308 Win	161/2"	Synthetic
	85921	300 Blackout	161/2"	Synthetic
Model Seven	85911	243 Win	20"	Synthetic
	85912	260 Remington	20"	Synthetic
	85913	7mm-08 Remington	20"	Synthetic
	85914	308 Win	20"	Synthetic
Model Seven Stainless	85904	223 Remington	20"	Synthetic
	24739	243 Win	20"	Synthetic
	24751	260 Remington	20"	Synthetic
	24741	7mm-08 Remington	20"	Synthetic

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
	24743	308 Win	20"	Synthetic
	85905	300 WSM	20"	Synthetic
	85907	6mm Remington	20"	Synthetic
Model Seven Laminate	85960	223 Remington	181/2"	Laminate
	85961	243 Win	181/2"	Laminate
	85962	7mm-08 Remington	181/2"	Laminate
	85963	308 Win	181/2"	Laminate
Model Seven CDL	26417	243 Win	20"	American Walnut
	26419	260 Remington	20"	American Walnut
	23421	7mm-08 Remington	20"	American Walnut
	26423	308 Win	20"	American Walnut



IT'S NOT DRESSED TO IMPRESS, IT'S DRESSED FOR WORK.

It's a tool. Designed by America's bolt-action experts. Assembled by American workers. And engineered with the precision, durability and performance-enhancing technology to get the job done. Period. And this year's models include a scope and rings that are ready for the range. Expect hair splitting accuracy right out of the box and dual-pillar bedding platform that free-floats the barrel. And for shot control, it's equipped with our crisp CrossFire trigger system that adjusts to suit your preferences. New for 2018, the Model 783 HBT sports a heavier 16.5" barrel for added accuracy, and a threaded muzzle that's suppressor ready. A Picatinny rail, oversized bolt handle, flat dark earth synthetic stock, and metalwork finished in black oxide completes its long list of tactical features. Available in 300 Blackout, 308 Winchester, 6.5 Creedmoor and 223 Remington. The Model 783 Synthetic comes in offerings with, or without the same premounted and bore-sighted 3-9x40mm riflescope you'll find on our Model 783 Compact, and all other Model 783s. Simply grab some Remington ammo, check your zero at the range, and you're ready to hunt. The Model 783 Walnut features a wooden stock in American black walnut with classic checkering, and a 3-9x 40 Vortex Crossfire II scope. And our Model 783 Camo features a synthetic stock, covered in Mossy Oak® Break-Up Country. Camo contains a high nylon fiber content, which promotes superior strength and rigidity.



MODEL 783 HEAVY BARREL THREADED **FEATURES**

- 16.5" heavy contour barrel
- Threaded muzzle
- Metalwork in black oxide finish
- Tactical bolt handle
- FDE (Flat Dark Earth) synthetic stock
- Available in 300 Blackout, 308 Win, 6.5 Creedmoor and 223 Remington
- SuperCell recoil pad



GOLDEN BULLSEYE AWARD 2014 RIFLE OF THE YEAR

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 201-202.

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
NEW Model 783 HBT	85764	223 Remington	161/2"	Synthetic
	85765	308 Win	161/2"	Synthetic
	85766	300 Blackout	161/2"	Synthetic
	85767	6.5 Creedmoor	161/2"	Synthetic
Model 783	85845	22-250 Remington	22"	Synthetic
	85840	223 Remington	22"	Synthetic
	85842	243 Win	22"	Synthetic
	85835	7mm-08 Remington	22"	Synthetic
	85844	270 Win	22"	Synthetic
	85847	308 Win	22"	Synthetic
	85846	30-06 SPRG	22"	Synthetic
	85848	7mm Remington Mag	24"	Synthetic
	85849	300 Win Mag	24"	Synthetic
	85852	243 Win	20"	Synthetic
	85853	308 Win	20"	Synthetic
Model 783 (No Scope)	85832	243 Win	22"	Synthetic
	85834	270 Win	22"	Synthetic
	85837	308 Win	22"	Synthetic
	85836	30-06 SPRG	22"	Synthetic
	85838	7mm Remington Mag	24"	Synthetic
	85839	308 Win Mag	24"	Synthetic

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	STOCK MATERIAL
Model 783 Walnut	85884	243 Win	22"	American Walnut
	85886	270 Win	22"	American Walnut
	85888	30-06 SPRG	22"	American Walnut
	85890	308 Win	22"	American Walnut
	85892	7mm Remington Mag	24"	American Walnut
	85894	300 Win Mag	24"	American Walnut
Model 783 Walnut (No Scope)	85870	270 Win	22"	American Walnut
	85872	30-06 SPRG	22"	American Walnut
	85874	308 Win	22"	American Walnut
NEV	V 85866	6.5 Creedmoor	22"	American Walnut
	85876	7mm Remington Mag	24"	American Walnut
Model 783 Camo	85750	223 Remington	22"	Synthetic
	85751	243 Win	22"	Synthetic
	85752	270 Win	22"	Synthetic
	85753	30-06 SPRG	22"	Synthetic
	85754	308 Win	22"	Synthetic
	85755	7mm Remington Mag	24"	Synthetic
	85756	300 Win Mag	24"	Synthetic

MODEL 7600



Hunts don't always unfold like you see on TV, and when the heat of the moment finds you looking for a follow-up, our famous Model 7600 can deliver with outstanding speed and accuracy, time and time again. The twin steel action bars and rotary bolt lockup of its pump action provide smooth operation, ultrapositive chambering and ejection and rock-solid strength. For accuracy rivaling that of the best bolt guns, the barrel is free floated. Hunters who rely on the Model 870 in other pursuits will love that the action, slide release and safety are based on the best-selling pump shotgun of all time. Its weight distribution and sleek design provide shotgun-like pointability. Equipped with a 22-inch barrel with iron sights, the rifle's receiver is also drilled and tapped for scope mounts.



CORE-LOKT

The world's best-selling big game ammunition, and the most proven of all time. See page 124.

MODEL 7600 FEATURES

- Action, slide release and safety based on the design of the Model 870, America's most popular pump shotgun, for instantaneous end user familiarity
- Weight distribution and slim line design result in shotgun-like balance and pointability
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options

SPECS AT A GLANCE. For a complete list of all model specifications, see page 202.

MODEL	ORDER No.	CALIBER	BARREL Length	STOCK MATERIAL
Model 7600	24655	270 Win	22"	American Walnut
	24657	30-06 SPRG	22"	American Walnut
	24659	308 Win	22"	American Walnut
Model 7600 Carbine	24661	30-06 SPRG	181/2"	American Walnut



MODEL 597



The fastest, smoothest, most advanced autoloading rimfire rifle, the Model 597 continues to lead the way in accuracy and reliability. And the rate it zips out rounds is rivaled only by the speed of its advancement. New for 2018, the **Model 597** Kryptek® Threaded comes decked out in Kryptek Mandrake camo and features a 16½" threaded muzzle so you can quickly turn your rimfire into a lightning-fast hair-splitter without a hint of thunder. The Model 597 Synthetic adds the all-weather durability of a tough, synthetic stock and the precision of a 3-9x32mm scope to America's go-to performance rimfire. It comes bore sighted and ready for the range, or the woods, right out of the box. The Model 597 **Heavy Barrel** has a 16¹/₂" heavy-contour barrel with 5R rifling and a rugged synthetic stock. And all Model 597 magazines have been upgraded with a Teflon-type coating, which makes the rare misfeed almost completely non-existent.

MODEL 597 KRYPTEK® NEW



MODEL 597 KRYPTEK THREADED FEATURES

- 16.5" carbon steel threaded barrel
- Scope rail
- Synthetic stock decked out in Kryptek Mandrake camo
- Bolt-guidance system features twin, tool-steel guide rails for smooth action
- Upgraded teflon-type coating on all Model 597 magazines reducing misfeed



Sear and hammer are Teflon/nickel-plated for crisp, smooth trigger pull



Unique attachment system rigidly joins barrel to receiver for perfect alignment and enhanced accuracy

MODEL 597 SYNTHETIC

MODEL 597 HB

Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

SPECS AT A GLANCE. For a complete list of all model specifications, see page 202.

MODEL	ORDER No.	ACTION TYPE (Caliber)	BARREL LENGTH	STOCK MATERIAL
NEW Model 597 Threaded	80868	Auto (22 LR)	161/2"	Synthetic
Model 597	26550	Auto (22 LR)	20"	Gray Synthetic
Model 597 Scope Combo	26513	Auto (22 LR)	20"	Gray Synthetic
Model 597 HB	80877	30-06 SPRG	161/2"	Synthetic

Last-shot hold-open for positive identification of empty chamber



CLASSIC DESIGNS THAT CONTINUE TO LEAD THE WAY.

For those who still love the look and feel of a classic rimfire rifle, our Model 572 BDL Deluxe Fieldmaster and Model 552 BDL Deluxe **Speedmaster** may be the finest available today. Their tack-driving accuracy and quick follow-ups have made them a customer favorite. So much so, the Model 572 Fieldmaster has been an American standard since its introduction in 1955, and the Model 552 Speedmaster a mainstay since it hit the scene in 1957. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut stocks and fore-ends. Both feature big-game sights, a positive crossbolt safety and a grooved receiver for scope mounting. The Model 572 Fieldmaster is the most popular pump-action 22 rimfire made in America today, and handles 22 Short, 22 Long and 22 Long Rifle cartridges interchangeably. Our Model 552 Speedmaster is now in it's 50th year of production, carrying forward this classic design for future shooting enthusiasts.

MODEL 552 BDL DELUXE SPEEDMASTER FEATURES

- Handles 22 Short, 22 Long and 22 Long-Rifle cartridges
- High-gloss American walnut stock and fore-end with cut checkering
- Tubular magazine fed
- Richly blued carbon-steel barrel
- Adjustable iron sights for open sight plinking
- Receiver grooved for scope mounts for precision shooting with optics
- Features an autoloading action for serious plinking

REM SQUEEG-E

This revolutionary gun cleaning system quickly cleans lands and grooves in one pass. And with no patches needed, you'll save money and time. Cleans bores from .22 – 12-gauge. See page 176.





COMPLETE YOUR SHOOTING EXPERIENCE

For years of optimal performance, pair your Model 552 BDL Speedmaster or Model 572 BDL Fieldmaster with our full range of .22 Short and .22 Long Rifle cartridges. One of the most complete lineups in the industry, all our rimfire ammo is made to the highest standards of quality, delivering reliability, accuracy and consistency with every shot. See page 160.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	BARREL LENGTH	STOCK MATERIAL
552 BDL Deluxe Speedmaster	25594	Auto (22, S, L, LR)	21"	American Walnut
572 BDL Deluxe Fieldmaster	25624	Pump (22, S, L, LR)	21"	American Walnut

TIMELESS CRAFTSMANSHIP, FROM OUR HANDS TO YOURS.

For those who strive to obtain the highest levels of artistry and performance, welcome to the Remington Custom Shop. Choose from the world's finest wood, and classic fine-cut checkering, or the rock-steady stability of a custom-grade composite stock. Actions honed to perfection by the world's foremost gunsmiths. Add your choice of premium barrels, components and masterful engraving to create your firearm of a lifetime. Built with the finest materials and the most advanced equipment in modern guncraft to produce heirloom-quality firearms, the Custom Shop difference is clear the first time you hold your firearm - and even clearer when you shoot it.

FIND A DEALER NOW, CALL 605-347-4686 OR VISIT REMINGTONCUSTOM.COM



Rimfire	80
Classic Series	81
Model 40-X	82
Factical Shotguns & Specialty Firearms	84
Handgun	85



NO OTHER RIMFIRE CAN COMPARE.


RIMFIRE. Singularly-crafted with unprecedented attention to detail in the Remington Custom Shop, the Model 547 Custom Classic Rimfire rifle is the benchmark choice for the classic rimfire connoisseur, passionate rimfire hunter or dedicated rimfire competitor who wants a lifetime of unsurpassed performance in a classically-crafted firearm. The Model 547 is the end result of an engineering redesign combined with premium components and subtle refinements to produce a rifle that carries an unparalleled accuracy guarantee. With customizable features and options hand-built to your specifications, it's truly the creation – and lifetime enjoyment – of a one-of-a kind masterpiece. Let us get started on yours today.





hand build the custom rifle of your dreams. Let us start yours today.





LIFETIME ACHIEVEMENT. AS ATTAINED IN THOUSANDTHS OF AN INCH.

MODEL 40-X. When you have a lifelong passion for precision, nothing says you've arrived like a five-shot group you can cover with a dime, and very few firearms on earth can elevate you to this stage in life as quickly as a customized Model 40-X series rifle. Choose from the high performance, shot-to-shot superiority of our legendary Model 40-X, or the standard-setting, ultraprecise 40-XB. Both designed to deliver dead-on accuracy from the woods to the range, and built to your exact specifications. They're customizable from a wide variety of options including caliber, barrel contours, metal finishes as well as options for stocks, chassis and optics. Let us get started on yours today.





40X PRECISION, NOW AT ARM'S LENGTH.

MODEL 40-X PISTOLS. Now breath-taking 40-X accuracy is available in a pistol. It's our legendary 40-X bolt-action at its heart, built with your choice of stainless steel, high-polished blued or Cerakote finish; wood or laminate stocks; and single-shot, repeater or detachable magazine configurations. Choose our breaks-like-glass 40-X trigger or optional upgrade triggers, and even threaded muzzles. Available in right-, or left-bolt offerings and 40-X precison short-action calibers.



CLASSIC 870 RELIABILTY, CUSTOM-GRADE PERFORMANCE.

TACTICAL SHOTGUNS & SPECIALTY FIREARMS. It's the world's strongest, smoothest and most reliable pump action of all time, elevated to custom-grade craftsmanship and tactical features. We hone the fluted bolt, slide and receiver and rework the trigger to effortless perfection, then backbore the barrel for the tightest patterning possible and add custom compensating. You choose the sights; stock and forearm; Cerakote or polished blued finish; and extended magazine tube.



MAKE YOUR 1911 HANDGUN A MASTERPIECE.

MODEL 1911 R1. The Remington Custom Shop is now able to provide you with a customized 1911 R1, or if you already own one of our fine 1911s, we offer a wide variety of upgrades and custom options. Contact us to upgrade or build your R1 Custom on the platform you choose with the options of your choice. Featuring crisp triggers, dovetailed rear and front sights, precision-machined slides and frames, and hand-checkered exhibition-grade walnut grips or custom G10 grips, your Custom 1911 handgun is built to your exact specifications by our master craftsmen, and guaranteed to be a source of pride everywhere it goes. Let us start yours today.
















INNOVATION DRIVEN BY A PASSION FOR HUNTING AND SHOOTING IS AT THE HEART OF OUR SUCCESS. YOU'LL FIND THAT SPIRIT BUILT INTO EVERY PRODUCT WE MAKE.

When employees are as passionate about the hunting and shooting sports as they are about the products they build to pursue them, it shows. Like our new Model 870 DM shotgun, the world's strongest, smoothest, most reliable pump-action in an all-new detachable magazine platform. The new Model 700 PCR (Precision Chassis Rifle) combines a first-ever host of sub-MOA accuracy enhanced features in a rock-solid proprietary chassis design. And our Golden Saber Black Belt ammunition delivers unmatched penetration and terminal performance via its one-of-a-kind black Mechani-Lokt belt.

Remington has implemented new internal product review boards specifically to tap this powerful resource. Members from several key departments meet periodically throughout the year to review new product ideas submitted by Remington employees. The best of the best are then green-lighted for research and development. Their ideas, and yours become new Remington products.

We remain committed to leading the charge for higher performance in every aspect of its current product lineup – as well as new products yet to be developed. At Remington, it's not a nine-to-five occupation, but a lifelong dedication to the way of life that extends from 1816, to the next 200 years, and beyond.







——150 YEARS OF——HANDGUN INNOVATION

A legacy of personal protection from the mid 1800s to today.

he long history of Remington handguns dates back to the Civil War and the taming of the American West and carries through to the concealed carry movement of today. From some of the earliest percussion and cartridge revolvers, to vest pistols and derringers popular at the turn of the 20th Century, to leading modern designs, Remington has been at the forefront of handgun innovation for more than a century and a half.

the end of the Civil War, most notably the New Model Army and New Model Navy revolvers). Rider was best known for inventing the Remington rolling block system, but he was also credited with a number of parlor and vest pistols.

However, it was William Elliot, a dentist by trade, whose name is most closely associated with the popular pocket pistols and derringers of the day. Dr. Elliott received more than 50 U.S. patents for firearms from the 1850s

was a barrel and frame forged from a solid piece of steel. Remington's first large-frame cartridge revolver was the single-action, .44-caliber Model 1875 Army, made to compete with Colt's Model 1873 Single Action Army revolver.

Throughout the 20th Century, Remington's primary focus was on sporting rifles and shotguns, though a couple of notable handguns were brought to market in the 1900s. The

The long history of Remington handguns dates back to the Civil War and the taming of the American West and carries through to the concealed carry movement of today.


The company's first handgun, the 1st Model Beals' Pocket Revolver was introduced in 1856, and was quickly followed by the 2nd and 3rd Model Beals' in 1858 and 1859, respectively. Those single-action, 5-shot, .31-caliber cap-and-ball revolvers, designed for the civilian market by one of the 19th century's premier gun designers, Fordyce Beals, laid the groundwork for the Beals' Army and Navy revolvers used during the Civil War.

Beals was one of three prominent gun designers who contributed successful designs to the Remington handgun line-up in the latter half of the 1800s, with Joseph Rider and William Elliot being the others. Rider, too, designed a martial revolver, the Model 1861 Army (all told, Remington, delivered close to 133,500 revolvers by to the 1880s alone. The firearms he designed helped bolster the company in the post-Civil War era, a time of great hardship for many firearms makers who had devoted their facilities to the manufacture of military arms during the War and saw that business end abruptly in early 1865.

The end of the Civil War also saw the era of the percussion-ignition firearm come to a close, with the advent of the cartridge revolver. Many of first cartridge revolvers Remington brought to market were conversions of the New Model percussion revolvers it was already making, but its first truly unique cartridge gun was the pocket-sized No. 1 New Model Revolver, designed by William S. Smoot, a former U.S. Army Ordnance Officer. Its most distinguishing characteristic

John D. Pedersen-designed Model 51 Autoloading Pistol was introduced in 1919 and became a favorite handgun of General George S. Patton. The Model XP-100 bolt-action pistol was introduced with the .221 Remington Fireball cartridge in 1963. Numerous versions of the XP-100 would follow.

Fast-forward to today and Remington has entered another renaissance of handgun design. In 2012, the company unveiled its modernized version of the iconic 1911 – the R1 – and now offers 14 different models of the pistol. And with the introduction of the RM380 micro pistol, the full-size polymer RP, and the truly revolutionary R51 subcompact, the company has once again renewed its commitment to concealed carry and personal protection.











ULTIMATE DEFENSE FULL SIZE HANDGUN

Specially designed for controlled expansion and optimal energy transfer. Engineered to deliver massive knockdown power in all full-sized handguns. See page 156.

MAXIMUM CAPACITY. COMPLETE CONTROL. THIS IS SHOOTABILITY.

Much more than a high, double-stack magazine capacity, the new **Remington RP9** and **RP45** embody our engineers' commitment to shootability – designed end-to-end to deliver a level of shooter control and accuracy superior to every full-sized polymer framed handgun on the market. So much so, it'd be a design marvel with a fraction of the capacity, but with 18+1 (.9mm) and 15+1 (.45 Auto) rounds at your absolute command, it equips you for the most demanding personal defense scenarios. Available this year, the **Remington RP45 with Night Sights** comes optimized with Tritium 3 Dot night sights for high visibility in low light, and a whole new level of personal protection preparedness.

REMINGTON RP FEATURES

- Smooth, light and crisp single-action trigger – consistent and smooth, with short tactile reset
- Ergonomic polymer frame fits 95% of all shooters
- Ambidextrous slide control
- "Fighting surface" on rear sight for one-hand slide operation
- Optimized grip angle reduces felt recoil and increases shootability
- Trigger guard undercut allows higher hand hold for increased control
- Drift adjustable sights easily adjusts sights to user preference
- Easy loading, double-stack magazines
- PVD finish on slide and barrel for maximum durability
- Small, medium and large replaceable backstrap

REMINGTON RP SIGHTS







SPECS AT A GLANCE. For a complete list of all model specifications, see page 203.

MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
NEW RP45	96464	15+1	45 Auto	4.5"	Polymer
NEW RP45 Restricted	96474	10+1	45 Auto	4.5"	Polymer
NEW RP45 (Night Sights)	96257	15+1	45 Auto	4.5"	Polymer
RP9	96466	18+1	9MM+P	4.5"	Polymer
RP9 Restricted	96476	10+1	9MM+P	4.5"	Polymer



THE REMINGTON RP. LIVE READY FOR ANYTHING.

For maximum capacity and complete control, the new Remington RP9 and RP45 are shootability defined.

Combining ultra-high capacities with a slim, ergonomic grip to comfortably fit 95% of shooters, and provide a level of control and accuracy superior to all other full-sized polymer-framed handguns on the market. Utilizing one of the smallest circumference full-size grip frames available, the RP9 and RP45 deliver total command and confidence, allowing any shooter to maintain utmost firearm control under any scenario. They have a light and crisp trigger, precision-crafted PVD steel barrel, and feature awesome 15+1 (45 Auto) and 18+1 (9mm) capacities. Durable, versatile and supreme shot-to-shot consistency, the Remington RP9 and Remington RP45 allow you to Live Ready with the confidence to defend life and property.













ULTIMATE DEFENSE COMPACT HANDGUN

Designed to deliver big gun terminal performance out of shorter-barreled pistols and revolvers for maximum stopping power. See page 156.

THE PERFECTED REMINGTON R51. POINT INSTINCTIVELY. RECOVER INSTANTLY.

Re-engineered from the ground up and thoroughly tested to deliver ultimate reliability, the perfected **Remington R51** gets you on target faster and more intuitively than any other subcompact on the market. Add 25% less muzzle flip and a sleek, ergonomic design, and it's exactly what you need to shoot your best in worst-case scenarios. New in 2018, the **Remington R51 Smoke** offers the ability to personalize your R51 with a sleek, modern aesthetic. All models are chambered for 9mm Luger +P with a 7-round magazine capacity.

REMINGTON R51 SMOKE FEATURES

- Less muzzle flip with the lowest bore-axis in the industry
- Intuitive pointing characteristics with optimized grip angle and slim, aluminum frame
- Match-grade 3.4" barrel
- Chambered in 9mm Luger +P
- Front strap checkered at 25 LPI
- Crisp, smooth and short single-action trigger system
- Two flush 7+1 magazines

REMINGTON R51 SIGHTS







SPECS AT A GLANCE. For a complete list of all model specifications, see page 203.

ORDER No.	MAGAZINE	CALIBER	BARREL Length	FRAME MATERIAL
96234	7 Round	9MM+P	3.4"	Aluminum
96430	7 Round	9MM+P	3.4"	Aluminum
96432	7 Round	9MM+P	3.4"	Aluminum
	96234 96430	NO. MAGAZINE 96234 7 Round 96430 7 Round	NO. MAGAZINE CALIBER 96234 7 Round 9MM+P 96430 7 Round 9MM+P	NO. MAGAZINE CALIBER LENGTH 96234 7 Round 9MM+P 3.4" 96430 7 Round 9MM+P 3.4"



PEAK SHOOTABILITY. PEAK READINESS.

COMPLETELY REENGINEERED. Because the Remington R51 is so unlike any other handgun on the market, it posed unforeseen challenges in manufacturing when it was first introduced in 2014. Since then, our engineers have worked tirelessly to address the issues and exhaustively test the solutions, and we're proud to say the redesigned Remington R51 surpasses even our initial expectations.

With manufacturing tolerances super-tuned to its unique build, the Remington R51 not only functions flawlessly, it sets new performance standards in the subcompact category. Despite early setbacks, we never wavered in our commitment to bring the Remington R51 to market. America deserves this handgun. You deserve this handgun. And we're proud to bring it to you.





ALUMINUM FRAME

and product life

For enhanced durability

NEW

REMINGTON RM380

REMINGTON RM380 **CRIMSON TRACE**

NEW

REMINGTON RM380

LIGHT BLUE / BLACK


BLUE/SILVER



THE MICRO-PISTOL WITH A MASSIVE CONTROL ADVANTAGE.

DESIGNED FOR EVERYDAY CARRY. BUILT FOR LIFE. The

Remington RM380 sets a bold new standard for concealed carry performance. Built to deliver superior shootability when you need it most, it features optimized grip angles for more intuitive pointing, the longest barrel in its class for maximum precision and muzzle velocity, and a smooth, crisp trigger pull to aid in safety and shot placement. Add the natural durability of all-metal construction, plus its highly concealable design, and the Remington RM380 sets a new precedent for performance in the EDC category.





REMINGTON

Order No. (17369)

RM380 GRIPS

NEW RM380

NEW RM380

RM380

Light Blue/Black

RM380 Crimson Trace

96462

380 Auto

2.9"

For a complete

list of all model

specifications,

see page 203.

Anodized



MODEL 1911 R1 ULTRALIGHT NEW

When ounces equal pounds, go ultralight with the Model 1911 R1 Ultralight Commander. Featuring a lightweight, yet extremely durable aluminum frame that weighs 30% less than standard steel frame, with a high performance adjustable trigger, fiber optic front sight and a PVD finished slide.



MODEL 1911 R1 HUNTER

Now hunters can bring championship accuracy and 10mm-punch to bear on big game. With its match-grade, stainless steel barrel and host of precision-enhanced features, the new Model 1911 R1 Hunter is more than ready for the hunt.



MODEL 1911 R1 LIMITED

Born of the same competitive spirit that set the Model 1911 apart from all others more than a century ago, the Model 1911 R1 Limited Double Stack is built for performance, match after match. Its 19 + 1 capacity provides you with max firepower between reloads.



MODEL 1911 R1

It's America's favorite pistol, engineered with a host of advancements to deliver new levels of accuracy and reliability. A crisp trigger, and ultra-tight slide/ frame lockup are just a few of its standout features.



MODEL 1911 R1 ENHANCED

Take your competitive spirit to the next level. Every aspect of the Model 1911 R1 has been precision-tuned with tighter tolerances that result in tighter groups on the range.



MODEL 1911 R1 TACTICAL

Engineered to perform and built to adapt, the Model 1911 R1 Tactical's host of enhancements deliver sure handling in any scenario. Its tactical rail makes adding accessories fast and easy. And with Trijicon front and rear night sights, it's ready to serve in any light.





the Model 1911 R1 Ultralight Executive is optimized for performance with night sights,

a 3.5-inch bull barrel and G10 laminate grips.



MODEL 1911 R1 ULTRALIGHT EXECUTIVE FEATURES

- Aluminum frame offers 30% weight reduction from standard steel
- 31/2" stainless match barrel for superb accuracy
- XS 3-dot Tritium night sights
- G10 grips
- Adjustable trigger for a smooth, clean and crisp break
- Extended beavertail grip safety for enhanced shooter control
- Wide rear cocking serrations for increased control regardless of field conditions
- Tough PVD DLC finish for durability in all conditions
- Skeletonized hammer
- Rounded frame and mainspring housing

SPECS AT A GLANCE. For a complete list of all model specifications, see page 203.

MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
NEW 1911 R1 Ultralight Executive	96493	8+1	45 Auto	3.5"	Aluminum
NEW 1911 R1 Ultralight Commander	96492	8+1	45 Auto	4.25"	Aluminum

NIGHT SIGHTS ON EXECUTIVE











MODEL 1911 R1 HUNTER

MATCH-GRADE PRECISION, ADAPTED FOR THE HUNT.

The same reliability that made it America's favorite pistol has now been enhanced for hunting. Match-grade accuracy and gamedropping power are yours with the all-new, Model 1911 Hunter. Guided by LPA fully adjustable match sights, its 6-inch stainless match-grade barrel delivers 10mm-punch with breath-taking precision. Its nail-tough PVD DLC finish provides all-weather durability. And VZ Operator II G10 grips, wide rear and front cocking serrations and extended beavertail grip safety assure a positive hold regardless of field conditions.

MODEL 1911 R1 HUNTER FEATURES

- 10mm
- 6" stainless match-grade barrel for superb accuracy
- Accessory rail Mil-std-1913 for light or laser attachments
- Wide rear and front cocking serrations – for positive grip regardless of field conditions
- LPA fully adjustable match sights for precision shooting
- Extended beavertail grip safety for sure grip in the field
- Adjustable skeletonized trigger for a clean crisp break
- Tough PVD DLC finish for durability in all conditions
- Operator II VZ G10 grips for solid hold while firing
- Two 8-round stainless steel magazines
- Stainless steel frame and slide





SPECS AT A GLANCE. For a complete list of all model specifications, see page 203.

MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL Length	FRAME MATERIAL
1911 R1 Hunter	96679	8+1	10mm	6"	Carbon Steel
NEW 1911 R1 Hunter FDE	96305	8+1	10mm	6"	Carbon Steel



HANDGUN HUNTING & REMINGTON

A NATURAL MATCH

By Brian McCombie

PRACTICE MAKES PERFECT.

Like bowhunters, most handgun hunters find themselves committing to practice on a regular basis to hone shooting skills and muscle memory. Practice for those longer range shots is a must, too. They also practice shooting offhand, kneeling, from a rest, even using a tree trunk for a brace; situations they may find themselves in afield.

KNOW THE REGULATIONS.

Before selecting a handgun for hunting, check with your state's hunting regulations. In general, handguns chambered in .357 magnum and above are legal, but regs vary widely, so be sure to check first.



AMMUNITION MADE FOR THE HUNT.

Barnes VOR-TX Handgun ammunition is great choice. No other bullet expands as quickly the proven Barnes XPB. The nose peels back into six sharp-edged copper petals that destroy tissue, bone and vital organs for quick, humane kills.

STEADY DOES IT.

Especially with longer distance shots, even a small shake or wobble while firing your handgun can equal a major miss. For added stability, use a bi-bod, shooting stick or any other portable rest you can take with you.

The new R1 10mm Hunter Long Slide, has a section of rail below the barrel for easily attaching a bi-pod or other resting device. When hunting from a stand, you might bring along a small V-shaped sandbag for a very solid rest when mounted on the window sill of a deer stand.

The Barnes VOR-TX 10MM Auto round is the perfect hunting compliment to the new R1 10MM Hunter Long Slide.



HIGH CAPACITY AND PERFORMANCE DOUBLE-STACKED IN YOUR FAVOR.

The Model 1911 R1 Limited Double Stack has been engineered end-to-end for elevated firepower and precision. With its tough PVD DLC finish, the 5-inch match-grade stainless steel barrel, slide and frame deliver silky smooth operation, even in heavy-use scenarios. Its machined VZ G10 grips and extended beavertail grip safety guarantee sure handling, and the oversized magwell promotes lightning-fast reloads. Equipped with fiber optic front sight and fully adjustable LPA target rear sight, it's purpose-built for rapid target acquisition, and spectacular, on-target results. Test fired and personally inspected by World and National IPSC/USPSA shooting champion, Travis Tomasie, the Model 1911 R1 Limited Tomasie

Custom comes with a signed letter from the Captain of Team Remington, and a level of quality assurance unmatched in the industry. Built to deliver higher capacity in a hard-hitting carry caliber, the Model 1911 R1 Limited 40 offers 9 rounds of competition firepower.



MODEL 1911 R1 LIMITED DOUBLE STACK FEATURES

- 19+1 round capacity in 9mm
- Match grade trigger adjustable
- Full-length, 1-piece guide rods
- Fiber optic front sight
- Fully adjustable LPA target rear sight
- Wide front and rear cocking serrations
- Oversized magwell for lightning-fast reloads
- 5" ramped, match-grade barrel
- Stainless steel frame, slide, and barrel
- PVD coating delivers the smoothest operation and unparalleled durability
- Ambidextrous extended thumb safety for easy operation in either hand
- Machined G10 VZ operator grips
- Checkered front strap and mainspring housing
- Two double-stack magazines



DOUBLE-STACK MAGAZINE



MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
1911 R1 Limited Double Stack	96713	19+1	9mm	5"	Stainless Steel
	96715	16+1	45 Auto	5"	Stainless Steel
	96714	18+1	40S&W	5"	Stainless Steel
1911 R1 Limited Single Stack	96717	9+1	40 S&W	5"	Stainless Steel
	96718	9+1	9 mm	5"	Stainless Steel
1911 R1 Tomasie	96725	18+1	40S&W	5"	Stainless Steel

MODEL 1911 R1 TOMASIE CUSTOM

DOUBLE STACK MAGAZINE



1911 R	DOUBL	E STACK I	MAGAZINES
ORDER NO.	CALIBER	CAPACITY	MATERIALS
17794	9mm	19	Aluminum Base
17802	.40 S&W	18	Aluminum Base
17828	.45 Auto	16	Aluminum Base

SINGLE STACK MAGAZINE



1911 RI SINGLE STACK MAGAZINES							
ORDER NO.	CALIBER	CAPACITY	MATERIALS				
17793	9mm	9	Stainless Steel				
17803	.40 S&W	8	Stainless Steel				
19623	.45 Auto	7 (flush)	Blued				
19624	.45 Auto	8 (extended)	Blued				
19660	.45 Auto	7 (flush)	Stainless Steel				
19661	.45 Auto	8 (extended)	Stainless Steel				



Available in both .9mm and .45 Auto, the Model 1911 R1 Recon Commander Double Stack is the pinnacle of hard-use precision and performance. It features a high capacity double stack magazine, an adjustable match-grade trigger, and its 4.25-inch match-grade stainless steel barrel, frame and slide tuned for consistent accuracy and performance. PVD coating delivers reliably smooth operation and unparalleled durability. The ambidextrous extended thumb safety allows easy operation in either hand, while its machined VZ Operator G10 grips, wide front and rear cocking serrations and checkered mainspring housing provide sure handling. And with Tritium front and rear night sights, it's ready to serve in any light.



Machined G10 VZ operator grips

Checkered mainspring housing





SPECS AT A GLANCE.

For a complete list of all model specifications, see page 203.

MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
NEW 1911 R1 Recon	96490	18+1	9mm	4.25"	Stainless Steel
	96489	15+1	45 Auto	4.25"	Stainless Steel
1911 R1 Single Stack	96385	18+1	45 Auto	5"	Stainless Steel
1911 R1 Double Stack	96486	15+1	45 Auto	5"	Stainless Steel
1911 R1 Double Stack Threaded	96488	15+1	45 Auto	5"	Stainless Steel

TACTICAL MAGAZINES

45 Auto - 15+1 - Order No. (17827) 9mm - 18+1 - Order No. (17795)



AMERICA'S FAVORITE PISTOL DESIGN, BUILT BY AMERICA'S MOST TRUSTED GUNMAKER.

For more than 100 years it has served justice, protected families and defended freedom.

Now it's once again a Remington. The finest blend of exacting craftsmanship and out-of-box performance available today, the Model 1911 R1 is a sweet-shooting advancement of America's most reliable, accurate and enduring handgun.

Produced to ultra-tight tolerances using state-of-the-art technology, it features a crisp trigger, dovetailed rear and front sights, precision-machined slide and frame, and fine-checkered American walnut grips. Get the high-speed and concealability advantage of a 4.25-inch barrel with the Model 1911 R1 Commander.

MODEL 1911 R1 STAINLESS FEATURES

- Match-grade stainless steel
 5" barrel and bushing
- Stainless steel finish
- Two-Dot dovetailed rear sight with single dot dovetailed front sight
- Checkered double diamond walnut grips
- Flat mainspring housing
- Beveled magazine well
- Solid aluminum trigger
- G.I. thumb safety, grip safety and hammer
- 7+1 round capacity (Includes two 7-round magazines)



HIGH TERMINAL PERFORMANCE (HTP)

For hunting or personal defense, the shear stopping power of Remington High Terminal Performance delivers like nothing else. See page 123.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 203.

ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
96324	7+1	45 Auto	5"	Stainless Steel
96323	7+1	45 Auto	5"	Carbon Steel
96336	7+1	45 Auto	41/4"	Carbon Steel
	NO. 96324 96323	NO. MAGAZINE 96324 7+1 96323 7+1	NO. MAGAZINE CALIBER 96324 7+1 45 Auto 96323 7+1 45 Auto	NO. MAGAZINE CALIBER LENGTH 96324 7+1 45 Auto 5" 96323 7+1 45 Auto 5"



HANDGUN ACCESSORIES

For the complete line of handgun accessories, see page 190.







MODEL 1911 R1 ENHANCED DOUBLE STACK



A time-proven design without equal, America's favorite pistol has been precision-machined for match-winning performance. Its engineering advancements and tight tolerances provide unrivaled shot-to-shot consistency that continues to win over a growing following of serious

competitors. The Model 1911 R1 Enhanced is a clear competitive standout. Its long list of accuracy-enhancing features includes adjustable rear sight with red fiber-optic front sight and trigger. Front and rear slide serrations, flat-checkered mainspring housing and custom grips promote sure handling. Optimized to provide maximum firepower, the Model 1911 R1 Enhanced Double Stack gives shooters a double-stack capacity advantage, plus ultimate precision and control for personal protection. The Model 1911 R1 Enhanced Stainless delivers the same advanced performance features with the durability and stately looks of a stainless steel finish. Our Model 1911 R1 Enhanced 9mm offers all of the Model 1911 R1 Enhanced features, chambered in popular 9mm. Two 9-round magazines with bumper pads are included. Also new to the family, Model 1911 R1 Enhanced Crimson Trace, with built in accuracy-enhancing laser sight delivers target acquisition at the speed of light. And the Model 1911 R1 Enhanced Threaded Barrel ups the ante of the R1 Enhanced's features with an extended barrel and tall, two-dot rear sight for use with a suppressor.











MODEL 1911 R1 ENHANCED DOUBLE STACK FEATURES

- Match-grade stainless steel 5" barrel and bushing
- Double stack magazines with 15+1 round capacity in .45 Auto
- Satin black oxide finish
- Combat Adjustable rear sight with fiber optic front sight
- Machined G10 VZ operator grips
- Flat checkered mainspring housing (20 LPI)
- Beveled magazine well
- Aluminum trigger
- Enhanced hammer and wide thumb safety
- Flared and lowered ejection port
- Front and rear slide serrations

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 203.

MODEL	ORDER No.	MAGAZINE	CALIBER	BARREL LENGTH	FRAME MATERIAL
NEW 1911 R1 Enhanced Double Stack	96491	15+1	45 Auto	5"	Carbon Steel
1911 R1 Enhanced	96328	8+1	45 Auto	5"	Carbon Steel
1911 R1 Enhanced	96364	9+1	9mm	5"	Carbon Steel
1911 R1 Enhanced Commander	96359	8+1	45 Auto	41/2"	Carbon Steel
1911 R1 Enhanced Stainless Commander	96360	8+1	45 Auto	41/2"	Stainless Steel
1911 R1 Enhanced Crimson Trace	96366	8+1	45 Auto	5"	Carbon Steel
1911 R1 Enhanced Stainless	96329	8+1	45 Auto	5"	Stainless Steel
1911 R1 Enhanced Threaded	96339	8+1	45 Auto	53/4"	Carbon Steel

+ + + +

LAYING THE GROUNDWORK FOR A NEW ERA OF PRECISION.

Fortifying our commitment to building the highest quality firearms and ammunition products in the world, we've invested in new technology upgrades at every Remington facility, and built the most advanced R&D and manufacturing center on the planet. At locations all across the U.S., we've implemented unprecedented aerospace tolerances for precision, instituted extensive new testing protocols, and introduced the most streamlined and efficient, industry-leading R&D and machining processes to completely transform our production capability.

From our historic, freedom-defending factory in Ilion, NY to our ultra-efficient Lonoke, AR ammunition hub, to the epicenter of custom firearm craftsmanship in Sturgis, SD — fully forward to the Rocket City, home of aerospace engineering precision and our new Huntsville, AL facility — we're building the legacy of our next 200 years, one 10,000th of an inch at a time.

And we have implemented new, more stringent quality control measures for every product at every Remington facility. For example, at the end of each daily ammunition run, every station on the line is inspected and cleared of all remaining sub components – and only replenished with new, fresh components before the next day's production can begin.



ILION

Perhaps no factory in history has been more important to the preservation of American freedom than our Ilion facility. Originally opened in 1828, it has played a crucial role supplying US wartime efforts with firearms and ammunition to sustain countless conflicts abroad. Today, you can tour The Remington museum located on-site, or witness new chapters being written every day on its state-of-the-art production line.

and shooters are unlimited.

HUNTSVILLE

This is the Rocket City. Aerospace engineering capital of the world. This is where spaceage technology meets 1816 work ethic – and Ground Zero for a revolution in American craftsmanship. With over half a million square feet devoted to delivering the highest quality of precision-manufactured firearms, the aerospace-powered potential is sky high and the future possibilities for America's hunters



LONOKE

Spanning 1,200 acres with 46 separate structures on its campus outside of Little Rock, our new Lonoke facility features more than 750,000 square feet dedicated to the production of Remington Ammunition. The model of modern manufacturing efficiency, it utilizes 44 million pounds of lead and 12 million pounds of copper to churn out a massive 2.6 billion rounds of ammunition a year, supplying America's hunter and shooters with all the high quality, high-performance firepower they need.



STURGIS

Home of Remington's newly relocated Custom Shop and many of the world's most renowned and talented gunsmiths, the Sturgis facility designs and builds premium custom firearms that are among the very best in the world. Dedicated to turning custom-crafted dreams into high-performance works of art, our Sturgis facility combines old-world gunsmithing traditions, with the latest in modern technology.





HTP

HIGH TERMINAL PERFORMANCE MEASURED ONE SHOT AT A TIME.

NEW

HTP COPPER. Engineered for maximum terminal performance in the field, HTP Copper is built to the highest industry standards with premium components to provide hunters, with the fullest measure of copper-powered confidence. Its Barnes TSX bullet is precision engineered with four cutting petals that deliver massive expansion, deep penetration and near 100% weight retention, every time. It's tremendous terminal performance and integrity only a one-piece bullet can provide.

MODEL 700 AWR


The most accurate production rifle in history, built to endure anything. See page 56.

ALL COPPER. PURE DEVASTATION.





HTP COPPER	(HIGH TERMNAI	_ PERFORM <i>i</i>	ANCE)
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	HTP223R	62	Barnes TSX BT
6.5 Creedmoor	HTP65CR	120	Barnes TSX BT
270 Win	HTP270W	130	Barnes TSX BT
7mm Remington Magnum	HTP7MM	140	Barnes TSX BT
7mm Remington Ultra Mag	HTP7UM	150	Barnes TSX BT
300 AAC Blackout	HTP300AAC	130	Barnes TSX FB
30-30 Win	HTP3030	150	Barnes TSX FN
30-06 Sprg	HTP3006	168	Barnes TSX BT
308 Win	HTP308W	168	Barnes TSX BT
300 Win Mag	HTP300W	180	Barnes TSX BT
300 Remington Ultra Mag	HTP300UM	180	Barnes TSX BT


For more information on ballistics, see pages 211-212.



Full pass-through with devastating









HOLLOW POINT CAVITY For reliable and predictable expansion





4 PRECISION HEEL RADIUS For extreme accuracy



THE CUTTING EDGE **OF MASSIVE WOUND** CHANNELS.

It's the most devastatingly powerful performance in big game hunting. Constructed with an all-copper Barnes TSX Bullet, HTP Copper generates deeper penetration than standard lead-core bullets while delivering rapid, 2X+ expansion – on even the thickest-skinned animals. Hands down, the toughest and deadliest expansion bullet in the industry.



MEET THREATENING SITUATIONS WITH TOTAL PREPAREDNESS.

HTP PISTOL/REVOLVER. When sheer instant stopping power makes all the difference, Remington High Terminal Performance delivers in a powerful way. Manufactured with premium primers, brass cases and propellants, HTP packs ample punch to drop big game or end threats when it matters most. Available in all major defense calibers, in standard and many +P loadings. For the hunt or personal defense, you've got a job to do. We've got the load to get it done.



	HTP PISTOL / REVOLVER								
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE						
357 Mag.	RTP357M1	125	Semi-Jacketed Hollow Point						
	RTP357M2	158	Semi-Jacketed Hollow Point						
	RTP357M3	158	Soft Point						
9mm Luger +P‡	RTP9MM6	115	Jacketed Hollow Point						
9mm Luger	RTP9MM1	115	Jacketed Hollow Point						
	RTP9MM8	147	Jacketed Hollow Point (Subsonic)						
380 Auto.	RTP380A1	88	Jacketed Hollow Point						
38 Special +P‡	RTP38S21	125	Semi-Jacketed Hollow Point						
40 S&W	RTP40SW1	155	Jacketed Hollow Point						
	RTP40SW2	180	Jacketed Hollow Point						
41 Rem. Mag.	RTP41MG1	210	Soft Point						
44 Rem. Mag.	RTP44MG2	240	Soft Point						
	RTP44MG3	240	Semi-Jacketed Hollow Point						
45 Auto.	RTP45AP2	185	Jacketed Hollow Point						
	RTP45AP7	230	Jacketed Hollow Point (Subsonic)						
45 Colt	RTP45C1	230	Jacketed Hollow Point						

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 207-210.

CORE-LOKT

THE WORLD'S BEST-SELLING CENTERFIRE HUNTING AMMUNITION.

Since 1939, more hunters have relied on Remington Core-Lokt than any other big-game ammunition, and rightfully so. It's filled more tags on more continents than any other load. Core-Lokt is the original controlled-expansion bullet. Its time-proven performance has made it hunting's first choice for over 78 years. The tapered copper jacket is locked to a solid lead core delivering massive 2x expansion, high weight retention and consistent on-game results. It's available in soft point and pointed soft point versions, and in a range of bullet weights for virtually every centerfire hunting caliber made. Trust your next hunt to the best-selling centerfire hunting ammunition of all time.

Remington.

CORE-LOKT.



OODE	LOVE DOINTED	OFT DOME	
CURE-	LOKT POINTED S	BULLET WT.	
CARTRIDGE	INDEX/EDI NO.	(GR.)	BULLET TYPE
NEW 6mm Creedmoor	R6CM01	100	Pointed Soft Point
6mm Remington	R6MM4	100	Pointed Soft Point
243 Win	R243W3	100	Pointed Soft Point
25-06 Remington	R25062	100	Pointed Soft Point
	R25063	120	Pointed Soft Point
25-20 Win	R25202	86	Pointed Soft Point
NEW 6.5 Creedmoor	R65CR1	140	Pointed Soft Point
260 Remington	R260R1	140	Pointed Soft Point
264 Win Mag	R264W2	140	Pointed Soft Point
270 Win	R270W1	100	Pointed Soft Point
	R270W2	130	Pointed Soft Point
270 WSM	R270WSM1	130	Pointed Soft Point
280 Remington	R280R3	140	Pointed Soft Point
	R280R1	150	Pointed Soft Point
7mm-08 Remington	R7M081	140	Pointed Soft Point
7mm Remington Mag	R7MM4	140	Pointed Soft Point
	R7MM2	150	Pointed Soft Point
	R7MM3	175	Pointed Soft Point
7mm Mauser (7x57)	R7MSR1	140	Pointed Soft Point
7mm Remington SA Ultra Mag	PR7SM2	150	Pointed Soft Point
NEW 7mm Rem Ultra Mag	R7RUM01	150	Pointed Soft Point
7 x 64 Brenneke	R7x641	140	Pointed Soft Point
30-40 Krag	R30402	180	Pointed Soft Point
30-06 Sprg	R30061	125	Pointed Soft Point
	R30062	150	Pointed Soft Point
	R3006B	165	Pointed Soft Point
	R30065	180	Pointed Soft Point
300 Savage	R30SV2	150	Pointed Soft Point
300 Win Mag	R300W1	150	Pointed Soft Point
	R300W2	180	Pointed Soft Point
300 WSM	R300WSM1	150	Pointed Soft Point
308 Win	R308W1	150	Pointed Soft Point
	R308W3	180	Pointed Soft Point

CARTRIDOF	INDEX/EDING	BULLET WT.	DULLETTYDE
CARTRIDGE	INDEX/EDI NO.	(GR.)	BULLET TYPE
300 Wby Mag	R300WB1	180	Pointed Soft Point
300 Remington SA Ultra Mag	PR300SM2	165	Pointed Soft Point
NEW 300 Rem Ultra Mag	R300RUM01	180	Pointed Soft Point
250 Savage	R250SV	100	Pointed Soft Point
30 Remington AR	R30RAR2	150	Pointed Soft Point
338 Remington Ultra Mag	PR338UM2	250	Pointed Soft Point
338 Win Mag	R338W1	225	Pointed Soft Point
338 Win Mag	R338W2	250	Pointed Soft Point
35 Whelen	R35WH1	200	Pointed Soft Point
7.62 x 39mm	R762391	125	Pointed Soft Point
	ORE-LOKT SOFT	POINT	
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
270 Win	R270W4	150	Soft Point
280 Remington	R280R2	165	Soft Point
30 Carbine	R30CAR	110	Soft Point
30-30 Win	R30301	150	Soft Point
55 55ii	R30302	170	Soft Point
30-06 Sprg	R30064	180	Soft Point
oo oo opig	R30067	220	Soft Point
308 Marlin Express	R308ME1	150	Soft Point
308 Win	R308W2	180	Soft Point
303 British	R303B1	180	Soft Point
32 Win Special	R32WS2	170	Soft Point
35 Remington	R35R2	200	Soft Point
444 Marlin	R444M	240	Soft Point
45-70 Government	R4570G	405	Soft Point
45-70 Government	R4570G1	405	Soft Point
	RE-LOKT HOLLO		331(10111)
		BULLET WT.	
CARTRIDGE	INDEX/EDI NO.	(GR.)	BULLET TYPE
30-30 Win	R30303	170	Hollow Point

For more information on ballistics, see pages 207-210.



CORE-LOKT

WE'VE PUSHED ITS TECHNOLOGY THROUGH MILLIONS OF DEER.

Amid the comings and goings of countless imitators and emulators, Remington Core-Lokt has remained the best-selling centerfire hunting ammunition the world has ever seen for nearly eight decades.

The most trusted among generations of American big game hunters. The most common thread, and end, to more hunting stories throughout the modern sporting era. It's the product of constant innovations and improvements to materials and manufacturing processes.

For 79 years, the original controlled-expansion bullet, and deadliest mushroom in the woods, has only grown stronger. And it's not about to let up.






THE DEADLIEST MUSHROOM IN THE WOODS.

- **CONSISTENT 2X EXPANSION** For large terminal wound channels
- **2** DEEP PENETRATION And high weight retention
- 3 PROVEN LETHAL The original controlled-expansion bullet

- **SOFT POINT SHAPE** Provides broad frontal area for high-energy impact and rapid expansion
- 2 SPITZER SHAPE PROFILE For improved velocity and flatter trajectory
- **3** BULLET CORES "LOKT" IN PLACE To provide deep penetration
- 4 JACKETS DESIGNED FOR PROGRESSIVE, **RELIABLE EXPANSION** To almost twice the original diameter



CORE-LOKT

CORE-LOKT POINTED SOFT POINT

TESTED. PROVEN FOR TERMINAL DEVASTATION.

Creating explosive cavities in ballistic gelatin, Remington engineers have devised the ultimate performer for devastating wound channels.





PREMIER FAMILY



PREMIER MATCH.

Ever hear the phrase, "You could drive tacks with 'em?" Well, they're probably talking about Remington Premier Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure worldclass performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then, we'll continue to prove it on paper.

PRECISELY THE HUNTING BULLET OF YOUR DREAMS.

It's the perfect advancement of matchgrade accuracy and deer-stopping terminal results. Optimized to deliver superior matchgrade accuracy and maximum downrange energy whenever, and wherever you need it, every time. AccuTip bullets expand quickly - producing an awesome level of transferred energy - to dispatch game with lightning authority. And specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently.



5 SHOTS,

308 Win, 168-gr.

Premier Match

RIFLE CARTRIDGES Remington PREMIER MATCH

PREMIER ACCUTIP

INDEX/EDI NO

PRA204A

BULLET WT.

BULLET TYPE

AccuTip-V

AccuTip-V


Weening: Keep Out of Reach of Children.

CARTRIDGE

204 Ruger

17 Remington FireBall

ONE **SERIOUSLY** LETHAL **HUNTING TIP.**



POLYMER TIP

Eliminates nose deformation, improves long range ballistics, initiates rapid expansion

2 SLEEK PROFILE Optimizes ballistic coefficient for flat trajectory

3 JACKET THICKNESS Tuned for violent terminal performance on medium-sized game

4 MATCH GRADE ACCURACY Center of gravity adjusted rearward to maximize accuracy

MATCH-GRADE ACCURACY. ELEVATED.



4			
	, (,		
		* ") 10	

	PRA204B	40	AccuTip-V Boat Tail
22 Hornet	PRA22HNA	35	AccuTip-V
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
	PRA223RB	50	AccuTip-V Boat Tail
	PRA223RC	55	AccuTip-V
22-250 Remington	PRA2250RB	50	AccuTip-V Boat Tail
243 Win	PRA243WB	75	AccuTip-V Boat Tail
	PRA243WA	95	AccuTip
270 Win	PRA270WA	130	AccuTip Boat Tail
280 Remington	PRA280RA	140	AccuTip
7mm Remington Mag	PRA7MMRA	140	AccuTip Boat Tail
	PRA7MMRB	150	AccuTip Boat Tail
30-06 Sprg	PRA3006A	150	AccuTip Boat Tail
	PRA3006B	165	AccuTip Boat Tail
	PRA3006C	180	AccuTip Boat Tail
300 Win Mag	PRA300WC	180	AccuTip Boat Tail
308 Win	PRA308WB	165	AccuTip Boat Tail
450 Bushmaster	PRA450B1	260	AccuTip Boat Tail
	PREMIER MAT	CH	
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 6mm Creedmoor	RM6CM01	112	OTM BT
223 Remington	RM223R6	62	HP Match
	RM223R1	69	MatchKing BTHP
NEW 260 Remington	RM260R	140	Barnes OTM BT
6.5 Creedmoor	RM65CR	140	Barnes OTM BT
6.8mm Remington SPC	RM68R1	115	MatchKing BTHP
300 AAC Blackout	RM300AAC6	125	MatchKing Flat Bas
308 Win	RM308W7	168	MatchKing BTHP
	RM308W8	175	MatchKing BTHP

MODERN SPORTING RIFLE



UMC 223 REMINGTON

One of the most popular rounds among American shooters today, .223 Remington rifle cartridges offer fast velocity with relatively low recoil. Perfect for recreational shooting, varmint and small predator hunting, they pair with our lightweight R-15 platform to create the ultimate synergy of our firearms and ammo expertise. Available in Premier Match, High Performance Rifle and UMC loads.



300 AAC BLACKOUT

The ultimate 30-cal solution for the MSR platform. It matches the ballistic power of the 7.62x39mm AK, but at 300 meters has 16.7% more energy. Optimal for sound and flash-suppressed fire, all in a low-recoiling package. Featuring waterproofed primers, crimped and cannelured open-tip match bullets, and a low-drag design.



30 REMINGTON AR

With big game dropping ballistics like the vaunted 308 Win. This blend of devastating power and speed is a major advancement in big-game hunting technology. Available in Core-Lokt.




PREMIER ACCUTIP **450 BUSHMASTER**

The "Big Thumper" gets a big dose of aerodynamics and devastating expansion from your 450 Bushmaster and we load it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its high-strength cartridge-brass jacket and spiral nose cuts' combine to drive huge, uniform mushrooms through the toughest game with ease.

CALIBER DESCRIPTION INDEX/EDI NO. 223 Remington UMC L223R3 223 Remington UMC L223R3V 223 Remington UMC L223R3A 223 Remington UMC L223R3BC 223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 300 Remington AR Core-Lokt R30RAR2	55 55 55 55 55 55 65 62 69 62	Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB Barnes TSX BT
223 Remington UMC L223R3V 223 Remington UMC L223R3A 223 Remington UMC L223R3BC 223 Remington UMC L223R3BP 223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	55 55 55 55 45 50 55 62 69	Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington UMC L223R3A 223 Remington UMC L223R3BC 223 Remington UMC L223R3BP 223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	55 55 55 45 50 55 62 69 62	Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington UMC L223R3BC 223 Remington UMC L223R3BP 223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	55 55 45 50 55 62 69 62	Full Metal Jacket Full Metal Jacket Full Metal Jacket Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington UMC L223R3BP 223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	55 45 50 55 62 69 62	Full Metal Jacket Full Metal Jacket Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington UMC L223R7 223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	45 50 55 62 69 62	Full Metal Jacket Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington UMC L223R8 223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	50 55 62 69 62	Full Metal Jacket Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington High Performance Rifle R223R1 223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	55 62 69 62	Pointed Soft Point Hollow Point Match MatchKing BTHB
223 Remington Premier Match R223R6 223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	62 69 62	Hollow Point Match MatchKing BTHB
223 Remington Premier Match RM223R1 223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC4 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	69 62	MatchKing BTHB
223 Remington HTP Copper HTP223R 223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout UMC L300AAC4 300 AAC Blackout HTP Copper HTP300AAC 300 AAC Blackout HTP Copper HTP300AAC 300 Remington AR Core-Lokt R30RAR2	62	•
223 Remington Ultimate Defense Rifle Bonded RD223R4 6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2		Barnes TSX BT
6.8 Remington SPC UMC L6BR2 6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2		
6.8 Remington SPC Premier Match RM68R1 300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	62	Core-Lokt Ultra Bonded
300 AAC Blackout UMC L300AAC1 300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	115	Full Metal Jacket
300 AAC Blackout UMC L300AAC1BC 300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	115	MatchKing BTHB
300 AAC Blackout UMC L300AAC4 300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	120	Open-Tip Flat Base
300 AAC Blackout Premier Match RM300AAC6 300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	120	Open-Tip Flat Base
300 AAC Blackout HTP Copper HTP300AAC 30 Remington AR Core-Lokt R30RAR2	220	Open-Tip Flat Base
30 Remington AR Core-Lokt R30RAR2	125	MatchKing Flat Base
- · · · · · · · · · · · · · · · · · · ·	130	Barnes TSX BT
	150	Core-Lokt PSP
308 Win UMC L308W4	150	Full Metal Jacket
308 Win UMC L308W4B	150	Full Metal Jacket
308 Win Core-Lokt R308W1	150	Pointed Soft Point
308 Win Core-Lokt R308W3	180	Pointed Soft Point
308 Win Core-Lokt R308W2	180	Soft Point
308 Win Premier Match RM308W7	168	MatchKing BTHB
308 Win Premier Match RM308W8	175	MatchKing BTHB
308 Win Premier AccuTip PRA308WB	165	AccuTip Boat Tail
308 Win HTP Copper HTP308W	168	Barnes TSX BT
7.62x39 UMC L762391	123	Full Metal Jacket
7.62x39 Core-Lokt R762391	125	Pointed Soft Point
450 Bushmaster Premier AccuTip PRA450B1	260	Core-Lokt Ultra Bonded

THE MODERN HUNTING RIFLE HAS EVOLVED. **USE THE AMMUNITION TO MATCH.**







223 REMINGTON










450 **BUSHMASTER**

HIGH PERFORMANCE RIFLE





LOADS FOR EVERY PURSUIT CRAFTED TO ONE SUPERIOR STANDARD.

As America's oldest rifle maker, Remington also has a proud heritage of innovating rifle ammunition. Assembled with premium components honed to ultra-tight tolerances, our High Performance Rifle Series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit.



A BULLET FOR EVERY PASSION.





MATCH

	HIGH PERFORI	MANCE RIF	LE
CALIBER	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
17 Remington	R17R2	25	Hollow Point
22 Hornet	R22HN1	45	Pointed Soft Point
220 Swift	R220S1	50	Pointed Soft Point
220 Remington	R222R1	50	Pointed Soft Point
223 Remington	R223R1	55	Pointed Soft Point
22-250 Remington	R22501	55	Pointed Soft Point
243 Win	R243W1	80	Pointed Soft Point
32-20 Win	R32201	100	Lead
338 Marlin Express	R338ME1	250	Soft Point
338 Lapua Mag	RM338LMR1	250	Scenar, Match
35 Whelen	R35WH3	250	Pointed Soft Point
375 H&H Mag	R375M1	270	Soft Point
375 Remington Ultra Mag	PR375UM2	270	Soft Point
45-70 Government	R4570L1	300	Semi-Jacketed Hollow Point

INNOVATIVE

THE .260 AND 7MM-08 ARE DERIVED FROM THE .308. THE .25-06 AND .280 ARE BASED ON THE .30-06.

MANY ICONIC REMINGTON CARTRIDGES
BEGAN AS WILDCATS, INCLUDING: WILDCATS .22-250 REM. ● .25-06 REM. ● .260 REM. ● 7MM-08 REM.



IN 1962 ALONGSIDE THE MODEL 700 BOLT-ACTION RIFLE.

SHOT FROM RIFLES CHAMBERED FOR 5.56 NATO, BUT NOT VICE VERSA



THE .416 REM. MAG **WAS DEVELOPED AS** A LESS EXPENSIVE **ALTERNATIVE TO** THE .416 RIGBY.



AS A MORE LETHAL ALTERNATIVE TO THE 5.56 NATO.

SPEED MAKES IT POPULAR WITH OPEN-COUNTRY **PREDATOR HUNTERS**




CAN BE LOADED FOR EVERYTHING FROM PRAIRIE DOGS TO ELK.

MUZZLELOADER

BOLT-ACTION CENTERFIRE SIMPLICITY.

Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. And super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.







OUR BEST TIP FOR MUZZLELOADER ACCURACY.

Take muzzleloader accuracy to the next level with 100% copper, Premier AccuTip bullets by Barnes. Riding in an EZ load sabot, the polymer tipped, 50 caliber, 250-grain bullet delivers rapid expansion with 100% weight retention. Designed for use in any 50-caliber muzzleloader.



MODEL 700 ULTIMATE MUZZLELOADER

Legendary Model 700 bolt-action reliability coupled with our innovative U.M.L. Ignition System delivers 300-yard lethal range and precision rivaling most centerfires. See page 66.

YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.



UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, The U.M.L. Ignition System handles 200-grain magnum charge – resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon Triple Se7en 50/50 pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

DO NOT LOAD YOUR MUZZLELOADER IN A WAY THAT IS NOT PRESCRIBED BY ITS OWNER'S MANUAL.



137

SLUGS



NEW

PREMIER EXPANDER SABOT SLUGS

ULTIMATE TROPHY-TAKING TECHNOLOGY POWERED BY BARNES. Delivering 2¾" or 3" magnum-caliber terminal performance in 12- and 20-gauge, tack-driving precision and devastating Barnes copper petal expansion, new Remington Expander is hands down, the hardest-hitting, most deadly-accurate slug ever to hit the whitetail woods.



PUNCHES HUGE HOLES WITH PINPOINT

ACCURACY. The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, these sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12-gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12-and 20-gauge versions produced huge wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts and high-strength cartridgebrass jacket come together on game to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2¾" or 3" 12-gauge and 20-gauge versions.




FEATURES	12 GAUGE	20 GAUGE
Power Port Tip delivers dramatically superior ACCURACY	Yes	Yes
Spiral nose cuts CONTROL EXPANSION at all ranges	5–200 yards	5–150 yards
High WEIGHT RETENTION at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from HIGH- STRENGTH cartridge brass	Yes	Yes
Designed for use in FULLY RIFLED barrels only	Yes	Yes

MODEL 870 EXPRESS DEER

One of the most accurate slug guns on the market today, and one of the best values you'll find. See page 40.

						NDER SA						
INDEX/EDINO		LENGTH	SLUG		ELOCITY (FI	-,		NERGY (FT-I	,		JECTORY (,
INDEX/EDI NO.	GAUGE	(IN.)	(GR.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PRX12	12	2 3/4	438	1450	1313	1198	2042	1676	1395	0	-3.6	-13.20
PRX20	20	2 3/4	250	1825	1631	1457	1849	1477	1178	0	-1.8	-7.7
PRX12M	12	3	438	1550	1397	1264	2334	1895	1551	0	-3	-11.40
PRX20M	20	3	250	1900	1700	1519	2004	1605	1280	0	-1.5	-6.8
			PRE	MIER A	CCUTIP	BONDEI	SABO	T SLUG	s			
		LENGTH	SLUG	V	ELOCITY (FI	PS)	EI	NERGY (FT-I	.B)	TRA	JECTORY (IN.)
INDEX/EDI NO.	GAUGE	(IN.)	(GR.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PRA12	12	2 3/4	385	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
PRA12M	12	3	385	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
		231.	260	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*
PRA20	20	2 3/4	200	1000	1010	1377	1//0	14/0	1130	2.7	5.0	0.0

* 0.0 indicates yardage at which shotgun was sighted in.



SLUGS



SLUGGER HIGH VELOCITY RIFLED SLUGS

This higher velocity slug exits the barrel at 1800 fps, 13 percent faster than standard 1-oz. slugs. The 7/8-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings - 2¾" and 3" 12 gauge and 2¾" 20 gauge. Designed for the avid deer hunter using smooth bore guns.



MANAGED-RECOIL SLUGGER RIFLED SLUGS

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.



SLUGGER RIFLED SLUGS

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.

			SL	UGGER	HIGH VE	LOCITY	RIFLEC	SLUGS				
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VI MUZ.	ELOCITY (FF 50 yds.	PS) 100 yds.	EI MUZ.	NERGY (FT-L 50 yds.	.B) 100 YDS.	TR/ 50 yds.	AJECTORY (100 yds.	IN.) 150 YI
SPHV12RS	12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0*	-4.1	-
SPHV12MRS	12	3	7/8	1875	1302	998	2989	1442	847	0.0*	-3.7	-
SPHV20RS	20	2 3/4	1/2	1800	1321	1037	1575	848	523	0.0*	-3.6	-
SLUGGER RIFLED SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VI MUZ.	ELOCITY (FF 50 yds.	PS) 100 YDS.	EI MUZ.	NERGY (FT-L 50 yds.	.B) 100 YDS.	TR/ 50 YDS.	AJECTORY (100 yds.	IN.) 150 y
SP12RS	12	2 3/4	1	1560	1175	977	2361	1340	926	0.0*	-4.8	-
S12SRS	12	2 3/4	1	1680	1285	1045	2738	1605	1059	0.0*	-3.8	-
S12MRS	12	3	1	1760	1345	1075	3005	1753	1121	0.0*	-3.4	-
SP16RS	16	2 3/4	4/5	1600	1175	965	1989	1072	724	0.0*	-4.8	-
SP20RS	20	2 3/4	7/8	1580	1240	1034	1513	931	648	0.0*	-4.2	-
SP41RS	410	2 1/2	1/5	1830	1335	1040	654	348	211	0.0*	-3.5	-
MANAGED-RECOIL SLUGGER RIFLED SLUGS												
		LENGTH	SLUG		ELOCITY (FF	-,		NERGY (FT-L	,		AJECTORY ('
INDEX/EDI NO.	GAUGE	(IN.)	(OZ.)	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 Y
RL12RS	12	2 3/4	1	1200	988	873	1397	948	739	0.0*	-7.4	_

^{* 0.0} indicates yardage at which shotgun was sighted in.



DELIVER YOUR SLUGS WITH EXPERT PRECISION.

Pair our advanced slug loads with any of our quality selection of rifled barrels and specialized slug shotguns. See page 186.





EXPRESS MAGNUM AND EXPRESS BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

LEAVES "00" DOUBT ABOUT KNOCKDOWN POWER.





BUCKSHOT VALUE PACKS

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. High value pack is loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.



MODEL 870 EXPRESS HARDWOOD HOME DEFENSE

With a receiver machined from a block of solid steel, and unstoppable reliability trusted by hunters, shooters and law enforcement professionals for 60 years, there's no better choice for home defense. See page 27.

	EXPR	ESS MA	GNUM BUCKSI	10T				
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHOT Size	PELLET COUNT			
12SB00	12	23/4	1290	00	12			
12HB000	12	3	1225	000	10			
12HB00	12	3	1225	00	15			
12HB4	12	3	1225	4	41			
1235B00*	12	31/2	1125	00	18			
EXPRESS BUCKSHOT								
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHOT SIZE	PELLET Count			
12B000	12	23/4	1325	000	8			
12B00*	12	23/4	1325	00	9			
12B0	12	23/4	1275	0	12			
12B1	12	23/4	1250	1	16			
12B4	12	23/4	1325	4	27			
20B3	20	23/4	1220	3	20			
	MANAGE	D-RECO	IL BUCKSHOT	LOADS				
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	BUCKSHOT Size	PELLET Count			
RL12BK00	12	23/4	1200	000	8			
BUCKSHOT VALUE PACKS								
DESCRIPTION	INDEX/EDI NO.	GAUGE	LENGTH MUZZLE V (IN.) (FF					
25 Round Box	12B00A	12	23/4 13	25 00	9			
100 Round Box	12BOOB	12	23/4 13	25 00	9			

NITRO-STEEL




MORE STEEL TO THE BIRDS.
MORE BIRDS TO THE GROUND.

The steel serious waterfowlers depend on has been driven to new heights of performance. Remington NITRO-STEEL. Now with additional hard-hitting, higher velocity offerings. Premium, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. And NITRO-STEEL is fully compatible with aftermarket ported and wadstripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.

Premium, zinc-plated steel pellets, engineered for higher velocity, greater uniformity, straighter flight and tighter patterns.

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.





V3 WATERFOWL

Any bird. Any load. Anywhere. Driven by the revolutionary VersaPort gas operating system, the V3 autoloader dependably cycles loads from 2 ¾" – 3" magnums with ease. It's decked butt-to-bore in Mossy Oak® Shadow Grass Blades Camo. See page 18.


NITRO-STEEL								
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size			
NSI10M2	10	3 1/2	1450	1 ¹ / ₂	2			
NS12HVS	12	2 3/4	1390	1 1/8	4			
NS12S	12	2 3/4	1275	1 1/4	BB, 2, 4			
NS12M	12	3	1450	1 1/4	BB, 1, 2, 3, 4			
NS12HM	12	3	1300	1 3/8	T, BB, 2, 4			
NSI1235	12	3 1/2	1500	1 1/2	BB, 2			
NS16HV	16	2 3/4	1300	15/16	2,4			
NSI20M	20	3	1400	1	4			

WATERFOWL

HYPERSONIC STEEL

Most ducks are missed from behind, but the unprecedented velocity of Remington HyperSonic Steel compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average speed. It puts more pellets in the head and neck for quicker kills and fewer misses - without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, HyperSonic Steel takes lethality to new heights, to a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington harnessed the wad technology to do it.





Remingto

SPORTSMAN HI-SPEED STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in lead-free zones and for pre-season practice
- Shot size selection to match your game

THE WORLD'S FASTEST HARDEST-HITTING STEEL.

- HIGH VELOCITY STEEL (1450 fps, 1¼ oz.) @ 40 yds
- HYPERSONIC STEEL (1700 fps, 1¼ oz.) @ 40 yds

AT 1,700 FPS,

HYPERSONIC STEEL GIVES YOU AN 8" **LEAD ADVANTAGE AT 40 YARDS.**



QUICKER KILLS. FEWER MISSES. 11% SHORTER LEADS. MORE HEAD & NECK HITS.



PATENTED XELERATOR WAD TECHNOLOGY

Our proprietary wad technology is the key to HyperSonic Steel's unprecedented velocity.

NEW HOTTER PRIMER

Ignites small powder charge in chamber, moving entire payload forward slightly to control pressure.

2 IGNITION CHAMBER Produces higher velocities with safe pressures and full payloads.

3 XELERATOR WAD STRESS CONCENTRATOR

> Initiates petal splitting, which holds patterns tighter downrange.

4 PRIMARY **POWDER CHARGE**

> Ignites, accelerating the payload to speeds up to 1700 FPS.

		HYPE	RSONIC STEEL		
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
HSS10C	10	31/2	1500	11/2	BBB
HSS10B	10	31/2	1500	11/2	BB
HSS102	10	31/2	1500	11/2	2
HSS12B	12	3	1700	11/8	BB
HSS122	12	3	1700	11/8	2
HSS124	12	3	1700	11/8	4
HSS12MB	12	3	1700	11/4	BB
HSS12M1	12	3	1700	11/4	1
HSS12M2	12	3	1700	11/4	2
HSS12M3	12	3	1700	11/4	3
HSS12M4	12	3	1700	11/4	4
HSS1235B	12	31/2	1700	13/8	BB
HSS12352	12	31/2	1700	13/8	2
HSS12354	12	31/2	1700	13/8	4
HSS20M2	20	3	1600	7/8	2
HSS20M4	20	3	1600	7/8	4

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT SIZE
SSTHV10	10	31/2	1500	13/8	BB, 2
SST12	12	23/4	1365	1	6,7
SST12S	12	23/4	1375	11/8	2,4
SSTHV12H	12	3	1550	11/8	BB, 2, 4
SSTHV12HM	12	3	1400	11/4	BB, 1, 2, 3,
SST12HM	12	3	1300	13/8	BB, 2
SSTHV1235	12	31/2	1550	13/8	BB, 2
SST20	20	23/4	1425	3/4	7
SST20M	20	3	1300	1	2,4



147

AMERICAN CLAY & FIELD



THE CUTTING EDGE OF BIRD & CLAY-CRUSHING CONSISTENCY.

Nothing that flies stands a chance against these dual-purpose rounds. Featuring a premium STS primer, reloadable hull, our patented Power Piston wad and high-hardness lead shot, they deliver flawless performance and consistent patterning, whether your target is winged or clay.





HIGH-HARDNESS LEAD SHOT
For consistent, tight patterns at all ranges

PATENTED POWER PISTON WAD Cushion the shot charge for less deformation and more consistent velocities even in overbore barrels

PREMIUM STS PRIMER
Suitable for use in all shotguns, including high grade fixed breach firearms

4 RELOADABLE UNIBODY HULL

Premium brass-plated steel caps and high strength plastic hulls for superior functional quality and reloadability



MODEL 1100 COMPETITION

It's the soft-shooting competitive edge trusted by millions of serious competitors to win more championships than any other autoloader. See page 23.

AMERICAN CLAY & FIELD						
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size	
HT1275	12	2 3/4	1200	1 ¹ /8	7 ¹ / ₂	
HT	12	2 3/4	1200	1 ¹ /8	8	
HT129	12	2 3/4	1200	1 ¹ /8	9	
HT12L8	12	2 3/4	1200	1	8	
HT12L9	12	2 3/4	1200	1	9	
HT2075	20	2 3/4	1200	7/8	7 1/2	
HT208	20	2 3/4	1200	7/8	8	
HT209	20	2 3/4	1200	7/8	9	
HT288	28	2 3/4	1250	3/4	8	
HT289	28	2 3/4	1250	3/4	9	
HT4108	410	2 1/2	1275	1/2	8	
HT4109	410	2 1/2	1275	1/2	9	

TARGET / COMPETITION

REMINGTON PREMIER.
THE MOST DOMINANT
FAMILY OF COMPETITORS
IN SHOTGUN SPORTS
HISTORY.





PREMIER NITRO SPORTING CLAYS

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier Nitro performance that has dominated trap and skeet competitions for years is now available in high-velocity, 1-oz. and 1½-oz. loads specially formulated for the sporting clays enthusiast.



PREMIER NITRO 27 HANDICAP TRAP LOADS

Designed for long-yardage trapshooting and longrange sporting clays, our custom powder blend, Power Piston wad and Premier STS primer mix have improved the Nitro 27 performance allowing more consistent velocities, 15 percent better pattern performance and softer recoil.



PREMIER STS TARGET

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12-, 20-and 28-gauge and 410 bore.



GUN CLUB TARGET LOADS

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS loads and feature a Power Piston wad. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

MODEL 1100 CLASSIC TRAP

It's sweet-shooting reliability with all of the time-tested features of the Model 1100 field guns, but optimized to handle 2¾" target and light field loads. Top choice for serious competitors. See page 23.



PREMIER TARGET							
INDEX/EDI NO.	GAUGE	LOAD TYPE	LENGTH (IN.)	POWDER Dr. Eq.	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
STS121	12	Premier STS Target	2 3/4	2 3/4	1185	1	8
STS12L	12	Premier STS Light Target	2 3/4	2 3/4	1145	1 ¹ /8	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	2 3/4	3	1200	1 ¹ /8	7 1/2, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1290	1	7 1/2
STS12NH	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1235	1 ¹ /8	7 1/2, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1 1/8	7 1/2, 8
STS12NSC1	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1350	1	7 1/2
STS20SC	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	8
STS20	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	9
STS28SC	28	Premier STS Target	2 3/4	2	1250	3/4	8
STS28	28	Premier STS Target	2 3/4	2	1250	3/4	9
STS410NSC	410	Premier STS Nitro Sporting Clays	2 1/2	Max	1300	1/2	8
STS410	410	Premier STS Target	2 1/2	Max	1275	1/2	9
STS410	410	Premier STS Target			1275	1/2	9

GUN CLUB TARGET LOADS							
IDEX/EDI NO.	GAUGE	LOAD TYPE	LENGTH (IN.)	POWDER Dr. Eq.	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT SIZE
C121	12	Gun Club	2 3/4	2 3/4	1185	1	8
C12L	12	Gun Club	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 9
C12	12	Gun Club	2 3/4	3	1200	1 ¹ /8	7 1/2, 8
C20	20	Gun Club	2 3/4	2 1/2	1200	7/8	$7^{1/2}, 8, 9$

UPLAND



MORE BIRDS TO THE BOX.



NITRO PHEASANT LOADS

For pattern, energy and performance, nobody beats
Nitro Pheasant. It uses the Remington Copper-Lokt
copper-plated lead shot with high antimony content the hardest lead we make for hunting. Hard shot stays
rounder for truer flight, tighter patterns and greater
penetration. So when it comes to bringing down tough
birds like pheasant, you need a load that delivers
maximum pattern density and lethal energy - you need
Nitro Pheasant. Available in both high velocity and
magnum loadings in both 12-and 20-gauge.



PHEASANT LOADS

For the broadest selection in game-specific upland lead shotshells, Remington Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12-, 16-, and 20-gauge.

EXPRESS XLR EXTRA LONG RANGE LOADS

Simply, the best-balanced, tightest-patterning upland field loads available. With a bold new look, and the same premium performance decades of shooters have come to know and trust. The time-proven excellence of Express XLR Extra Long Range line with five loadings – 12-gauge to 410 bore – and shot sizes ranging from #2 all the way down to #71/2, for everything from pheasant and quail to rabbits and squirrels.



NITRO MAG BUFFERED MAGNUM LOADS

Excellent for dropping birds. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.



LEAD GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 12, 16, 20 gauge and 410 bore loadings.

HEAVY DOVE LOADS



The hunter's choice for doves and a wide variety of game-bird applications, available in 12 gauge with shot sizes of 7½ and 8.

		NITRO P	HEASANT LOAD	S	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
NP12	12	2 3/4	1400	1 ¹ / ₄	4, 5, 6
NP12M	12	2 3/4	1300	1 ³ /8	4, 5, 6
NP20	20	2 3/4	1300	1	5, 6
NP20M	20	3	1185	1 ¹ / ₄	5, 6
		PHE/	ASANT LOADS		
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
PL12	12	2 3/4	1330	1 ¹ / ₄	4, 5, 6, 7 1/2
PL16	16	2 3/4	1295	1 1/8	6
PL20	20	2 3/4	1220	1	4, 5, 6
	NI	TRO MAG	LOADS - BUFF	ERED	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size
NM12S	12	2 3/4	1260	1 1/2	2,4
NM12	12	3	1280	1 5/8	4, 6
NM12H	12	3	1210	1 ⁷ /8	2, 4, 6
NM20S	20	2 3/4	1175	1 ¹ /8	4, 6
NM20H	20	3	1185	1 ¹ / ₄	4, 6
	EXPRES	S XLR EX	TRA LONG RAN	GE LOADS	
INDEX/EDI NO.	GAUGE / Bore	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size
SP12	12	2 3/4	1330	1 ¹ / ₄	2, 4, 5, 6, 7 1/2
NEHV12	12	2 3/4	1450	1 ¹ /8	5, 6, 7 ¹ / ₂
SP16	16	2 3/4	1295	1 ¹ /8	4, 6, 7 ¹ / ₂
SP20	20	2 3/4	1220	1	4, 5, 6, 7 1/2
NEHV20	20	2 3/4	1350	7/8	6, 7 1/2
SP28	28	2 3/4	1295	3/4	6, 7 1/2
SP410	410	2 1/2	1250	1/2	4, 6, 7 1/2
SP413	410	3	1135	11/16	4, 6, 7 1/2
		LEAD	GAME LOADS		
INDEX/EDI NO.	GAUGE / Bore	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
GL12	12	2 3/4	1290	1	6, 7 1/2, 8
GL16	16	2 ³ / ₄	1200	1	6, 7 1/2, 8
GL20	20	2 3/4	1225	7/8	6, 7 1/2, 8
GL410*	410	2 1/2	1200	1/2	6
		HEAV'	Y DOVE LOADS		
					SHOT
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SIZE
INDEX/EDI NO. RHD12	GAUGE 12				

*20-round box

TURKEY

PREMIER MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS

Our original magnum turkey loads. The finest lead shotshell you can carry in the woods. Magnum-grade Copper-Lokt shot is cushioned with special polymer buffering and further protected by our Power Piston one-piece wad for dense, even patterns. Delivers superb performance and knockdown power out of tightly constricted turkey chokes.



PREMIER HIGH VELOCITY MAGNUM COPPERPLATED BUFFERED TURKEY LOADS

The high-performance lead load for avid turkey hunters. 3" and 3½" 12-gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston one-piece wad and magnum-grade Copper-Lokt lead shot for dense patterns and deep penetration.



LONG-RANGE PERFORMANCE HEAD AND NECK ABOVE THE REST. **NITRO TURKEY** NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS • Nitro Mag extra-hard lead shot • Patterns over 80% with super full choke • Patterns like copper-plated shot Value priced

VERSA MAX SPORTSMAN TURKEY

Deliver long-range 3" or 3½" magnum payloads with precision via our VersaPort gas operating system and 22" barrel with TFX choke. Mossy Oak® Obsession concealment completes this turkey hunter's dream set up. See page 14.


	PRE	MIER MAG	NUM COPPER-	PLATED	
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
P10HM	10	3 1/2	1210	2 1/4	4
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 1/2	1150	2 1/4	4
P20XHM	20	3	1185	1 ¹ /4	6
PR	EMIER HIG	H VELOC	ITY MAGNUM C	OPPER-PL	ATED
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES Of Shot	SHOT Size
PHV12M	12	3	1300	1 ³ / ₄	4, 5
PHV1235M	12	3 1/2	1300	2	4, 5
		NIT	RO TURKEY		
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT Size
NT12H	12	3	1210	1 7/8	4, 5, 6
NT1235	12	3 1/2	1300	2	4, 5, 6
NT20M	20	3	1185	1 1/4	5

GOLDEN SABER BLACK BELT

NEW

A BREAKTHROUGH IN THREAT-STOPPING PERFORMANCE.

Introducing Golden Saber Black Belt - engineered in conjunction with law enforcement professionals, for law-enforcement professionals, and now available to anyone seeking the pinnacle of stopping power. Extensively proven in FBI barrier testing to deliver massive, reliable expansion and deep penetration in every medium. All thanks to the bullet's proprietary black Mechani-Lokt belt that firmly locks the jacket to the core for unfailing integrity in the most extreme personal defense scenarios. It's available in 9mm, 40 S&W and 45 Auto, and always ready to defend when called upon.





- **HOLLOW POINT** Cavity optimized for devastating expansion and terminal performance
- **2** MECHANI-LOKT BELT Locks jacket and core together for supreme terminal performance
- **3** HOURGLASS SHAPE Mechanically locks the lead in the rear portion of bullet to ensure jacket retention even when encountering


the toughest of barriers

- 4 PROVEN DESIGN Bullet designed, tested and proven against the exhausting barrier FBI ballistics test
- 5 DRIVING BAND Located at the bullet's rear, the Driving Band is the larger base diameter behind the bore diameter

Bottom of driving band

Top of rifling





6 SPIRAL NOSE CUTS Ensures reliable controlled expansion through clogging barriers such as wall board and heavy clothing

HIGH-PERFORMANCE BRASS JACKET Provides consistent, predictable expansion, penetration and

weight retention

 $\langle 7 \rangle$

CORROSION RESISTANT nickel-plated case for reliable feed and function WATERPROOF SFAL FLASH at the neck **SUPPRESSED** and primer propellant pocket for minimal for added muzzle flash reliability PRIMER **OPTIMIZED** for consistent

Hollow point bullet demonstrates controlled expansion with maximum weight retention for massive knock-down power.

ignition and reduced muzzle flash



on the market. See page 92.

GOLDEN SABER BLACK BELT						
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE			
9mm Luger +P‡	GSN9MMCA	124	Belted Brass Jacketed Hollow Point			
9mm Luger	GSN9MMCB	124	Belted Brass Jacketed Hollow Point			
40 S&W	GSN40SWCB	180	Belted Brass Jacketed Hollow Point			
45 Auto.	GSN45APC	230	Belted Brass Jacketed Hollow Point			

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 207-210.

ULTIMATE DEFENSE



COMPACT HANDGUN

Designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter-barreled pistols and revolvers. This round has been engineered to provide optimal penetration and expansion even through heavy clothing at lower velocities for maximum stopping power. It's all of our premium features now finely tuned for your most important handgun.



FULL SIZE HANDGUN

Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our highperformance Brass Jacket Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in the most popular pistol and revolver calibers.





BUCKSHOT

These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for oneshot confidence. New full power 12-gauge, and Managed-Redoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat. Our 410 load packs four lead 000 buckshot pellets to maximize effectiveness of the .45/.410 revolvers.

BUILT TO DEFEND WHEN IT MATTERS MOST.

- **I** EXCLUSIVE BRASS JACKET With precision nose cuts controls expansion and optimizes energy transfer
- **2** CASE MOUTH AND PRIMER WATERPROOFING For maximum reliability
- **3** NICKEL-PLATED CASES To reduce oxidation and improve feeding and extraction
- 4 SPECIALLY TREATED POWDERS To suppress muzzle flash





PRECISION STOPPING POWER

The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction at maximum velocities.

RIFLE BONDED NEW

It's the world-class accuracy and controlled expansion reliability you've come to expect in a bonded bullet, engineered to elevate your personal defense preparedness to a new level. New Ultimate Defense Rifle Bonded centerfire bullets are manufactured for ultimate bonded bullet performance, offering absolute reliability from point blank to 500 yards – and absolute peace of mind everywhere it matters most.



UL	TIMATE DE	FENSE	FU	LL SIZE HA	NDGUN	
CARTRIDGE	INDEX/EDI NO.		LET ((GR.)	WT. Bullet 1	TYPE	
380 Auto	HD380BN		102	Brass Ja	cketed Hollow	Point
38 Special +P‡	HD38SBN		125	Brass Ja	cketed Hollow	Point
9mm Luger	HD9MMBN		124	Brass Ja	cketed Hollow	Point
ŭ	HD9MMC		147	Brass Ja	cketed Hollow	Point
9mm Luger +P	HD9MMD		124	Brass Ja	cketed Hollow	Point
357 Magnum	HD357MA		125	Brass Ja	cketed Hollow	Point
40 S&W	HD40SWA		165	Brass Ja	cketed Hollow	Point
	HD40SWBN		180	Brass Ja	cketed Hollow	Point
45 Auto	HD45APA		185	Brass Ja	cketed Hollow	Point
	HD45APBN		230	Brass Ja	cketed Hollow	Point
45 Auto +P	HD45APC		185	Brass Ja	cketed Hollow	Point
UL	TIMATE DE	FENSE	CO	MPACT HA	NDGUN	
CARTRIDOS	INDEX/EDINO		LET \		.vnr	
CARTRIDGE	INDEX/EDI NO.		(GR.)	BULLET 1		
9mm Luger	CHD9MMBN		124		cketed Hollow	
380 Auto	CHD380BN		102		cketed Hollow	
38 Special+P‡	CHD38SBN		125		cketed Hollow	
40 S&W 45 Auto	CHD45APBN		180 230		cketed Hollow cketed Hollow	
45 AUI0	СПО4ЭАРЫ	BUCI			cketed Hollow	Point
	GAUGE /	LENGTH	79n	VELOCITY	BUCKSHOT	PFLLET
INDEX/EDI NO.	BORE	(IN.)	(F	T/SEC @ 3 FT)	SIZE	COUNT
12B009HD	12	2 3/4		1325	00 BK	9
12B008RRHD	12	2 3/4		1200	00 BK	8
NEW 12HB00HD	12	3		1225	00 BK	15
NEW 12HB4HD	12	3		1225	4 BK	41
NEW 12BRR4HD	12	2 3/4		1200	4 BK	21
NEW 20BRR3HD	20	2 3/4		1140	3 BK	17
410B000HD	410	2 1/2		1225	000 BK	4
413B000HD	410	3		1125	000 BK	5
		RIFEL	BOI	NDED		
CALIBER	INDEX/I	EDI NO.	BL	JLLET WT. (GR.)	BULLET TYPE	
NEW 223 Remington	RD223	DΛ		62	Core-Lokt UI	tra Rondor

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 207-210.

PERFORMANCE WHEELGUN

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE.

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore primers, and is available in traditional revolver and lever-action bullet styles.



PERFORMANCE WHEELGUN						
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE			
NEW 32 S&W	RPW32SW	88	Lead RN			
NEW 32 S&W Long	RPW32SWL	98	Lead RN			
NEW 357 Magnum	RPW357M5	158	Lead SWC			
NEW 38 S&W	RPW38SW	146	Lead RN			
NEW 38 Special	RPW38S5	158	Lead RN			
NEW 38 Short Colt	RPW38SC	125	Lead RN			
NEW 44 S&W Special	RPW44SW	246	Lead RN			
NEW 45 Colt	RPW45C	250	Lead RN			

For more information on ballistics, see pages 207-210.

BY LEVER, OR BY CYLINDER, YOUR BEST BULLETS BAR NONE.



LEAD-ROUND NOSE
Offers greater penetration.
Ideal for casual shooting,
target shooting and training.



LEAD SEMI-WADCUTTER

Flat nose and sharp shoulder ensure clean, round holes on paper targets. Perfect for target practice.



161

RIMFIRE

PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care we apply to our centerfire ammo. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.

22 GOLDEN BULLET

Legendary 22 Golden Bullet Plated RN and HP bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound insures consistent ignition at a great value.



22 TARGET

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.

STANDARD VELOCITY - 22 LONG RIFLE

Lead RN:





CBEE 22

Combines low noise with excellent shot-to-shot consistency. It's 33-grain Plated Truncated-Cone HP bullet is ideal for dispatching varmints and small game at close range as quietly as possible. It's tiny report makes it an excellent choice for new shooters as well.

LOW NOISE / LOW VELOCITY -22 LONG RIFLE

Plated TCHP:





22 VIPER

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.



22 YELLOW JACKET

The smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a Hollow Point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.

HYPER VELOCITY – 22 LONG RIFLE

Plated TCHP:







22 SUBSONIC

If a squirrel falls in the forest and there's very little noise, chances are it just met up with our 22 Subsonic. Engineered for flawless performance with a suppressor, these 38-grain HP's shatter records for on-game consistency without breaking the sound barrier. Great for plinking and target shooting as well.

SUBSONIC - 22 LONG RIFLE

Lead HP:







22 CYCLONE

Tin cans. Rabbits. Or a bulls-eye. High Velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.

HIGH VELOCITY - 22 LONG RIFLE

Lead HP:









22 THUNDERBOLT

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling, and most popular round of all time.


HIGH VELOCITY - 22 LONG RIFLE

Lead RN









		RIMFIR	E – 50 PACKS	
PRODUCT LINE	INDEX/ Edi no.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Short Golden Bullet	1022	29	Plated Round Nose	High Velocity
22 LR Golden Bullet	1522	40	Plated Round Nose	High Velocity
	1622	36	Plated Hollow Point	High Velocity
22 Yellow Jacket	1722	33	Plated Truncated Cone HP	Hyper Velocity
22 Viper	1922	36	Plated Truncated Cone Solid	Hyper Velocity
22 Target	6122	40	Lead Round Nose	Standard Velocity
22 Thunderbolt	TB-22A	40	Lead Round Nose	High Velocity
22 Cyclone	CY-22HP	36	Lead Hollow Point	High Velocity
22 Subsonic	SUB22HP	38	Lead Hollow Point	Subsonic
		RIMFIRI	E – 100 PACKS	
PRODUCT LINE	INDEX/ Edi No.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Short Golden Bullet	1000	29	Plated Round Nose	High Velocity
22 LR Golden Bullet	1500	40	Plated Round Nose	High Velocity
	1600	36	Plated Hollow Point	High Velocity
22 Yellow Jacket	1700	33	Plated Truncated Cone HP	Hyper Velocity
22 Viper	1900	36	Plated Truncated Cone Solid	Hyper Velocity
22 Target	6100	40	Lead Round Nose	Standard Velocity
22 Subsonic	SUB22HP1	38	Lead Hollow Point	Subsonic
22 CBee	CB-22LI00	33	Plated Truncated Cone HP	Low Noise, Low Velocity
		RIMFIRE	- 500 PACKS	
PRODUCT LINE	INDEX/ EDI NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Thunderbolt	TB-22B	40	Lead Round Nose	High Velocity
		RIMFIRE	– 525 PACKS	
PRODUCT LINE	INDEX/ Edi no.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622C	36	Plated Hollow Point	High Velocity
		RIMFIRE	- 1400 PACKS	
PRODUCT LINE	INDEX/ EDI NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622B	36	Plated Hollow Point	High Velocity

For more information on ballistics, see pages 207-210.

UMC

REMINGTON UMC. THE NAME AMERICA TRUSTS.

For 150 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at the right price. Simply put, no one delivers a better product more efficiently, and the results are proof - from point of purchase to point of impact.





UMC RIFLE CARTRIDGES

Loaded in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in seven popular calibers, including the 308 Win, 7.62x39mm and 30 Carbine. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Also available in 6.8mm Remington SPC and 30 Remington AR.




UMC LEADLESS HANDGUN CARTRIDGES

From lead-free primers, to specially designed bullets, economical UMC LeadLess cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, its jacketed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.

UMC HANDGUN CARTRIDGES

All UMC ammunition is loaded in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore primers to provide the best value for high volume shooters.





UMC AMMUNITION
ALSO AVAILABLE IN BUCKETS

	UMC RIFLE CA	ARTRIDGES	
CALIBER	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	L223R3	55	Full Metal Jacket
	L223R7	45	Jacketed Hollow Point
	L223R8	50	Jacketed Hollow Point
22-250 Remington	L22504	50	Jacketed Hollow Point
300 AAC Blackout	L300AAC4	220	Open Tip Flat Base
300 AAC Blackout	L300AAC1	120	Open Tip Flat Base
6.8 Remington SPC	L68R2	115	Full Metal Jacket
30 Carbine	L30CR1	110	Full Metal Jacket
308 Win	L308W4	150	Full Metal Jacket
	UMC HANDGUN	CARTRIDGE	S
CALIBER	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	L9MM1	115	Jacketed Hollow Point
Ū	L9MM2	124	Full Metal Jacket
	L9MM3	115	Full Metal Jacket
	L9MM9	147	Full Metal Jacket
10mm Auto	L10MM6	180	Full Metal Jacket
25 Auto (6.35mm)	L25AP	50	Full Metal Jacket
32 Auto	L32AP	71	Full Metal Jacket
357 Magnum	L357M12	125	Jacketed Soft Point
357 Sig.	L357S1	125	Full Metal Jacket
38 Super Auto +P	L38SUP	130	Full Metal Jacket
38 Special +P	L38S2	125	Jacketed Hollow Point
38 Special	L38S5	158	Lead Round Nose
	L38S11	130	Full Metal Jacket
380 Auto	L380AP	95	Full Metal Jacket
40 S & W	L40SW2	180	Jacketed Hollow Point
	L40SW3	180	Full Metal Jacket
	L40SW4	165	Full Metal Jacket
44 Remington Mag	L44MG7	180	Jacketed Soft Point
45 Auto	L45AP1	185	Full Metal Jacket
	L45AP4	230	Full Metal Jacket
UMC	LEADLESS HAN	DGUN CART	RIDGES
CALIBER	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	LL9MM11	115	Flat Nose Enclosed Bas
380 Auto	LL380AP2	95	Flat Nose Enclosed Bas
40 S & W	LL40SW5	180	Flat Nose Enclosed Bas

CALIBER	INDEX/EDI NO.	BULLET WT. (GR.)	BULLET TYPE		
00 AAC Blackout	L300AAC1BC	120	Open Tip Flat Base		
23 Remington	L223R3BC	55	Full Metal Jacket		
UMC HANDGUN CARTRIDGES (RANGE BUCKETS)					
BULLET WT. CALIBER INDEX/EDI NO. (GR.) BULLET TYPE					
mm Luger	L9MM3BC	115	Full Metal Jacket		
	L380APBCA	95	Full Metal Jacket		
380 Auto	LOOUAPBCA	73	Tan motar outlier		
	L38S11BC	130	Full Metal Jacket		
380 Auto NEW 38 Special 40 S & W		, ,			

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 207-210.





em Oil	
eaners	
eaning Kits 172	
eaning Accessories	
ղueeg-E 176	
un Storage & Security 178	
fle Parts	
notgun Parts	
andgun Parts 190	

REM OIL PRO³

GIVE YOUR FIREARMS PROTECTION CUBED, ONLY WITH REM OIL PRO³.

Win the war against corrosion, friction and wear before it begins with Rem Oil Pro³. This specially formulated gun care lubricant lays down a protective barrier that cleans grime from exposed metal surfaces while displacing non-visible moisture from metal pores, and lasts up to three to five times longer than other products. Its higher lubricity keeps actions running smoothly, stands up to high-volume use and protects both internal and external metal parts against metal-to-metal wear. Long live your firearms with Rem Oil Pro³.






REM OIL PRO³

- 1-oz. bottle #18915
- 2-oz. bottle #18916
- 6-oz. pump #18920
- 4-oz. aerosol can #18918
 10-oz. aerosol can #18923
- 60-count pop-up wipes #18922
- Individual wipes #18921
- Pro³ Cloth #19947

REM OIL PRO³ MSR

- 2-oz. bottle #18917
- 10-oz. aerosol can #18919


CORROSION RESISTANCE EXPONENTIALLY BETTER THAN THE COMPETITION



■ REMOil PRO³ and REMOil PRO³ MSR deliver the lowest percentage of rust and the highest cycle time without failure.

*Testing performed by an independent laboratory hired by Reministra.


4 BALL WEAR TEST VALUES EXPONENTIALLY BETTER THAN THE COMPETITION



■ REM Oil PRO¹ delivers the lowest percentage of friction and wear.

MAX LOAD PSI TO FAILURE

EXPONENTIALLY BETTER THAN THE COMPETITION



REM Oil PRO¹ MSR delivers the highest lubricant function performance under extreme pressure.

ting performed by an independent laboratory hired by Remington

Rems Oil PRO

NEW

DOUBLE³ VALUE PACK

Includes two cans of Rem Oil Pro³
– 10 oz aerosol premium lubricant to clean, lubricate, and prevents wear and corrosion. #17936



NEW

2-STEP VALUE PACK

Rem Oil Pro³ MSR 10 oz. aerosol – specifically formulated to for semi- and full-auto firearms. And, Remington Shotgun Cleaner – blasts away gummy, caked on grime and powder residue on all metal surfaces. #17928



NEW

RANGE VALUE PACK

Rem Oil Pro³ MSR 10 oz. aerosol - specifically formulated to for semi- and full-auto firearms. And, Rem Action Cleaner removes powder residue and caked-on lubricants from actions and fire-control mechanisms. #17929

Gun care available for purchase at www.remington.com/shop

Þ

REM OIL

TODAY'S MOST ADVANCED GUN CARE. BY AMERICA'S MOST TRUSTED GUNMAKER.



REM OIL

Quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-tometal wear. Available in:

- 10-oz. aerosol can #24027
- 6-oz. spray pump (MoistureGuard) #18378
- 4-oz. aerosol can #26610
- 2-oz. bottle with child-resistant cap #18366
- 1-oz. bottle with child-resistant cap #26617



REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty count canister is a perfect companion for everyone's workbench. Available in:

- 12 individually wrapped 6"x8" wipes #18411
- 60-count pop-up canister #18384
- Single packs in counter display #18471





REM DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in 4-oz. aerosol can #18396





VOLUME VALUE PACK

Includes: Shotgun Cleaner (18 oz.) to blast away dirt, grease and grime with high pressure and Rem Oil (10 oz.), to lubricate and protect after cleaning. #18131



CLEAN ACTION VALUE PACK

Includes: Rem Action Cleaner (10.5 oz.) to easily remove powder residue and dirt plus, Rem Oil (10 oz.), to lubricate and protect after cleaning. #18154



3-STEP VALUE PACK

Includes three aerosol cans:
Brite Bore (6 oz.), Rem Action
Cleaner (10.5 oz.) and Rem Oil
(10 oz.) for complete firearm
care and is a necessity for
every hunter's and shooter's
workbench. #18156



3-STEP STARTER VALUE PACK

Includes: Brite Bore, Rem Action Cleaner and Rem Oil in 2 oz. squeeze bottles with child safety lids. Great for complete firearm care that fits nicely into a travel pack. #18161

FIELD COMBO PACK

All-in-one kit comes packed with all of the essentials to keep your firearm working effectively. Includes .5 oz. Rem All In, 2 oz. Rem Oil and 2 oz. Rem Action Cleaner. #17196



Gun care available for purchase at www.remington.com/shop

CLEANERS

REMINGTON MZL MUZZLELOADER BORE CLEANER

- Designed specifically for all muzzleloaders, but can be used in all barrels
- Express clean removes even the toughest carbon and plastic fouling
- Safe for all bores
- Minimizes future build up
- Convenient nozzle tip applicator no waste
- Available in 4-oz. bottle #16375



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in 18-oz. aerosol can #18472





REM ALL IN BORE CLEANER

- High-performance bore cleaner
- Eliminates carbon, plastic, lead and copper fouling
- Use in any bore handgun, rifle, shotgun
- Keeps firearms clean and working to highest potential
- Convenient nozzle tip applicator no waste
- Available in 4-oz. bottle #19917



BRITEBORE SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field range use
- Low odor contains no CFCs
- Available in:
- 6-oz. aerosol can #18394
- 2 oz. squeeze bottle with child safe lid #18367

REM ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in:
- 2 oz. squeeze bottle with child safe lid #19924
- 4 oz. aerosol can #19925
- 10.5 oz. aerosol can - #18395



40-X BORE CLEANER

- Formerly Remington Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use no soaking or foul odors
- Contains high polishing compounds to make your bore mirror-clean
- Available in 4 oz. squeeze bottle with child safe lid #18397





CLEANING KITS

FIELD ROD CLEANING KIT (RIFLE) NEW



- Aluminum rod set and handle
- .223 black plastic patch puller
- Dropper bottle
- Bore brushes for .22/.223/5.56, .243/.25 cal, .270/7mm, .30/7.62mm
- 75 assorted cleaning patches #17639



FIELD CABLE CLEANING KIT NEW

All cleaning kits include:

- Patch puller
- Pull cable with T-handle
- Cleaning patches
- Compact water resistant tri-fold nylon pouch with close snaps and interior storage
- Oversized pouches include additional room for customization and storage of your favorite cleaning supplies and tools
- Heavy-duty pouch zippers with oversized pull strings for easy handling
- Quick-attach pack strap for convenience & organization





RIFLE KIT Bore brushes include: .22/.223/5.56, .270/7mm, .30/7.62mm #17599

PISTOL KIT Bore brushes include: .357 /.380/9mm, .40/10mm, .44/.45 #17459

UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a 22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes BriteBore
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included #16364





ALL-A-ROUND 2.0 UNIVERSAL KIT

- Cleans all your shotguns, rifles and pistols (22 caliber to 12-gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain-resistant Rem Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

#19546



SPORTSMAN UNIVERSAL KIT

- 27-piece (true count) cleaning kit includes 50 patches (22 caliber to 12-gauge)
- 3-piece aluminum rod accepts standard #8-32 #19054



Gun care available for purchase at www.remington.com/shop

CLEANING ACCESSORIES

NEW CARBON FIBER SINGLE P. **CLEANING ROD WITH HANDLE**

- Each rod comes with a ball-bearing handle
- Rods and handle accept standard 8-32 threads
- Assorted lengths to fit your needs
- All brass fittings for maximum barrel protection during use
- Available in:

12" #16222 32".....#16223

40".....#16224 (Shown)



NEW CARBON FIBER SINGLE P. **CLEANING ROD SET WITH HANDLE**

- Set includes 1 of each:
- Carbon rods (12", 32" and 40")
- Ball bearing handle
- Rods and handle accept standard 8-32 threads
- All brass fittings for maximum barrel protection during use

#16229



REM MOP

- 100% cotton
- Thick nap
- #8-32 standard threads
- Available for the following gauges and calibers:





REM BRUSH

- #8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion
- Available for the following gauges and calibers:

12 / 16 Gauge#19028
20 Gauge#19026
28 Gauge / 410 Bore#19025
.17 HMR/.204/.17#18407
.22/.223/5.56mm#19017
.243/.25#19018
.30/7.62mm#19020
.357/.380/.38/9mm#19014
.375
.270/7mm#19019
.40/10mm#19015
.44/.45#19023
.50#19225



REM PAD GUN CLEANING MATS

REM CLOTH WITH MOISTUREGUARD

• 10" x 10" non-abrasive cloth

• Instantly protects metal surfaces

• Safe on blued, and all metal finishes

• Washable and can be re-energized by retreating

• Reusable - includes zip seal pouch

with Rem Oil with MoistureGuard

#19902

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- Available in three sizes: 10" x 12" #17268 12" x 28" #18812







- Ideal for inspecting used firearms. cleaning firearms and inspecting bore for obstructions
- Features a flexible neck for hard to see and reach places
- LED light emits an intense illuminating glow for detailed inspections
- Batteries included #19495



REMINGTON MZL PREMIUM SYNTHETIC PATCHES

- Zip bag of 200 premium synthetic patches
- Unique fiber free die cut synthetic patches resist fraying
- 2 1/4" for use in .45-54 caliber muzzleloaders
- For use with Remington MZL Bore Cleaner
- Patch designed for even distribution across entire draw surface
- All product is 100% recyclable

#16372

REMINGTON MZL PATCH AND BORE

- 100 patches treated in Remington MZL Bore Cleaner
- Convenient single use patch minimizes fouling build-up
- Designed specifically for all muzzleloaders
- Express clean removes carbon, plastic and fouling
- Safe for all bores
- Patch designed for distribution across entire draw surface
- Die cut synthetic patch resists fraying

#16373




REMINGTON MZL PATCH AND LUBE

- 100 patches treated in Remington MZL Bore Cleaner
- Convenient single patch leaves thin long-lasting film
- Lubricant and corrosion inhibitor
- Displaces non-visible moisture from metal pores
- VCI additive for improved corrosion protection
- Patch designed for distribution across entire draw surface
- Die cut synthetic patch resists fraying

#16374





REM FLEX ROD WITH T-HANDLE

in all your rifles, shotguns and handguns (22 caliber to 12 gauge)

• Available in:


12" #19955 26" #19956 • Patented T-handle for quick adaptability 32".....#19957





SQUEEG-E

SUPERIOR GUN CARE IN EVERY WAY.



- Save up to 15 minutes per gun
- Easy to use with cable or rod
- Available for the following calibers and gauges:

.22/.223/5.56mm#17123	.40 / 10 mm
.243/.25#17125	.44/.45#17128
.270/7mm#17122	.50 Cal / 410 Bore#17129
.30/7.62mm#17124	12 / 16 Gauge#17120
.357/.380/.38/9mm#17126	20/28 Gauge#17121



LESS TIME CLEANING MEANS MORE TIME FOR EVERYTHING ELSE.



To remove carbon and all other fouling, lubricate a bore brush with REM All-In bore cleaner and pass it through the barrel.



Easily attach your caliber-specific Squeeg-E to your cable or rod and pull from chamber to muzzle. One pass is all it takes to remove all debris.



Squeeg-E cleans quickly and easily with just soap and water.

REMOVES ALL DEBRIS WITH JUST ONE PASS.

Pull your caliber-specific Squeeg-E through the barrel and see the difference. With just one pass, your barrel is completely free of debris and ready to perform to its full potential.





AFTER

BEFORE

SAVE TIME. SAVE MONEY. REDUCE WASTE.

With just one pull, Squeeg-E saves you time. And with no patches, it eliminates waste and saves money, paying for itself year after year.



REM SQUEEG-E UNIVERSAL GUN CLEANING SYSTEM WITH RANGE BAG

- Rem Squeeg-E pull through barrel cleaners (10 sizes)
- Medium Rem-Pad Mat (12"x28")
- 2 nylon and brass brushes, 10 multiple-caliber bronze bore brushes
- Rem All-In Bore Cleaner (1/2 oz.), Rem Oil (1 oz.)
- Green canvas range bag with shoulder strap
- Patented Fast Snap T-Handle
- Rem flex rod cables
- Yellow gun cloth

#17096



REM SQUEEG-E UNIVERSAL ROD CLEANING SYSTEM

- 4-pc, 38" brass rod system threaded to universal 8/32
- Pistol grip handle with 3 attachment points
- 1 oz. bottle of Rem Oil and .5 oz. Rem All-In Bore Cleaner



REM SQUEEG-E SHOTGUN CLEANING SYSTEM

- Oversized 5" bronze bore brush
- 4-piece, 38" versatile brass cleaning rod set
- 4 oz. Rem Oil, Rem Action and Rem All-In bore cleaner
- Large Rem Pad
- Green canvas range bag carries six shotshell boxes

REM SQUEEG-E UNIVERSAL FIELD CLEANING SYSTEM

• Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more



REM SQUEEG-E PISTOL CLEANING SYSTEM

• Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more

• 1 oz. Rem Oil and .5 oz. Rem All-In Bore Cleaner #17183



Visit remington.com for a complete list of Squeeg-E Cleaning Systems.

GUN STORAGE & SECURITY

SAFETY ORANGE CHAMBER INDICATORS

- Safety Orange
- Nylon 6/6
- Available in:
- SHOTGUN CHAMBER INDICATOR (Four indicators - fits all shotguns) - #17334
- RIFLE CHAMBER INDICATOR (Four indicators - fits all rifles/MSRs) - #17335
- HANDGUN CHAMBER INDICATOR (Four indicators - fits all pistols/handguns) - #17333
- COMBO PACK OF ALL 3 (2 of each rifle, shotgun and handgun) - #17325



MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950





MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

#19946

Rem Dri 35

REM DRI 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses #19952



GUN SOCKS

• Thick 100% polyester fabric protects

• Treated with silicon to help protect from rust

• Two sizes available (12" and 52" long)

against dirt and scratches

Drawstring closure

MOISTUREGUARD SUPER-SAFE PLUG

- New and improved protection
- Protects all metals from rust and corrosion
- Place or hang in gun cabinet/safe
- Superior storage protection
- Leaves no scent residue
- Military approved
- Mountable
- 216 cubic feet of protection for up to one year #19954





GUN LOCKS

• Fits most shotguns, rifles and handguns





Cable Lock (California approved) #18364



Gun care available for purchase at www.remington.com/shop

RIFLE PARTS

MODEL 700 ACTIONS & RECEIVERS

Build your custom rifle on the industry's most trusted and popular platform. Our cylindrical receiver and 3-rings-of-steel, the foundation for our legendary Model 700, are available as aftermarket accessories. Available in right and left hand configurations. Made in the USA.

- Available for Remington Model 700 rifles
- X-Mark Pro Externally Adjustable Trigger System
- Available in carbon and stainless steel
- Left and right hand actions available

MODEL 700 RECEIVERS					
ORDER NO.	ACTION	MATERIALS	MSRP		
85270	Short Action	Carbon Steel	\$284.95		
85271	Long Action	Carbon Steel	\$284.95		
85273	Long Action Ultra Magnum	Carbon Steel	\$284.95		
85282	Short Action	Stainless Steel	\$294.95		
85283	Long Action	Stainless Steel	\$294.95		
85285	Long Action Ultra Magnum	Stainless Steel	\$294.95		



MODEL 700 ACTIONS					
ORDER NO.	ACTION	MATERIALS	MSRP		
27347	Short Action – 223 Bolt Face	Carbon Steel	\$459.95		
27553	Short Action - 308 Bolt Face	Carbon Steel	\$459.95		
85389	Short Action Magnum	Carbon Steel	\$459.95		
27555	Long Action	Carbon Steel	\$464.95		
27557	Long Action Magnum	Carbon Steel	\$464.95		
85319	Long Action Ultra Magnum	Carbon Steel	\$469.95		
27559	Short Action – 308 Bolt Face	Stainless Steel	\$474.95		
85322	Short Action - 308 Bolt Face (LH)	Stainless Steel	\$504.95		
27561	Long Action	Stainless Steel	\$484.95		
85323	Long Action (LH)	Stainless Steel	\$517.95		
27563	Long Action Magnum	Stainless Steel	\$489.95		
85324	Long Action Magnum (LH)	Stainless Steel	\$517.95		
85320	Long Action Ultra Magnum	Stainless Steel	\$494.95		
85325	Short Action Single Shot – 308 Bolt Face	Stainless Steel	\$499.95		

LH - Left Hand

MOUNTS

Lightweight, incredibly strong and providing the most secure attachment possible keeping your scope and other accessories tight without excessive pressure.

INTEGRAL SCOPE MOUNTS - HIGH

- Available for Remington Model 700 and Model 783 rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction 50% stronger than aluminum
- Super strong design base & lower ring all in one
- Available in black and silver
- Made in the USA

Model 700 Black - #19477 Silver - #19476 MSRP \$39.95

Model 783 Black - #19729 MSRP \$36.95



597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA

#18635 – MSRP \$14.95

INTEGRAL SCOPE MOUNTS - MEDIUM

- Available for Remington Model 700 and Model 783 rifles
- Fits 1" scope tube only
- Z-2 alloy construction 50% stronger than aluminum
- Available in black and silver
- Made in the USA

Model 700 Black - #19425 Silver - #19424 MSRP \$34.95

Model 783 Black - #19731 MSRP \$31.95



MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching rifle. Made in the USA.



MODEL 7600

19656

Model Nylon 77











MODEL 597



MODEL 770

MAGAZINES							
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS	MSRP		
19645	Model 700 BDL Boxes - BLUED	Short Action - 6mm, .243, 7mm-08, .308	4	Steel	\$54.95		
19650	Model 700 BDL Boxes - BLUED	Long Action25-06, .270, .280, .30-06	4	Steel	\$54.95		
19651	Model 700 BDL Boxes - BLUED	Long Action Magnum - 7mm Rem Mag., .300 Win. Mag., .338 Win. Mag.	3	Steel	\$54.95		
19635	Model 770/ 710	Long Action30-06, .270, 7mm REM Mag, .300 Win. Mag.	3 to 4	Steel Polymer	\$14.95		
19633	Model 770/710	Short Action243 Win., .308 Win., 7mm-08 REM	4	Steel Polymer	\$14.95		
19524	Model 783	Long Action Magnum	3	Steel Polymer	\$28.95		
19523	Model 783	Long Action	4	Steel Polymer	\$28.95		
19522	Model 783	Short Action - 243, .308	4	Steel Polymer	\$28.95		
19521	Model 783	Short Action22250	4	Steel Polymer	\$28.95		
19520	Model 783	Short Action - 223 Rem	5	Steel Polymer	\$28.95		
19636	Models Six, 7600, 760, 76	Short Action - 7mm-08, .308, 6mm, .243, .257 Roberts	4	Steel	\$44.95		
19637	Models Six, 7600, 760, 76	Long Action25-06, .30-06, .270, .35 Whelen, .280 Rem	4	Steel	\$44.95		
19638	Models Four, 7400, 742, 740, 74, 750 Woodmaster	Short Action308, 6mm, .243	4	Steel	\$44.95		
19642	Models Four, 7400, 742, 740, 74, 750 Woodmaster	Long Action30-06, .270, .35 Whelen, .280 Rem	4	Steel	\$44.95		
19653	Model 597 – Magnum	.17 HMR, .22 WMR	8	Metal	\$17.45		
19654	Model 597 LR	.22	10	Metal	\$17.45		
19667	Model 597 LR - Clear	.22	30	Polymer	\$24.95		
19668	Model 597 LR - Black	.22	30	Polymer	\$24.95		
19655	Models 581-S, 541	.22	10	Metal	\$24.95		

.22

\$24.95

RIFLE PARTS

MUZZLELOADER SUPPORTIVE PARTS



BOLT DISASSEMBLY TOOL

- Works on Models: 700, Seven, 40X, 660, 721, 722, XR100 and other military models such as the M24 and M40
- 3 easy steps allow for easy removal of firing pin for cleaning and maintenance

#19664 – MSRP \$18.95



SUPER CELL RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

Wood - #19483 Synthetic - #19484 MSRP \$19.95







ADJUSTABLE LENGTH OF PULL KIT

- Full 1" of adjustment to customize fit up to standard size
- For young and smaller shooters, or to adjust for different seasons thin clothing for spring turkeys to thick coats for fall deer
- Kit includes Two ¼" LOP spacers, One ½" LOP spacer, Corresponding screw lengths to accommodate three different lengths
- For most Remington synthetic stocks (rifle and shotgun including V3)
- Made in the USA

#19481 – MSRP \$11.95





STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.





RIFLE STOCKS						
MODEL	ORDER NO.	TYPE	COLOR	MATERIALS	MSRP	
Model 783	19508	Long Action/Long Action Magnum	Mossy Oak Break-Up Infinity	Synthetic	\$119.95	
Model 783	19507	Short Action	Mossy Oak Break-Up Infinity	Synthetic	\$119.95	
NEW Model 700 Chassis (with square drop handguard)	19949	Short Action	Black	Aluminum	\$524.95	
Model 700 ADL	18581	Long Action	Black	Synthetic	\$79.95	
Model 700 (with hinged floorplate)	18584	Long Action	Black with Checkering	Synthetic	\$79.95	
Model 700 (with hinged floorplate)	18586	Long Action Magnum	Black with Checkering	Synthetic	\$79.95	
Model 700 (with hinged floorplate)	19500	Short Action	Black with Hogue Overmolded Grip	Synthetic	\$79.95	
Model 700 (with hinged floorplate)	19501	Long Action	Black with Hogue Overmolded Grip	Synthetic	\$79.95	
Model 700 (with hinged floorplate)	19502	Long Action Magnum	Black with Hogue Overmolded Grip	Synthetic	\$79.95	
Model Seven	18597	Short Action	Black	Synthetic	\$79.95	
Model 7400	19491	Monte Carlo Stock & Fore-end	Black	Synthetic	\$59.95	
Model 7600	19492	Monte Carlo Stock & Fore-end	Black	Synthetic	\$69.95	

PATCH REMOVER

#19511 - MSRP \$6.45

SHOTGUN PARTS

STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington original replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or a handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.








Mossy Oak Shadow Grass Blades







NEW V3 Mossy Oak Break-Up Country









MODEL 870 Mossy Oak Shadow Grass Blades



MODEL 870 COMPACT (13" LOP) Realtree Hardwood HD



MODEL 870, 1100 AND 11-87 SHURSHOT (Camo and black versions available)



MODEL 1100/11-87 Mossy Oak Shadow Grass Blades







VERSA MAX Mossy Oak Shadow Grass Blades







VERSA MAX Mossy Oak Duck Blind







VERSA MAX Realtree Hardwood AP

















VERSA MAX SPORTSMAN

SHOTGUN STOCKS							
MODEL	ORDER NO.	ТҮРЕ	COLOR	MATERIALS	MSRP		
New V3	17885	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic	\$99.95		
New V3	17886	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Break-Up Country Camo	Synthetic	\$99.95		
New VERSA MAX	17887	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic	\$169.95		
New VERSA MAX	17888	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Duck Blind Camo	Synthetic	\$169.95		
New VERSA MAX	17889	12 ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood AP Camo	Synthetic	\$169.9		
New VERSA MAX Sportsman	17977	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Duck Blind Camo	Synthetic	\$139.9		
New VERSA MAX Sportsman	17978	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic	\$139.9		
New VERSA MAX Sportsman	17979	12 ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood AP Camo	Synthetic	\$139.9		
New Model 870	17824	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic	\$99.95		
Model 870	18614	12 ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 870	19487	12 ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$89.95		
Model 870	18612	12 ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic	\$79.95		
Model 870	19488	20 ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 870 ShurShot	19544	12 ga ShurShot stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$64.95		
Model 870 ShurShot	19545	12 ga ShurShot stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic	\$84.95		
Model 870 ShurShot	19533	20 ga ShurShot stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 870	19526	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Obsession Camo	Synthetic	\$99.95		
Model 870 Compact	18611	12 ga Compact 1" short LOP stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic	\$99.95		
Model 870 Compact	19527	20 ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic	\$79.95		
Model 870 Compact	19530	20 ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Realtree Hardwood HD Camo	Synthetic	\$99.95		
Model 870 Compact	19529	20 ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Mossy Oak Pink Camo	Synthetic	\$99.95		
Model 870 Compact Jr.	19528	20 ga Compact Jr. stock & fore-end set with SuperCell recoil pad (12" LOP)	Black	Synthetic	\$79.95		
New Model 1100 / 11-87	17829	12 ga stock & fore-end set with SuperCell recoil pad	Mossy Oak Shadow Grass Blades Camo	Synthetic	\$99.95		
Model 1100 / 11-87	18610	12 ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 1100 / 11-87	19485	12 ga Monte Carlo stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 1100 / 11-87	18608	12 ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic	\$79.95		
Model 1100 / 11-87 ShurShot	19548	12 ga stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$89.95		
Model 1100 / 11-87 ShurShot	19550	12 ga stock & fore-end set with SuperCell recoil pad	Realtree Hardwood APG Camo	Synthetic	\$79.95		
Model 1100 / 11-87	19549	20 ga Sportsman stock & fore-end set with SuperCell recoil pad	Black	Synthetic	\$79.95		
Model 1100 / 11-87 Compact	19551	20 ga Sportsman Compact stock & fore-end set with SuperCell recoil pad (13" LOP)	Black	Synthetic	\$79.95		

SHOTGUN PARTS

BARRELS

Update your "old reliable" to perform as good as new, or upgrade your current shotgun into a deer, turkey or duck gun. The only fitting barrel for your shotgun is one made by Remington. Made in the USA.









MODEL 11-87 28" Premier Vent Rib #80506

#24645



MODEL 870 EXTRA BARRELS							
LENGTH & CHOKE	12 GAUGE	20 GAUGE	MSRP				
Field Grade, Vent Rib, Wingmaster							
28" Rem Choke	24580 ⁵	-	\$238.95				
Deer Barrel, Cantilever							
23" Fully Rifled	27597	-	\$254.95				
18 ¹ / ₂ " Fully Rifled	-	27599	\$279.95				
SP Deer Barrel, Cantilever							
21" Fully Rifled Scoped	24553 ³	-	\$299.95				
18 ¹ / ₂ " Fully Rifled Scoped	-	27595	\$299.95				
Express Bead Sights (18"), Cyl.	24620	-	\$144.95				
Express Bead Sights (18½"), Cyl.	-	80060	\$149.95				
Express Vent Rib							
20" Full Extended Rem Choke		80062	\$209.95				
21" Full Extended Rem Choke	24615	-	\$209.95				
30" Modified Rem Choke	24589	-	\$199.95				
28" Modified Rem Choke	26314	-	\$199.95				
26" Modified Rem Choke	26312	80064	\$199.95				
NEW 23" Modified Rem Choke	80070	-	\$199.95				
Express Deer, Rifle Sights (20"), Imp. Cyl.	24622	-	\$159.95				
Express Deer, Fully Rifled, Rifle Sights (20")	246114	24609 ⁴	\$204.95				
Parkerized							
NEW 14" Modified Bore w/Rifle Sights	245096	-	\$230.00				
NEW 14" Modified Bore w/Bead Sights	245136	-	\$165.00				
NEW 14" Modified Bore w/XS Rifle Sights	271296	-	\$218.00				
NEW 18" Improved Cylinder Bore w/Bead Sights	24517	-	\$171.00				
NEW 18" Improved Cylinder Bore w/Rifle Sights	26237	-	\$206.00				
Madel 970 outra barrels with 2" shambars used on Cuper Magnum and	Magnum racaiyare will	handle both 23/4 and 2	" challe only Uso or				

Model 870 extra barrels with 3" chambers used on Super Magnum and Magnum receivers will handle both 234" and 3" shells only. Use only 234" shells when these barrels are used on non-Magnum receivers. 1 20-gauge 870 Lightweight barrels will not fit 20-gauge standard 870 gurs. 2 Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. 3 Sold in 5 pack quantitys only 4 Express 2069. Fully Rifled Oper barrels as 25" chamber. Model 870 extra barrels with 24" chambers will fit both Magnum and 234" receivers. Use only 234" shells in these barrels. 5 Supplied with Full, Mod and IC Rem chokes. 6 All NFA rules apply.

VERSA MAX EXTRA BARRELS / 3" CHAMBERS					
LENGTH & CHOKE	12 GAUGE	MSRP			
Field Grade Deer, Rifle Sights					
25" Fully Rifled	80620	\$399.95			

MODEL 11-87 EXTRA BA	RRELS / 3" C	HAMBERS	
LENGTH & CHOKE	12 GAUGE	20 GAUGE ¹	MSRP
SP Deer Barrel, Cantilever Scope Mount ²			
21" Fully Rifled	24645	-	\$339.95
Sportsman Deer Barrel, Cantilever Scope Mount ²			
21" Fully Rifled	-	27591	\$279.95
SP Deer Barrel, Rifle Sights ²			
21" Fully Rifled	29609	-	\$279.95
Premiere Vent Rib			
28" Rem Choke	80502	80506	\$279.95

Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 120 gauge 11-87 Lightweight barrels will not fit 20 gauge standard 870 guns. 2 Model 11-87 Deer barrels are compatible with Model 1100 G3 shotguns. Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our Light Contour Model 11-87 shotguns are shaped to follow the curve of the slimmer-profiled IC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your qun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker, or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

MODEL 1100 EXTRA BA	RRELS / 23/4" CHAMBERS	
LENGTH & CHOKE	12 GAUGE	MSRP
Field Grade Deer, Rifle Sights		
21" Fully Rifled	26595	\$329.95
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	29570	\$289.95
Field Grade, Vent Rib		
30" Rem Choke ¹	24488	\$259.95
28" Rem Choke ¹	24464	\$259.95
26" Rem Choke ¹	24466	\$259.95
1 Ships with Full, Mod and IC Rem chokes		

SHOTGUN PARTS

CHOKE TUBES

Get the most out of your shotgun with our expansive selection of choke tubes. Available for an array of pursuits, each is performance-tuned to deliver optimum pattern performance in your chosen application. Made in the USA.









CHOKE TUBE BUNDLES NOW AVAILABLE

PRO BORE CHOKES

Value packs with most popular chokes now available at your favorite retailer.



CHOKE TUBE SPEED WRENCH

• Available in 12- and 20-gauge

Made in the USA

12 ga - #19173 20 ga - #19174 MSRP \$11.95



CHOKE TUBE CASE

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura pouch
- Belt loop for carry convenience
- 6 choke tube vials included #19172 - MSRP \$11.95



Choke tubes and wrench not included

CHOKE TUBES ORDER NO. TYPE CHOKE TUBES SHOT TYPE MSRP Bundles Rem Choke 12 ga. Express IC & Full 19773 Flush Steel or Lead \$39.95 Steel or Lead \$59.95 NEW Rem Choke 12 ga. Extended 19149 IC, Modified & Full Flush **Choke Tubes** Rem Choke 12 ga. 19154 Modified Flush Steel or Lead \$18.95 Rem Choke 12 ga. \$18.95 19155 Improved Cylinder Flush Steel or Lead Steel or Lead Rem Choke 12 ga. 19607 Flush \$18.95 Rem Choke 12 ga. 19608 Improved Skeet Steel or Lead \$18.95 Rem Choke 12 ga. 19153 Full Flush Steel or Lead \$31.95 Rem Choke 12 ga. 19612 Rifled Flush Slugs \$44.95 Rem Choke 12 ga. \$29.95 19609 Turkey Extra Full Extended Lead Only Rem Choke 12 ga. \$29.95 19156 Turkey Super Full Extended Lead Only Rem Choke 12 ga. Rifled \$54.95 19616 Extended Rem Choke 12 ga. \$36.95 19171 Predator Ported Full Extended Lead Only Rem Choke 12 ga. 19170 Hog Ported Full Extended Lead Only \$36.95 Rem Choke Tactical 12 ga. Tactical Ported Extended Lead Only \$39.95 Rem Choke 20 ga. 19157 Lead Only \$18.95 Full Flush Rem Choke 20 ga. Modified \$18.95 19158 Flush Steel or Lead Rem Choke 20 ga. Improved Cylinder Flush Steel or Lead \$18.95 Rem Choke 20 ga. 19621 Skeet Flush Steel or Lead \$18.95 Rem Choke 20 ga. Lead Only \$29.95 19625 Turkey Super Full Extended Pro Bore Choke 12 ga. 19160 Full \$32.95 Flush Steel or Lead Pro Bore Choke 12 ga. 19162 Improved Cylinder Flush Steel or Lead \$19.95 Pro Bore Choke 12 ga. 19161 Modified Steel or Lead \$19.95 Flush Pro Bore Choke 12 ga. Light Modified \$21.95 19165 Extended Steel or Lead Pro Bore Choke 12 ga. 19164 Modified Extended Steel or Lead \$21.95 Pro Bore Choke 12 ga. 19166 Improved Cylinder Extended Steel or Lead Pro Bore Choke 12 ga. 19163 Full Extended Steel or Lead Pro Bore Choke 12 ga. Extended Steel or Lead \$21.95 19167 Skeet Pro Bore Choke 12 ga. Predator Ported Full Extended Lead Only \$36.95 Pro Bore Choke 12 ga. 19168 Hog Ported Full Extended Lead Only \$36.95 Pro Bore Choke Tactical 12 ga. \$39.95 19792 Tactical Ported Extended Lead Only

NEW

MODEL 870 DM MAGAZINES

- Available in 3- and 6-round
- Made in the USA

3-round - #19717, 6-round - #19718 MSRP \$34.95



RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

MSRP \$19.95



VERSA MAX LOP SPACER KIT

- Fits all VERSA MAX synthetic stocks
- Made in the USA

GAS SYSTEM KIT

- Stainless steel piston/piston seal
- Teflon®-coated barrel seals (3-pack)
- Fits all Model 1100 & 11-87 12-ga shotguns
- Made in the USA

#19258 (Kit) - MSRP \$29.95 #19264 (3-pack o-rings only) - MSRP \$11.95



MAGAZINE CAP WITH SWIVEL STUD

- Fits all Model 870, 1100, and 11-87 12-, 20- and 16-gauge shotguns
- Swivel stud attached for sling
- Swivel stud for rear stock included
- Made in the USA

12 & 16 ga - #19462, 20 ga - #19461 MSRP \$20.95




VERSA MAX COMB INSERT

 Made of same tested cellular polyurethene as our SuperCell recoil pad

Raised - #19478 - MSRP \$16.95

Extra High - #19479 - MSRP \$17.95

Made in the USA







3/8" Higher Comb

5/8" Higher Comb



SHOTGUN MOUNT

 Saddle style mount allows use for Model 870, 1100 and 11-87

#19489 - MSRP \$44.95



SHOTGUN PLUGS

- Standard plug fits most Remington shotguns
- Made in the USA

12 ga - #19451, 20 ga - #17677 MSRP \$3.95



MODEL 870 MAGAZINE EXTENSION KIT

- Add more rounds to your 870's shotgun's capacity (12 gauge only)
- Extends magazine chamber:
- 18" Extension adds 2 extra shots
- 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling
- Made in the USA



	MAGA	AZINE EXTENSION	KITS		
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS	MSRP
19419	Model 870 – 18"	Adds 2 Extra shots	Blued	Stainless Steel	\$54.95
19420	Model 870 - 18"	Adds 2 Extra shots	Parkerized	Stainless Steel	\$54.95
19421	Model 870 – 20"	Adds 3 Extra shots	Blued	Stainless Steel	\$54.95
19422	Model 870 – 20"	Adds 3 Extra shots	Parkerized	Stainless Steel	\$54.95

All non-serialized items available for direct shipment on www.remington.com/shop

191

HANDGUN PARTS

MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching handgun. Made in the USA.



NEW

REMINGTON RP9/RP45 10- to 18-Round



NEW

MODEL 1911 RI HUNTER 10mm, 8-Round



MODEL 1911 RI 7- and 8-Round



REMINGTON R51 7-Round



REMINGTON RM380 (with extended floorplate) 6-Round

	MAGAZI	NES			
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS	MSRP
NEW 17743	RP	9mm	18	Steel/polymer	\$34.95
NEW 17742	RP	9mm	10	Steel/polymer	\$34.95
NEW 17747	RP	45 Auto	15	Steel/polymer	\$34.95
NEW 17746	RP	45 Auto	10	Steel/polymer	\$34.95
17679	RM380	380 Auto	6	Steel/polymer	\$29.95
17696	R51	9mm	7	Steel/polymer	\$29.95
19623	1911 Handgun - Black - Flush Base	45 Auto	7	All steel	\$29.95
19624	1911 Handgun - Black - Extended Base	45 Auto	8	All steel	\$29.95
19660	1911 Handgun – Flush Base	45 Auto	7	Nickel Plated	\$24.95
19661	1911 Handgun - Extended Base	45 Auto	8	Stainless Steel	\$29.95
NEW 17798	1911 Hunter – Flush Base – Stainless	10mm	8	Stainless Steel	\$34.95
NEW 17803	1911 Handgun – Extended Base – Stainless	40 S&W	8	Stainless Steel	\$34.95
NEW 17793	1911 Handgun – Extended Base	9mm	9	Stainless Steel	\$34.95
NEW 17828	1911 Double Stack - Aluminum Match Base*	45 Auto	16	Steel/polymer	\$59.95
NEW 17827	1911 Double Stack - Tactical Base*	45 Auto	15	Steel/polymer	\$39.95
NEW 17825	1911 Double Stack - Restricted Base*	45 Auto	10	Steel/polymer	\$39.95
NEW 17794	1911 Double Stack – Aluminum Match Base*	9mm	19	Steel/polymer	\$59.95
NEW 17795	1911 Double Stack – Tactical Base*	9mm	18	Steel/polymer	\$39.95
NEW 17802	1911 Double Stack - Restricted Base*	40 S&W	18	Steel/polymer	\$59.95

* Para Compatible

GRIPS



NEW

REMINGTON R51 LAMINATE #19996 MSRP \$44.95



NEW





SIGHTS



REMINGTON RP FIBER OPTIC #17834 - MSRP \$54.95



REMINGTON RP TRITIUM NIGHT #17835 - MSRP \$129.95



REMINGTON R51 NEW FIBER OPTIC #17832 - MSRP \$54.95



REMINGTON R51 TRITIUM NIGHT #17833 - MSRP \$121.95



Tailor-made for Remington handguns by the industry's top holster builders. Designed for maximum comfort and accessibility in conceal-carry and open-carry styles.








Visit www.remington.com/shop to purchase now.

				HANDGUN I	HOLSTERS				
ORDER NO.	MODEL	BRAND	DESCRIPTION	MSRP	ORDER NO.	MODEL	BRAND	DESCRIPTION	MSRP
16853	R51	Talon	IWB – Black LH	\$49.99	16845	RP	Crossbreed	Supertuck	\$69.75
16852	R51	Talon	IWB – Black RH	\$49.99	16909	RP	Desantis	Speed Scabbard LH	\$77.99
16855	R51	Talon	OWB - Black LH	\$59.99	16908	RP	Desantis	Speed Scabbard RH	\$77.99
16854	R51	Talon	OWB - Black RH	\$59.99	16913	RP	Desantis	Thumb Break Scabbard LH	\$77.99
16857	R51	Talon	Tuckable IWB – Black LH	\$54.95	16912	RP	Desantis	Thumb Break Scabbard RH	\$77.99
16856	R51	Talon	Tuckable IWB – Black RH	\$54.95	16867	RM380	Talon	Tuckable IWB Black LH	\$54.95
16842	R51	Crossbreed	Dropslide	\$50.50	16866	RM380	Talon	Tuckable IWB Black RH	\$54.95
16843	R51	Crossbreed	Supertuck	\$69.75	16869	RM380	Talon	Wallet – Black LH	\$49.99
16919	R51	Desantis	Insider LH	\$28.99	16868	RM380	Talon	Wallet - Black RH	\$49.99
16918	R51	Desantis	Insider RH	\$28.99	16846	RM380	Crossbreed	Appendix Carry	\$62.50
16923	R51	Desantis	Mini Scabbard LH	\$62.99	16847	RM380	Crossbreed	Minituck	\$67.75
16922	R51	Desantis	Mini Scabbard RH	\$62.99	16849	RM380	Crossbreed	Snapslide	\$48.50
16873	RP	Talon	IWB – Black LH	\$49.99	16848	RM380	Crossbreed	Supertuck	\$69.75
16872	RP	Talon	IWB – Black RH	\$49.99	16915	RM380	Desantis	Mini Scabbard LH	\$62.99
16875	RP	Talon	OWB - Black LH	\$59.99	16914	RM380	Desantis	Mini Scabbard RH	\$62.99
16874	RP	Talon	OWB - Black RH	\$59.99	16917	RM380	Desantis	SoF – Tuck LH	\$33.99
16844	RP	Crossbreed	Dropslide	\$50.50	16916	RM380	Desantis	SoF – Tuck RH	\$33.99

(LH) Left Hand Model, (RH) Right Hand Model





A leader in the design and manufacture of high-performance protective case solutions for outdoorsmen and professionals.



Born on the battlefield, Wiley X produces premium Remington branded eye and hearing protection.



Dedicated to the conservation of wetland and associated upland habitats for waterfowl, other wildlife and people.



Protecting the right to keep and bear arms, furthering the shooting sports, marksmanship and safety training and preserving our hunting traditions.



Commited to conserving wild turkeys throughout North America and preserving our hunting heritage.



Promoting the protection and enhancement of wildlife habitat, providing quality wildelife management programs, educating the public about the role hunters play in wildlife conservation, and perpetuating the tradition of hunting and fishing.



Ensuring the future of elk, other wildlife, their habitat and our hunting heritage.



Promtes the conservation of Mule deer, Blacktail deer and their habitats.



Dedicated to the conservation of pheasants, quail and other wildlife through habitat improvements, public awareness, education and land stewardship.



Preparing young people to make ethical and moral choices over their lifetimes by instilling in them the values of the Scout Oath and Law.

SHOTGUN SPECIFICATIONS

				VERSA MA	X SHOTGUN DIMEN	NSIONS / AVERAGE W	EIGHTS							
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER NO.	BARREL Type	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL ⁵	DROP (COMB) ⁵	DROP (HEEL) ⁵	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
VERSA MAX Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81042	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4915/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4	\$1,456
VERSA MAX Black Synthetic ¹	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81043	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4	\$1,456
VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83205	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	141/4"	1½"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Shadow Grass Blades Camo	73/4	\$1,765
VERSA MAX Waterfowl Mossy Oak Duck Blind Camo ²	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81048	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind Camo	73/4	\$1,664
VERSA MAX Waterfowl Realtree AP Camo ²	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81054	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4715/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Realtree AP Camo	73/4	\$1,664
VERSA MAX Competition Tactical ¹	12/22"	10 (2¾" shells) 12 w/extension	81029	Vent Rib	Adjustable	Anodized Aluminum w/Green Cerakote	4315/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	8	\$1,733
VERSA MAX Tactical ³	12/22"	8 (2¾" shells) 7 (3" shells)	81059	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4315/16"	14¼"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4	\$1,456

1 Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended ProBore Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. 3 Supplied with Flush Mount ProBore Improved Cylinder choke tube, and ProBore Extended Tactical choke tube. 4 Supplied with Extended ProBore Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full. 5 Adjustable

			VER	SA MAX LEFT	THAND SHOTGUN	DIMENSIONS / AVER	AGE WEIG	HTS						
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER NO.	BARREL Type	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL ²	DROP (COMB) ²	DROP (HEEL) ²	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
VERSA MAX Left-Hand Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83500	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	141/4"	11/2"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4	\$1,456
VERSA MAX Left-Hand Waterfowl Mossy Oak Duck Blind Camo ²	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	83506	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	141⁄4"	1½"	27/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind Camo	73/4	\$1,663

I Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Adjustable

			VERSA	MAX SPORTS	MAN SHOTGUN DIN	MENSIONS / AVERAGE	WEIGHT	S						
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
VERSA MAX Sportsman Black Synthetic ¹	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81045	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4915/16"	141/4"	11/2"	27/16"	Synthetic	Black Synthetic	73/4	\$1,066
VERSA MAX Sportsman Black Synthetic ¹	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81046	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4715/16"	141/4"	11/2"	27/16"	Synthetic	Black Synthetic	73/4	\$1,066
VERSA MAX Sportsman Mossy Oak Duck Blind Camo ²	12/28"	3 (2¾" or 3" shells) 2 (3½" shells)	81049	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4915/16"	141⁄4"	11/2"	27/16"	Synthetic	Mossy Oak Duck Blind Camo	73/4	\$1,222
VERSA MAX Sportsman Realtree AP Camo ²	12/26"	3 (2¾" or 3" shells) 2 (3½" shells)	81027	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4715/16"	141⁄4"	11/2"	27/16"	Synthetic	Realtree AP Camo	73/4	\$1,222
VERSA MAX Sportsman Mossy Oak Obsession Camo	12/22"	3 (2¾" or 3" shells) 2 (3½" shells)	81028	Smooth Barrel Rifle Sights	HiViz/ Interchangeable	Anodized Aluminum w/Camo	4315/16"	141⁄4"	11/2"	27/16"	Synthetic	Mossy Oak Obsession Camo	73/4	\$1,222

1 Supplied with Flush Mount Pro Bore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended Pro Bore Choke Tubes - Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.

				V3 SF	IOTGUN DIMENSIO	INS / AVERAGE WEIG	HTS							
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
V3 Field Sport Black Synthetic	12/28"	3 (2¾" or 3" shells)	83400	Light Contour Vent Rib	Twin Bead	Black Oxide	49"	141⁄4"	11/2"	27/16"	Synthetic	Black Oxide	71/4	\$895
V3 Field Sport Black Synthetic	12/26"	3 (2¾" or 3" shells)	83401	Light Contour Vent Rib	Twin Bead	Black Oxide	47"	141⁄4"	11/2"	27/16"	Synthetic	Black Oxide	71/4	\$895
V3 Field Sport Camo	12/28"	3 (2¾" or 3" shells)	83406	Light Contour Vent Rib	Twin Bead	Mossy Oak Blades Camo	49"	141⁄4"	11/2"	27/16"	Synthetic	Mossy Oak Blades Camo	71/4	\$995
V3 Field Sport Camo	12/26"	3 (2¾" or 3" shells)	83408	Light Contour Vent Rib	Twin Bead	Mossy Oak Break-Up Country Camo	47"	141⁄4"	11/2"	27/16"	Synthetic	Mossy Oak Break-Up Country Camo	71/4	\$995
V3 Field Sport Walnut	12/28"	3 (2¾" or 3" shells)	83420	Light Contour Vent Rib	Twin Bead	Black Oxide	49"	141⁄4"	11/2"	27/16"	Walnut	Satin	71/4	\$995
V3 Field Sport Walnut	12/26"	3 (¾" or 3" shells)	83421	Light Contour Vent Rib	Twin Bead	Black Oxide	47"	141⁄4"	11/2"	27/16"	Walnut	Satin	7 ¹ / ₅	\$995

			MODEL 11-	87 SPORTSMAN I	MAGNUM SHOTGUN	I DIMENSIONS	AVERAGI	E WEIGHT	S					
MODEL	GAUGE/BBL Length	MAG. Capacity	ORDER NO.	BARREL TYPE ³	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
11-87 Sportsman Field Walnut w/Fleur-De-Lis Checkering	12/28" 20/26"	4	83700 83704	Vent Rib Rem Choke Mod ⁴	Dual Bead	Matte Blue	48½" 46"	14"	11/2"	21/2"	American Walnut	Satin	81/4 71/4	\$748

I Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 Includes new adjustable LOP kit for up to 1" of extra adjustment.

3 Model 11-87 Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells. 4 NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

SHOTGUN SPECIFICATIONS

				COMPETITION SHO	TGUNS DIME	NSIONS / AVERAGE	WEIGHT	S						
MODEL	GAUGE/BORE BBL LENGTH	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)	MSRP
1100 Classic Trap	12/30"	4	25333	Lt. Contour Rib Rem Choke ²	Twin Bead	High Polish Blue	501/2"	141/2"	17/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	81/4	\$1,334
1100 Competition Synthetic	12/30"	4	82821	Vent Rib Pro Bore	Twin Bead	Nickel	501/2"	Not Adj.	Adj.	Adj.	Synthetic	C. Graphite	81/4	\$1,305
1100 Sporting 12	12/28"	4	25315	Lt. Contour Rib Rem Choke ³	Twin Bead	High Polish Blue	49"	143/16"	11/2"	21/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8	\$1,254
1100 Sporting 20 (LT)	20/28"	4	25399	Lt. Contour Rib Rem Choke ³	Twin Bead	High Polish Blue	49"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7	\$1,254
1100 Sporting 28	28/27"	4	29583	Vent Rib Rem Choke ³	Twin Bead	High Polish Blue	47¾"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	61/2	\$1,315
1100 Sporting 410	410 bore/27"	4	29549	Vent Rib Rem Choke ¹	Twin Bead	High Polish Blue	47¾"	14"	11/2"	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	61/4	\$1,315

1 Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. 2 These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041").

3 NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 4 Model 1100 shotguns have 2 3/4" chambers, unless otherwise noted.

5 Model 1100 Competition Synthetic shotgun is supplied with Pro Bore chokes (Skeet, Improved Cylinder, Light Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.

			_	, HOME DEFEILE	E SHOTGUN DIME									
MODEL	GAUGE/BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870 Express Synthetic Tactical	12/18½" 20/18½"	4 6	25549 81100	Fixed Cylinder Choke	Single Bead	Matte Blue	38½" 38¾"	14"	11/2"	2½" 2"	Synthetic	Matte Black	7½ 6	\$420 \$443
870 Express Tactical (w/XS Ghost Ring Sights)	12/181/2"	6	81198	Rem Choke ¹	XS Ghost Ring	Matte Blue	38½" 40½" (choke)	14"	1½"	21/2"	Synthetic	Matte Black	71/2	\$601
870 Express Synthetic Tactical (7-Round Capacity)	12/18½"	6	25077	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2	\$443
870 Express Synthetic 18½"	12/18½"	4	25549	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/4	\$420
870 Express Hardwood Home Defense	12/18½"	4	25559	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2	\$420
870 Express Hardwood Home Defense	12/18½"	6	81197	Fixed Cylinder Choke	Single Bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2	\$443
NEW Model 870 Express Tactical 6-Position Stock, Hogue Pistol Grip	12/181/2"	6	81212	Fixed Cylinder Choke	Single bead	Matte Blue					Synthetic	Matte Black		\$601
NEW Model 870 Express Tactical Magpul	12/18½"	6	81192	Fixed Cylinder Choke	Single bead	Single bead	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2	\$565
VERSA MAX Tactical ³	12/22"	8 (2¾" shells) 7 (3" shells)	81059	Vent Rib	HiViz/ Interchangeable	Anodized Aluminum	4315/16"	141/4"	1½"	27/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	73/4	\$1,456

I Note: Supplied with Extended Rem Choke Tactical Tube.

			MOD	EL 870 DM SHOTGUN	DIMENSIONS	/ AVERAGE WEIG	HTS							
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW Model 870 DM	12/181/2"	6	81350	Fixed Cylinder Choke	Single bead	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2	\$529
NEW Model 870 DM Magpul, Magpul Stock	12/18½"	6	81352	Rem Choke ²⁵	XS Ghost Ring Sights	Matte Blue	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2	\$799
NEW Model 870 DM Predator, ShurShot Stock	12/18½"	6/3	81354	Rem Choke ²⁹	XS Ghost Ring Sights	Kryptek Highlander	381/2"	14"	11/2"	21/2"	Synthetic	Kryptek Highlander	71/2	\$799
NEW Model 870 DM Hardwood, Hardwood Stock	12/18½"	6	81351	Fixed Cylinder Choke	Single bead	Matte Blue	381/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2	\$529
NEW Model 870 DM Tactical, Pistol Grip Buttstock & Tactical Corncob Fore-end, Tactical Choke	12/181/2"	6	81360	Rem Choke ²⁵	XS Ghost Ring Sights	Matte Blue	381/2"	14"	1½"	21/2"	Synthetic	Matte Black	71/2	\$799

				MODEL 870 WINGN	IASTER SHOTGL	IN DIMENSIONS / AV	ERAGE W	EIGHTS						
MODEL	GAUGE/BORE' BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Wingmaster	12/28" 12/26"	4	26927 26929	Light Contour Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	48½" 46½"	141/4"	11/2"	21/2"	American Walnut	Hi-Gloss	7 6¾	\$847
Wingmaster	20/28" 20/26"	4	26947 26949	Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	48½" 46½"	14"	11/2"	21/2"	American Walnut	Satin (28") Hi-Gloss (26")	61/4 61/8	\$847
NEW Wingmaster Claro	12/28"	4	82010	Vent Rib Rem Choke ²	Twin Bead	High Polish Blue	481/2"	14	1.5	2.5	Claro Walnut	Gloss	7	\$959
Wingmaster	28 (2 ¾") 25"	4	24983	Vent Rib Rem Choke ²	Twin Bead	High Polish Blued	451/2"	14"	11/2"	21/2"	American Walnut	Satin	6	\$962
Wingmaster	410 Bore (3") 25"	4	24991	Vent Rib Fixed Modified	Twin Bead	High Polish Blued	451/2"	14"	11/2"	21/2"	American Walnut	Satin	5¾	\$904
Wingmaster	12/30"	4	24857	Light Contour Vent Rib Rem Choke	Twin Bead	High Polish Blued	501/2"	141/2"	17/16"	2"	American Walnut	Hi-Gloss	81/4	\$1,120

1 NOTE: All Model 870 Wingmaster and Model 870 Wingmaster Super Magnum shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes.

2 Model 870 Wingmaster shotguns have 3" chambers, unless otherwise noted, and will cycle 2 %" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.

		MC	DEL 870	SPECIAL PURPOSE SI	HOTGUN DIME	NSIONS / AVERAG	E WEIGH	TS						
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)	MSRP
870 SPS Super Slug	12 (3") 25½"	4 (2¾" & 3)	82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Matte Blue	47"	13¾"	11/2"	2"	Synthetic	Mossy Oak Treestand	77/8	\$829
870 SPS Super Mag Turkey/Predator w/Scope w/Overmolded Grips	12 (3½") 20"	3 (3½"), 4 (2¾" & 3)	81062	Clean Barrel Bead Sight Rem Choke	TruGlo Red Dot	Mossy Oak Obsession	401/2"	13¾"	11/2"	2"	Synthetic	Mossy Oak Obsession	71/8	\$710
870 Marine Magnum ²	12 (3") 18"	6	25012	Fixed Cylinder Choke	Single Bead	Electroless Nickel-Plated	381/2"	14"	11/2"	21/2"	Synthetic	Matte Black	71/2	\$841

195

1 All 3" and 3 ½" chambers also handle 2 ¾" shells. 2 Will not accept certain law enforcement accessories.

SHOTGUN SPECIFICATIONS

			MOL	DEL 870 EXPRESS S	HOTGUN DIMENSI	ONS / AVERAGE	WEIGHTS							
MODEL	GAUGE (BORE)/ BBL LENGTH	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)	MSRP
870 Express	12/28" 12/26"	4	25568 25569	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Hardwood	Satin	7½ 7¼	\$417
870 Express Magnum w/ShurShot	12/21"	4	81114	Vent Rib Rem Choke (Turkey Extra Full)	Single Bead	Mossy Oak Obsession	421/2"	13¾"	11/2"	2"	Synthetic	Mossy Oak Obsession	73/8	\$536
870 Express	20/28" 20/26"	4	25583 25582	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Hardwood	Satin	6½ 6¼	\$417
NEW 870 Express	410/25"	4	25601	Fixed Full Choke	Single bead	Matte Blue	45.5	14"	11/2"	21/2"	Hardwood	Satin	5.75	\$551
870 Express Lam. Compact 4	20/21"	4	25561	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13"	11/2"	21/4"	Hardwood	Satin	61/2	\$417
870 Express Synthetic	12/28" 12/26"	4	25587 25589	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	48½" 46½"	14"	11/2"	21/2"	Synthetic	Matte Black	7½ 7¼	\$417
870 Express Turkey Camo	12/21"	4	81115	Vent Rib Rem Choke (Turkey Extra Full)	Single Bead w/HiViz	Mossy Oak New Break-Up	411/2"	14"	11/2"	21/2"	Synthetic	Mossy Oak New Break-Up	71/4	\$492
870 Express Compact ¹	20/21"	4	81148	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13" Adj.	11/2"	21/2"	Synthetic	Matte Black	6	\$417
870 Express Compact Camo ¹	20/21"	4	81166	Vent Rib Rem Choke (Mod)	Single Bead	Realtree Hardwoods HD	401/2	13" Adj.	11/2"	21/2"	Synthetic	Realtree Hardwoods HD	6	\$468
870 Express Compact Jr. ¹	20/18¾"	4	81161	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	371/4"	12" Adj.	11/2"	2"	Synthetic	Matte Black	5¾	\$417
870 Express Compact Pink Blaze Camo ¹	20/21"	4	81150	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	401/2"	13" Adj.	11/2"	21/2"	Synthetic	Mossy Oak Pink Blaze Camo	6	\$468
870 Express Synthetic Fully Rifled Deer	12/20"	4	25097	Fully Rifled	Rifle Sights	Matte Blue	401/2"	14"	11/2"	1 ⁷ /8"	Monte Carlo Synthetic	Matte Black	7	\$463
870 Express Deer	12/20"	4	25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Blue	401/2"	14"	11/2"	17/8"	Monte Carlo Laminate	Satin	71/4	\$417
870 Express Fully Rifled Deer	12/20"	4	25575	Fully Rifled	Rifle Sights	Matte Blue	401/2"	14"	11/2"	17/8"	Monte Carlo Laminate	Satin	71/4	\$463
870 Express Synthetic Fully Rifled Cantilever	12/23"	4	25090	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Blue	431/4"	14"	11/2"	17/8"	Monte Carlo Synthetic	Matte Black	8	\$545
870 Express Left Hand	12/28"	4	25577	Vent Rib Rem Choke (Mod)	Single Bead	Matte Blue	481/2"	14"	11/2"	21/2"	Hardwood	Satin	71/2	\$446

1 Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 Supplied with sling swivel studs. 3 Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells.

4 Wood laminate stock model does not include Length of Pull Kit.

			MOD	EL 870 EXPRESS SUPE	R MAG SHOTGU	N DIMENSIONS / AVI	ERAGE WEIGH	ITS						
MODEL	GAUGE ² /BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870 Express Super Mag Turkey/Waterfowl Camo	12 (31/2")/26"	3 (3½") 4 (2¾" & 3")	81125	Vent Rib Rem Choke ^{3,4}	HiViz	Mossy Oak Bottomland	46"	14"	11/2"	21/2"	Synthetic	Mossy Oak Bottomland	71/4	\$629
870 Express Super Mag Waterfowl Camo ¹	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	81111	Vent Rib Rem Choke ³	HiViz	Mossy Oak Duck Blind	48"	14"	11/2"	21/2"	Synthetic	Mossy Oak Duck Blind	71/2	\$629
870 Express Super Mag	12 (3½")/28"	3 (3½") 4 (2¾" & 3")	25100	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	11/2"	21/2"	Hardwood	Satin	71/2	\$469
870 Express Super Mag Synthetic	12/28" 12/26"	3 (3½") 4 (2¾" & 3")	25103 25102	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48" 46"	14"	11/2"	21/2"	Synthetic	Matte Black	71/4 71/2	\$469
NEW 870 Express Super Mag Waterfowl Camo ¹	12/28"	3 (3½") 4 (2¾" & 3")	81074	Vent Rib Rem Choke ³	HiViz	Mossy Oak Shadow Grass Blades	481/2"	14"	11/2"	21/2"	Synthetic	Mossy Oak Shadow Grass Blades	71/2	\$629
870 Express Super Mag Extra Barrel Combo	12/26" 12/20"	3 (3½") 4 (2¾" & 3")	25114 -	Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ⁵	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40½" (Deer)	14"	1½"	21/2"	Hardwood	Satin	71/4	\$629

1 Supplied with sling swivel studs. 2 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with Rem Choke "Over-Decoys" choke tube. 4 Turkey Extra Full Rem Choke tube. 5 Combo Deer barrel has 3" chamber.

MODEL	GAUGE¹/BBL Length	MAG. Capacity	ORDER No.	BARREL TYPE	SIGHTS	RECEIVER Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)	MSRP
870 Express Combo	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	4	25578	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	461/4" (Vent Rib) 401/2" (Deer BBL)	14"	1½"	2½"	Hardwood	Satin	71/4	\$606
870 Express Combo	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	4	25597	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	46½" (Vent Rib) 40½" (Deer BBL)	14"	11/2"	21/2"	Hardwood	Satin	61/2	\$609
870 Express Synthetic Compact Combo	20/21"(Vent Rib) 20/20" (Fully Rifled)	4	25659	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	40½" (Vent Rib) 39½" (Deer BBL)	13"	1½"	21/4"	Synthetic	Matte Black	6	\$609
870 Express Synthetic Field & Home Combo	12/23"(Fully Rifled) 12/28" (Vent Rib)	4	81280	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Cantilever (Deer BBL)	Matte Blue	48½" (Vent Rib) 43½" (Deer BBL)	14"	1½"	21/4"	Synthetic	Matte Black	6	\$667
870 Express Combo	12/26 "(Vent Rib) 12/18½" (Vent Rib)	4	81291	Vent Rib Rem Choke Fixed Cylinder Choke	Single Bead	Matte Blue	48½" (Vent Rib) 38½" (Fixed Cyl.)	14"	11/2"	21/4"	Synthetic	Matte Black	6	\$550
870 Express Field & Home Combo	12/28"(Vent Rib) 12/18" (Vent Rib)	4	81293	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead	Matte Blue	48½" (Vent Rib) 43½" (Deer BBL)	14"	11/2"	21/4"	Synthetic	Matte Black	6	\$55

Supplied with sling swivel studs. 2 Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with Rem Choke "Over-Decoys" choke tube. 4 Turkey Extra Full Rem Choke tube. 5 Combo Deer barrel has 3" chamber.

SPECIALTY FIREARM SPECIFICATIONS

			MODE	L 870 TAC-14 FIREAR	M DIMENSION	S / AVERAGE WEI	GHTS							
MODEL	GAUGE'/BBL Length	MAG. Capacity	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW Model 870 Tac-14	12/14" 20/14"	4	81230 81145	CylBore	Single bead	Matte Blue	26.3	-	-	-	Synthetic	Matte Black	5.5	\$443 \$464
NEW Model 870 Tac-14 Marine Magnum	12/14"	4	81312	CylBore	Single bead	Electroless Nickel Plated	26.3	-	-	-	Synthetic	Matte Black	5.5	\$841
NEW Model 870 Tac-14 Arm Brace	12/14"	5	81240	CylBore	Single bead	Matte Blue	331/2"	-	-	-	Synthetic	Matte Black	6	\$729
NEW Model 870 Tac-14 Hardwood	12/14"	5	81231	CylBore	Single bead	Matte Blue	26.3	-	-	-	Hardwood	Satin	6	\$499
NEW Model 870 DM Tac-14	12/14"	6	81348	CylBore	Single bead	Matte Blue	26.3	-	-	-	Synthetic	Matte Black	6	\$559

196

RIFLE SPECIFICATIONS

						MODEL	. 700 PCR	(PRECIS	ION CHASSIS RIFLE)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 84583	260 Remington	5	24"	8	44	Adj	Adj.	Adj.	Carbon Steel	Matte Blue	Polymer	Matte Black	101/2	\$1,199
NEW 84586	6.5 Creedmoor	5	24"	8	44	Adj.	Adj.	Adj.	Carbon Steel	Matte Blue	Polymer	Matte Black	101/2	\$1,199
NEW 84587	308 Win	5	24"	10	44	Adj.	Adj.	Adj.	Carbon Steel	Matte Blue	Polymer	Matte Black	101/2	\$1,199
							MODEL 70	OO MAGPU	JL ENHANCED					
		MAG	RARREI	TWIST-R-H	OVERALL	LENGTH	DROP	DROP				STOCK	AVG WT	

						ļ.	MODEL 70	JO MAGP	UL ENHANCED					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84301	308 Win	10	20"	10	391/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2	\$1,249
NEW 84302	6.5 Creedmoor	10	20"	8	391/2"	13	3/8"	7/8"	Carbon Steel	Black Cerakote	Polymer	Flat Dark Earth	81/2	\$1,249

							MOI	DEL 700 I	MAGPUL					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84291	260 Remington	5	22"	8"	411/2"	13"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9	\$1,175
84293	308 Win	5	22"	10"	411/2"	15"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9	\$1,175
NEW 84295	6.5 Creedmoor	5	22"	10"	411/2"	15"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9	\$1,175
NEW 84286	300 Win Mag	5	24"	10"	431/2"	13"	3/8"	7/8"	Carbon Steel	Black Cerakote	Synthetic	Magpul Hunter	9	\$1,175
WEW 04200	Joo will way	J	24	10	73 /2	13	10	10	Carbon Steel	DIACK CETAKOTE	Synthetic	wagpurranter	,	91,173

						MODI	EL 700 T <i>i</i>	ACTICAL	CHASSIS					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84474	308 Win	5	24"	10"	461/4"	151/4" - 161/8"	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	11 3/4	\$2,900
84475	300 Win Mag	5	24"	10"	48"	151/4" - 161/8"	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	12 1/4	\$3,100
84477	338 Lapua	5	26"	10"	50"	151/4" - 161/8"	Adj.	-	416 Stainless Steel	Black Cerakote	Aluminum	Black	12 1/2	\$3,500

						M	ODEL 700	STAINLE	SS 5R					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL Length	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 29663	308 Win	4	24"	111/4"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,100
NEW 85504	223 Remington	5	24"	9"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,100
NEW 85505	300 Win Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,100

						MODEL	700 STAII	NLESS 5R	THREADED					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 85200	308 Win	4	20"	111/4"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,150
NEW 85507	223 Remington	5	20"	9"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,150
NEW 85508	300 Win Mag	3	24"	10"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Polished Stainless	H.S. Precision	Black w/Green Web	81/2	\$1,150

						MODEL 700	STAINLE	SS 5R TH	IREADED GEN 2					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 85196	308 Win	4	20"	111/4"	39¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2	\$1,250
NEW 85201	308 Win	4	24"	111/4"	43¾"	13³/s"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2	\$1,250
NEW 85197	300 Win Mag	3	24"	10"	43¾"	133/8"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2	\$1,250
NEW 85198	6.5 Creedmoor	4	24"	8"	43¾"	13³/s"	11/4"	11/2"	Stainless Steel	Black Cerakote	H.S. Precision	Sand w/Black Web	81/2	\$1,250

						МС	DEL 700	XCR COM	IPACT TACTICAL					
ORDER NO.	MAG. BARREL TWIST-R-H OVERALL LENGTH DROP DROP STOCK AVG.WT. RDER NO. CALIBER CAPACITY LENGTH ITURN IN LENGTH OF PULL (COMB) (HEEL) BARREL MATERIAL BARREL FINISH STOCK MATERIAL FINISH (LBS.) MSRP													
84467	308 Win	4	20"	1:10"	39¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	H.S. Precision Aramid Fiber Reinf.	OD Green	7 1/2	\$1,540

						MODEL	. 700 XCF	R TACTIC	AL LONG RANGE					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84461	308 Win	4	26"	1:10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$1,540
84462	300 Win Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$1,540
84463	338 Lapua Magnum	5	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Black TriNyte	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$2,515

						MU	DEL 700	SPS IAC	IICAL					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
85549 (A)1	223 Remington	5	161/2"	9"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	7 1/2	\$842
84205 (A)1	300 AAC Blackout	5	161/2"	7"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	7 1/2	\$842
85538 (A)1	308 Win	4	161/2"	10"	361/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	7 1/2	\$842
84203 (A)1	308 Win	4	20"	10"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	7 1/2	\$842
84204 (A)1	6.5 Creedmoor	4	22"	10"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Ghillie Green	7 1/2	\$842
84206	223 Remington	5	20"	9"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Matte Black	7 1/2	\$788
84207	308 Win	4	20"	10"	39¾"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Hogue Overmolded	Matte Black	7 1/2	\$788
NEW 85551	6.5 Creedmoor	4	22"	8	41¾"	133/8"	11/4"	11/2"	Carbon Steel	Coyote Tan	Hogue Overmolded	Matte Black	7 1/2	\$875

I (A) AAC-SD with 5/8x24 Threaded Muzzle

RIFLE SPECIFICATIONS

						MODEL	700 SPS	THREADI	ED BARREL					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84158	223 Remington	5	20"	9"	395/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$775
84159	308 Win	4	20"	10"	395/8"	133/8"	1¹/s"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$775
84160	243 Win	4	20"	91/8"	395/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$775
84161	30-06 SPRG	4	20"	10"	401/2"	133/8"	1 ¹ /s"	13/s"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$775

							M	IODEL 70	O AWR					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84550	270 Win	4	24"	10"	441/2"	13 ¹ / ₃ "	11/8"	1 ³ /8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84551	30-06 SPRG	4	24"	10"	441/2"	131/3 "	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84555	300 Win Mag	3	24"	91/4"	441/2"	13 ¹ / ₃ "	11/8"	1 ³ /8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84556	338 Win Mag	3	24"	91/4"	441/2"	131/3 "	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84552	7mm Remington Mag	3	24"	10"	441/2"	13 ¹ / ₃ "	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84557	300 Remington Mag	3	26"	10"	441/2"	131/3 "	11/8"	13/8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00
84558	338 Remington Ultra	3	26"	10"	441/2"	13 ¹ / ₃ "	11/8"	1 ³ /8"	416 Stainless Steel	Black Cerakote	Grayboe Fiberglass & Epoxy	Brown with Black Webbing	7 3/8	\$1,150.00

						MOD	DEL 700 /	\DL						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84601	22-250 Remington	4	24"	14"	43.625"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541
84600	223 Remington	5	24"	12"	43.625"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541
27093	243 Win	4	24"	9.125"	43.625"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541
27094	270 Win	4	24"	10"	44.5"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ³ / ₈	\$541
85407	308 Win	4	24"	10"	43.625"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541
NEW 85447	6.5 Creedmoor	4	24"	8"	43.625"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541
27095	30-06 SPRG	4	24"	10"	44.5"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$541
27097	7mm Rem Mag	3	26"	9.25"	46.5"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$541
27099	300 Win Mag	3	26"	10"	46.5"	13.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$541
27092	243 Win	4	20"	9.125"	39.625"	12.375"	1.125"	1.375"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$541

					MO	DEL 700 A	DL SS (W	/ITH SCOI	PE)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85486	243 Win	4	24"	9.125"	43.625"	13.375"	1.125"	1.375"	Stainless Steel	Satin	Synthetic	Matte Black	7.25	\$640.67
85488	270 Win	4	24"	10"	44.5"	13.375"	1.125"	1.375"	Stainless Steel	Satin	Synthetic	Matte Black	7.375	\$640.67
85490	308 Win	4	24"	10"	43.625"	13.375"	1.125"	1.375"	Stainless Steel	Satin	Synthetic	Matte Black	7.25	\$640.67
85491	30-06 SPRG	4	24"	10"	44.5"	13.375"	1.125"	1.375"	Stainless Steel	Satin	Synthetic	Matte Black	7.375	\$640.67

						MOE	DEL 700 E	BDL						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
25787	243 Win	4	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/4	\$994
25791	270 Win	4	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	\$994
25803	7mm Remington Mag	3	24"	91/4"	441/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/2	\$1,024
25793	30-06 SPRG	4	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	\$994

						MOI	DEL 700 (CDL						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27007	243 Win	4	24"	91/8"	435/8"	131/2"	11/8"	13/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27011	270 Win	4	24"	10"	441/2"	131/2"	11/8"	1 ³ /s"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27015	7mm-08 Remington	4	24"	91/4"	435/8"	131/2"	11/8"	1 ³ /8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27047	7mm Remington Mag	3	26"	91/4"	461/2"	131/2"	11/8"	1 ³ /s"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	\$1,059
27017	30-06 SPRG	4	24"	10"	441/2"	131/2"	11/8"	1 ³ /8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27049	300 Win Mag	3	26"	10"	461/2"	131/2"	11/8"	1 ³ /s"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⁵ /8	\$1,059

						MODI	L 700 CE	L SF						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 84034 ¹	6.5 Creedmoor	3	22"	8"	415/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2	\$1,226
84019	257 Weatherby Mag	3	26"	10"	461/2"	131/2"	1 ¹ /8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	75/8	\$1,209
84014	270 Win	4	24"	10"	441/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2	\$1,180
84013	270 WSM	3	24"	10"	435/8"	131/2"	1 ¹ /s"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	73/8	\$1,272
84012	7mm-08 Remington	4	24"	91/4"	435/8"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	73/8	\$1,180
84016	7mm Remington Mag	3	26"	91/4"	461/2"	131/2"	1 ¹ /s"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 ⁵ /8	\$1,209
84015	30-06 SPRG	4	24"	10"	441/2"	131/2"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	71/2	\$1,180
84017	300 WSM	3	24"	10"	435/8"	131/2"	1 ¹ /8"	13/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	73/8	\$1,272

I Limited Edition

RIFLE SPECIFICATIONS

						M	ODEL 700	LONG R	ANGE					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84162	25-06 Remington	4	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$880
84163	7mm Remington Mag	3	26"	91/4"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$880
84164	300 Win Mag	3	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$880
84165	300 Remington Ultra Mag	3	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$880
84166	30-06 SPRG	4	26"	10"	47"	13"	13/8"	13/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$880

						MODEL	700 LONO	RANGE	STAINLESS					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 85624	300 Win Mag	3	26"	10"	47"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$941
NEW 85625	300 Rem Ultra Mag	3	26"	10"	47"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$941
NEW 85611	7mm Rem Mag	3	26"	91/4"	47"	13"	13/8"	13/8"	Stainless Steel	Satin Stainless	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$941

						M	ODEL 700	SPS						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
27351	223 Remington	5	24"	12"	435/8"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27475 (Compact)	243 Win	4	20"	91/8"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
84150 (Compact) (LH)	243 Win	4	20"	91/8"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27355	243 Win	4	24"	91/8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4	\$731
NEW 84148	6.5 Creedmoor	4	24"	8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4	\$731
84149	260 Remington	4	24"	8"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4	\$731
27361	270 Win	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8	\$731
84177 (LH)	270 Win	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8	\$731
27331	270 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8	\$731
27391 (Compact)	7mm-08 Remington	4	20"	91/4"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
84151 (Compact) (LH)	7mm-08 Remington	4	20"	91/4"	395/8"	123/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27357	7mm-08 Remington	4	24"	91/4"	435/8"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4	\$731
27385	7mm Remington Mag	3	26"	91/4"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	75/8	\$731
84179 (LH)	7mm Remington Mag	3	26"	91/4"	461/2"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ⁵ /8	\$731
27363	30-06 SPRG	4	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8	\$731
84178 (LH)	30-06 SPRG	4	24"	10"	441/2"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7³/s	\$731
27333	300 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	73/8	\$731
27387	300 Win Mag	3	26"	10"	461/2"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ⁵ /8	\$731
84180 (LH)	300 Win Mag	3	26"	10"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ⁵ /8	\$731
27359	308 Win	4	24"	10"	435/8"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/4	\$731
27389	300 Remington Ultra Mag	3	24"	10"	461/2"	133/8"	1 ¹ /8"	13/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ⁵ /8	\$731

(LH) Left-hand model

					MOD	EL 700 SF	S CAMO	- MOSSY	Y OAK BREAK-UP	INFINITY				
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84185	270 Win	4	22"	10"	421/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8	\$809
84186	30-06 SPRG	4	22"	10"	421/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8	\$809
84187	7mm Remington Mag	3	24"	91/4"	441/2"	13³/s"	1 ¹ /8"	1 ³ /8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8	\$809
84188	300 Win Mag	3	24"	10"	441/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak Break-Up Infinity	73/8	\$809

							MODEL	700 SPS	STAINLESS					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
27133	223 Remington	5	24"	12"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4	\$838
27135	22-250 Remington	4	24"	14"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4	\$838
27263	243 Win	4	24"	91/8"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4	\$838
27251	25-06 Remington	4	24"	10"	441/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8	\$838
27267	270 Win	4	24"	10"	441/2"	13³/s"	1 ¹ /8"	13/s"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8	\$838
27253	270 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8	\$838
27265	7mm-08 Remington	4	24"	91/4"	435/8"	13³/s"	1 ¹ /8"	13/s"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4	\$838
27271	7mm Remington Mag	3	26"	91/4"	461/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	75/8	\$838
27269	30-06 SPRG	4	24"	10"	441/2"	13³/s"	1 ¹ /8"	13/s"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8	\$838
27255	300 WSM	3	24"	10"	435/8"	133/8"	11/8"	13/s"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	73/8	\$838
27273	300 Win Mag	3	26"	10"	461/2"	133/8"	1 ¹ /8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 ⁵ /8	\$838
27136	308 Win	4	24"	10"	435/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	71/4	\$838
27140	300 Remington Ultra Mag	3	26"	10"	461/2"	133/8"	1 ¹ /8"	1 ³ /8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 ⁵ /8	\$838

RIFLE SPECIFICATIONS

					N	10DEL 700	MOUNTAI	N SS (ST	AINLESS STEEL)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
84272	25-06 Remington	4	22"	10"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152
84273	270 Win	4	22"	10"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152
84274	280 Remington	4	22"	91/4"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152
84276	7mm-08 Remington	4	22"	91/4"	415/8"	133/8"	1 ¹ /s"	1 ³ /8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152
84275	30-06 SPRG	4	22"	10"	421/2"	133/8"	11/8"	13/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152
84277	308 Win	4	22"	10"	415/8"	133/8"	1 ¹ /s"	1 ³ /8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,152

						MODEL	700 VTR	(VARMINT	TARGET RIFLE)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84374	223 Remington	5	22"	9"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8	\$930
84376	22-250 Remington	4	22"	12"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8	\$930
84375	260 Remington	4	22"	8"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8	\$930
84377	308 Win	4	22"	10"	415/8"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic Overmold Grip Panels	Flat Dark Earth	75/8	\$930

					MODEL	700 VTR SS	(VARMIN	IT TARGE	T RIFLE, STAINLESS S	TEEL)				
ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84356	223 Remington	5	22"	9"	415/8"	133/8"	11/8"	13/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue Overmold Grip Panels	Black	75/8	\$980
84358	308 Win	4	22"	10"	415/8"	13³/s"	11/8"	13/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue Overmold Grip Panels	Black	7 ⁵ /8	\$980

						ı	MODEL 70	O SPS V	RMINT					
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84214	204 Ruger	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84216	22-250 Remington	4	26"	14"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84226 (LH)	22-250 Remington	4	26"	14"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84215	223 Remington	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84227 (LH)	223 Remington	5	26"	12"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84217	243 Win	4	26"	91/8"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84228 (LH)	243 Win	4	26"	91/8"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84218	308 Win	4	26"	10"	461/2"	133/8"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761
84229 (LH)	308 Win	4	26"	10"	461/2"	13³/s"	11/8"	13/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	81/2	\$761

(LH) Left-hand model	
----------------------	--

						ı	MODEL 70	O VARMI	NT SF					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84342	22-250 Remington	5	26"	14"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2	\$991
84343	223 Remington	5	26"	12"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2	\$991
84344	220 Swift	4	26"	14"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2	\$991
84345	308 Win	4	26"	10"	45¾"	133/8"	11/8"	13/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue Overmold Grip Panels	Matte	81/2	\$991

						MODEL 700	VLS (VAF	RMINT LA	MINATED STOCK)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27467	204 Ruger	5	26"	12"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8	\$1,056
27491	223 Remington	5	26"	12"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8	\$1,056
27489	22-250 Remington	4	26"	14"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8	\$1,056
27495	243 Win	4	26"	91/8"	45¾"	131/2"	1"	13/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8	\$1,056
27499	308 Win	4	26"	10"	45¾"	131/2"	1"	1 ³ /8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	93/8	\$1,056

						N	NODEL 70	O SENDE	RO SF II					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
25643	25-06 Remington	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2	\$1,502
27307	264 Win Mag	3	26"	9"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2	\$1,502
27311	7mm Remington Mag	3	26"	91/4"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2	\$1,502
27313	300 Win Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2	\$1,502
27318	300 Remington Ultra Mag	3	26"	10"	45¾"	133/8"	11/4"	11/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	81/2	\$1,502

RIFLE SPECIFICATIONS

					MODEL	700 ULTI	MATE MUZZLELOADER					
ORDER NO.	CALIBER	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
86950	50 Caliber	26"	47"	133/8"	13/8"	13/8"	Stainless Fluted	Satin	Laminate Wood	Matte	81/2	\$949
86960	50 Caliber	26"	47"	133/8"	13/8"	13/8"	Stainless Fluted	Satin	Bell & Carlson Medalist M40 Synthetic	Satin	81/2	\$1,015

						MODI	EL SEVEN	SYNTHE	TIC					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85911	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2	\$731
85912	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2	\$731
85913	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2	\$731
85914	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/2	\$731
85915 (Compact)	243 Win	4	181/2"	91/8"	361/4"	123/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/8	\$731
85916 (Compact)	7mm-08 Remington	4	181/2"	91/4"	361/4"	123/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	61/8	\$731

						MOD	EL SEVEN	THREA	DED					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 85922	308 Win	4	161/2"	10"	341/2	133/8"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	KUIU Vias	6	\$795
NEW 85921	300 AAC Blackout	5	161/2"	7"	341/2	13³/s"	11/4"	11/2"	Carbon Steel	Matte Blue	Synthetic	KUIU Vias	6	\$795

					N	MODEL SEVEN SS (STAINLESS STEEL)												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP				
85904	223 Remington	5	20"	9"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2	\$838				
24739	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2	\$838				
24751	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2	\$838				
24741	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2	\$838				
24743	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	61/2	\$838				
85905	300 WSM	4	20"	10"	391/4"	13³/s"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black	63/4	\$838				
85907	6mm Remington	4	20"	91/8"	391/4"	13³/s"	11/4"	11/2"	416 Stainless Steel	Satin	Synthetic	Matte Black		\$838				

						M	DDEL SEV	'EN LAMI	NATE					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85960	223 Remington	5	181/2"	9"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Laminate	Satin	6 1/2	\$1,039
85961	243 Win	4	181/2"	91/8"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Laminate	Satin	6 1/2	\$1,039
85962	7mm-08 Remington	4	181/2"	91/4"	373/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Laminate	Satin	6 1/2	\$1,039
85963	308 Win	4	181/2"	10"	373/4""	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	Laminate	Satin	6 1/2	\$1,039

							MODELS	SEVEN CD)L					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
26417	243 Win	4	20"	91/8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2	\$1,039
26419	260 Remington	4	20"	8"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2	\$1,039
23421	7mm-08 Remington	4	20"	91/4"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2	\$1,039
26423	308 Win	4	20"	10"	391/4"	133/8"	11/4"	11/2"	Carbon Steel	Satin Blue	American Walnut	Satin	61/2	\$1,039

					M	DDEL 783	(WITH SO	OPE)						
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85845	22-250 Remington	4 DM	22"	14"	41 5/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85840	223 Remington	5 DM	22"	9"	41 5/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85842	243 Win	4 DM	22"	91/8"	41 5/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85835	7mm-08 Remington	4 DM	22"	91/8"	41 5/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85844	270 Win	4 DM	22"	10"	42 1/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85847	308 Win	4 DM	22"	10"	41 5/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85846	30-06 SPRG	4 DM	22"	10"	42 1/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85848	7mm Remington Mag	3 DM	24"	91/4"	44 1/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85849	300 Win Mag	3 DM	24"	10"	44 1/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85852 (Compact)	243 Win	4 DM	20"	91/8"	38 5/8"	123/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399
85853 (Compact)	308 Win	4 DM	20"	10"	38 5/8"	123/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8	\$399

RIFLE SPECIFICATIONS

					MOD	EL 783 (W	ITHOUT	SCOPE)						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 85832	243 Win	4 DM	22"	91/8"	415/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354
NEW 85837	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354
NEW 85834	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354
NEW 85836	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354
NEW 85838	7mm Remington Mag	3 DM	24"	91/4"	441/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354
NEW 85839	300 Win Mag	3 DM	24"	10"	441/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	71/2	\$354

				М	ODEL 783	HBT (HEA	VY BARR	EL THRE	ADED)					
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 85764	223 Remington	5	161/2"	9"	361/8"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	8	\$459
NEW 85765	308 Win	4	161/2"	10"	361/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	8	\$459
NEW 85766	300 AAC Blackout	5	161/2"	7"	36 ¹ /s"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	8	\$459
NEW 85767	6.5 Creedmoor	4	161/2"	8"	361/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Flat Dark Earth	8	\$459

						MODEL 7	83 WALN	UT						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
NEW 85866	6.5 Creedmoor	4 DM	22"	8"	415/8"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2	\$499
85870	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2	\$499
85872	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2	\$499
85874	308 Win	4 DM	22"	10"	415/8"	13³/s"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2	\$499
85876	7mm Remington Mag	3 DM	24"	91/4"	441/2"	133/8"	1"	1 ⁵ /8	Carbon Steel	Matte Blue	American Walnut	Satin	71/2	\$499
85884 ¹	243 Win	4 DM	22"	91/8"	415/8"	13³/s"	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675
85886 ¹	270 Win	4 DM	22"	10"	421/2"	133/8"	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675
85888¹	30-06 SPRG	4 DM	22"	10"	421/2"	13³/s"	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675
85890¹	308 Win	4 DM	22"	10"	415/8"	133/8"	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675
85892 ¹	7mm Remington Mag	3 DM	24"	91/4"	441/2"	13 ³ / ₈ "	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675
85894 ¹	300 Win Mag	3 DM	24"	10"	441/2"	133/8"	1	1 ⁵ /8	Carbon steel	Matte Blue	American Walnut	Satin	81/2	\$675

I Comes with Vortex Crossfire II scope.

					MODE	L 783 CAN	NO (WITH	SCOPE)						
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)	MSRP
85750	223 Remington	5 DM	22"	91/8"	415/8"	13³/s"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	81/2	\$451
85751	243 Win	4 DM	22"	91/8"	415/8"	13³/s"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	81/2	\$451
85752	270 Win	4 DM	22"	10"	421/2"	133/8"	1"	1 ⁵ /8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	85/8	\$451
85754	308 Win	4 DM	22"	10"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	81/2	\$451
85753	30-06 SPRG	4 DM	22"	10"	421/2"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	85/8	\$451
85755	7mm Remington Mag	4 DM	24"	91/8"	435/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	85/8	\$451
85756	300 Win Mag	4 DM	22"	91/8"	415/8"	133/8"	1"	15/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak Break Up Country	85/8	\$451

						MODEL 76	OO PUMP	-ACTION							
MODEL	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST-R-H I TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
7600	24655	270 Win	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2	\$918
7600 Carbine	24661	30-06 SPRG	4	181/2"	10"	391/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/4	\$918
7600	24657	30-06 SPRG	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2	\$918
7600	24659	308 Win	4	22"	10"	425/8"	131/2"	13/16"	21/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2	\$918

Equipped with iron sights.

						MC	DEL 597							
MODEL	ORDER NO.	ACTION TYPE (CAL- IBER)	MAG. Capacity	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
597	26550	Auto (22 LR)	10	20"	40"	14"	11/2"	21/4"	Carbon Steel	Matte Blue	Gray Synthetic	Matte	51/2	\$213
597 Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	11/2"	21/4"	Carbon Steel	Matte Blue	Gray Synthetic	Matte	5¾	\$257
597 Heavy Barrel	80877	Auto (22 LR)	10	161/2"	361/2"	14"	11/2"	21/4"	Carbon Steel	Matte Blue	Synthetic	Matte OD Green	5¾	\$254
NEW 597 Threaded	80868	Auto (22 LR)	10	161/2"	361/2"	14"	11/2"	21/4"	Carbon Steel	Matte Blue	Synthetic	Kryptek Mandrake	51/2	\$289

						MODEL 5	52/572							
MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. Capacity	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
552 BDL Deluxe Speedmaster	25594	Auto (22, S, L, LR)	15¹	21"	40"	135/8"	13/8"	25/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾	\$707
572 BDL Deluxe Fieldmaster	25624	Pump (22, S, L, LR)	15¹	21"	40"	135/8"	13/8"	25/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾	\$723

I Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.

HANDGUN SPECIFICATIONS

							MODEL	.RP						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL Length	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
RP9	96466	9MM+P	18+1	4.5"	10"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4	\$418
RP9 Restricted	96476	9MM+P	10+1	4.5"	10"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4	\$418
NEW RP45	96464	45 Auto	15+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4	\$418
NEW RP45 Restricted	96474	45 Auto	10+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4	\$418
NEW RP45 Tritium Night Sights	96257	45 Auto	15+1	4.5"	16"	7.91"	5.56"	51/2 - 8	Stainless Steel	Polymer	Polymer	Stainless Steel	26.4	\$504

							REMING	TON R51						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
R51	96430	9MM+P	7+1	3.4"	10"	65/8"	45/8"	51/2 - 8	Stainless Steel	Polymer Insert	Aluminum	Stainless Steel	22	\$388
R51 Crimson Trace	96432	9MM+P	7+1	3.4"	10"	65/8"	45/8"	51/2 - 8	Stainless Steel	Polymer Insert	Aluminum	Stainless Steel	24	\$575
NEW R51 Smoke / Silver	96234	9MM+P	7+1	3.4"	10"	65/8"	45/8"	51/2 - 8	Stainless Steel	Polymer Insert	Aluminum	Stainless Steel	22	\$408

						RM :	380 MICRO							
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL Length	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
RM380 Micro	96454	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2	\$328
RM380 Micro Crimson Trace	96462	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.6	\$515
NEW RM380 Micro Blue/Silver	96244	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2	\$348
NEW RM380 Micro Light Blue / Black Ceracote	96453	380 Auto	6+1	2.9"	16"	5.27"	3.86"	10	Stainless Steel	Glass Filled Nylon	Anodized	Stainless Steel	12.2	\$348

						MODEL	911 R1 UL	TRALIGHT						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
NEW 1911 R1 Ultralight Commander	96492	45 Auto	8+1	41/4"	16"	73/4"	51/2"	31/2 - 51/2	Stainless Steel	Laminate	Aluminum	Stainless Steel	31	\$849
NEW 1911 R1 Ultralight Executive	96493	45 Auto	7+1	31/2"	16"	7"	51/2"	31/2 - 51/2	Stainless Steel	G10	Aluminum	Stainless Steel	28	\$1,250

					1	NODEL 191	I RI HUN	TING SERIES						
MODEL	ORDER No.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL Length	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
1911 R1 Hunter	96679	10mm	8+1	6"	16"	91/2"	53/4"	31/2 - 51/2	Stainless Steel	G10	Stainless Steel	Stainless Steel	41	\$1,310
NEW 1911 R1 Hunter FDE	96305	10mm	8+1	6"	16"	91/2"	53/4"	31/2 - 51/2	Stainless Steel	G10	Stainless Steel	Stainless Steel	41	\$1,340

						MODE	L 1911 R11	LIMITED						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
1911 R1 Limited Double Stack	96713	9mm	19+1	5"	10"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,399
1911 R1 Limited Double Stack	96715	45 Auto	16+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,399
1911 R1 Limited Double Stack	96714	40S&W	18+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,399
1911 R1 Limited	96717	40 S&W	8+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	38	\$1,250
1911 R1 Limited	96718	9mm	9+1	5"	10"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	38	\$1,250
1911 R1 Tomasie	96725	40S&W	18+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,650
						MODE	1011 DI T	ACTICAL						

81/2" 53/4"	HEIGHT PUL 53/4" 31	RIGGER ILL (LB.) 3 ¹ / ₂ - 5	BARREL MATERIAL Stainless Steel	GRIP MATERIAL VZ Operator G10	FRAME MATERIAL Stainless Steel	SLIDE MATERIAL Stainless Steel	AVG. WT. (OZ.)	MSRP \$1,250
		31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	30	¢1 250
01/ 11 53/ 11					5101111055 51001	Stanness Steel	30	φ1,23U
81/2" 53/4"	53/4" 31	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,299
81/2" 53/4"	53/4" 31	31/2 - 5	Stainless Steel	VZ Operator G10	Stainless Steel	Stainless Steel	41	\$1,275
81/2" 53/4"	53/4" 31	31/2 - 5	Stainless Steel	G10	Stainless Steel	Stainless Steel	38	\$1,275
81/2" 53/4"	53/4" 31	31/2 - 5	Stainless Steel	G10	Stainless Steel	Stainless Steel	38	\$1,275
8	1/2"	1/2" 5 ³ /4" 3 1/2" 5 ³ /4" 3	1½" 53¼" 3½-5 1½" 53¼" 3½-5	1/2" 5 ³ /4" 3 ¹ /2 - 5 Stainless Steel 1/2" 5 ³ /4" 3 ¹ /2 - 5 Stainless Steel	\(\frac{1}{2}\) \(\frac{5}{4}\) \(\frac{3}{2} - 5 \) \text{Stainless Steel} \text{VZ Operator G10} \) \(\frac{1}{2}\) \(\frac{5}{4}\) \(\frac{3}{2} - 5 \) \text{Stainless Steel} \text{G10} \)	1/2" 5 ³ / ₄ " 3 ³ / ₂ -5 Stainless Steel VZ Operator G10 Stainless Steel 1/2" 5 ³ / ₄ " 3 ³ / ₂ -5 Stainless Steel G10 Stainless Steel	1/2" 5 ³ / ₄ " 3 ¹ / ₂ -5 Stainless Steel VZ Operator G10 Stainless Steel Stainless Steel VZ Operator G10 Stainless Steel Stainless Steel G10 Stainless Steel Stainless Steel	$\frac{1}{2}$ " $5\frac{3}{4}$ " $3\frac{1}{2} \cdot 5$ Stainless Steel VZ Operator G10 Stainless Steel Stainless Steel 41 $\frac{1}{2}$ " $5\frac{3}{4}$ " $3\frac{1}{2} \cdot 5$ Stainless Steel G10 Stainless Steel Stainless Steel 38

							MODEL	1911 RI						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
1911 R1	96323	45 Auto	7+1	5"	16"	81/2"	51/2"	3 1/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	381/2	\$774
1911 R1 Commander	96336	45 Auto	7+1	41/4"	16"	71/2"	51/2"	31/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	381/2	\$774
1911 R1 Stainless	96324	45 Auto	7+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Walnut	Stainless Steel	Stainless Steel	381/2	\$837

						MO	DEL 1911 R	IENHANCED						
MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H I TURN IN	OVERALL LENGTH	OVERALL Height	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
NEW 1911 R1 Enhanced Double Stack	96491	45 Auto	15+1	5"	16"	81/2"	53/4"	31/2 - 5	Stainless Steel	G10	Stainless steel	Carbon Steel	41	\$999
1911 R1 Enhanced	96328	45 Auto	8+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$903
1911 R1 Enhanced	96364	9MM	9+1	5"	10"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$903
1911 R1 Enhanced Commander	96359	45 Auto	8+1	41/2"	16"	73/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	38	\$903
1911 R1 Enhanced Stainless Commander	96360	45 Auto	8+1	41/2"	16"	73/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Stainless Steel	Carbon Steel	38	\$990
1911 R1 Enhanced Crimson Trace	96366	45 Auto	8+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Crimson Trace	Carbon Steel	Carbon Steel	40	\$1,129
1911 R1 Enhanced Stainless	96329	45 Auto	8+1	5"	16"	81/2"	51/2"	31/2 - 5	Stainless Steel	Enhanced Laminate	Stainless Steel	Stainless Steel	40	\$990
1911 R1 Enhanced Threaded	96339	45 Auto	8+1	53/4"	16"	91/4"	53/4"	31/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$959

203

RIFLE CHAMBERING

			TWIST-											STINGS									XCR	
CALIBERS	MAG. Capacity	BARREL LENGTH	R-H I TURN In	AWR	ADL	ADL SS	BDL	CDL	CDLSF	SPS	SPS CAMO	SPS Stainless	LONG Range	SPS Tactical	SPS Varmint	MOUNTAIN SS	VARMINT SF	VLS	SENDERO SF II	VTR	MAGPUL	XCR Tactical	TACTICAL Long Range	TACTI Chas
204 Ruger	5	26"	12"	-	-	-	-	-	-	-	-	-	-	-	84214	-	-	27467	-	-	-	-	-	-
220 Swift	4	26"	14"	-	-	-	-	-	-	-	-	-	-	-	-	-	84344	-	-	-	-	-	-	-
	5	161/2"	9"	-	-	-	-	-	-	-	-	-	-	85549	-	-	-	-	-	-	-	-	-	-
	5	20"	9"	-	-	-	-	-	-	-	84189(C)	-	-	84206	-	-	-	-	-	-	-	84466(C)	-	-
	5 5	22" 22"	9" 9"	-	-	-	-	-	_	-	-	-	_	-	-	-	_	-	-	84374 84356(SS)	-	-	-	-
223	5	24"	9"	_	_	_	_	_	_	_	_	_	_	_		_	_	_		-	_	_	_	
Remington	5	24"	12"	-	84600	-	-	-	-	27351	-	27133	-	-	-	-	-	-	-	-	-	-	-	-
	5	26"	9"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84460	-
	5	26"	12"	-	-	-	-	-	-	-	-	-	-	-	84215	-	84343	27491	-	-	-	-	-	-
	5	26"	12"	-	- 04/01	-	-	-	-	-	-	- 07405	-	-	84227(L)	-	-	-	-	-	-	-	-	-
2220	4	24" 26"	14" 14"	_	84601	_	_	-	_	_	_	27135	_	_	84216	_	84342	- 27489	_	_	-	_	_	
22-250 Remington	4	26"	14"	_	_	_	_	-	_	_	_	_	_	_	84226(L)	_	-	-	_	_	_	_	_	-
	5	22"	14"	-	-	-	-	-	-	-	-	-	-	-	- '	-	-	-	-	84376	-	-	-	-
	4	20"	91/8"	-	-	-	-	-	-	27475(C)	84190(C)	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	20"	91/8"	-	27092	-	-	-	-	84150(CL)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
243 Win	4	22"	91/8"	-	-	-	25787	-	-	-	84183	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	24" 26"	91/8" 91/8"	-	27093	85486	_	27007	_	27355	_	27263	_	_	84217	_	-	- 27495	_		-	_	_	
	4	26"	91/8"	_	_	_	_	_	_	_	_	_	_	_	84228(L)	_	_	-	_	_	_	_	_	_
	4	22"	91/8"	-	-	-	-	-	-	-	-	-	-	_	_	84272	-	-	-	-	-	-	_	_
25-06 Remington	4	24"	10"	-	-	-	-	27009	-	-	-	27251	-	-	-	-	-	-	-	-	-	-	-	-
nemington	4	26"	10"	-	-	-	-	-	-	-	-	-	84162	-	-	-	-	-	-	-	-	-	-	-
257 Weatherby Mag	3	26"	10"	-	-	-	-	-	84019	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	4	22"	8"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84375	84019	-	-	-
Remington	4	24"	8"	-	-	-	-	-	-	84149	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	22"	8"	-	-	-	-	-	84034(LT) –	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW 6.5	4	24"	8"	-	-	-	-	-	-	-	-	-	-	85551	-	-	-	-	-	-	-	-	-	-
Creedmoor	5	22" 22"	8" 10"	-	85447	_	_	-	_	84148	_	_	_	_	_	_	_	_	_	_	- 84295	_	_	_
	4	22"	10"	84550	_	_	25791	_	_	84193(WT)		_			_	84273	_				-			_
	4	24"	10"	-	27094	85488	-	27011	84014	27361	-	27267	_	_	_	-	_	_	_	_	_	_	_	_
270 Win	4	24"	10"	-	-	-	-	27105(L)	-	84177(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	24"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
270 WSM	3	24"	10"	-	-	-	-	-	84013	27331	-	27253	-	-	-	-	-	-	-	-	-	-	-	
280	4	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	84274	-	-	-	-	-	-	-	-
Remington	5	22"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 00	4	20" 20"	91/4" 91/4"	-	-	_	_	-	_	27391(C) 84151(CL)	84191(C) -	_	_	_	-	-	-	-	-	_	-	_	_	-
7mm-08 Remington	4	22"	91/4"	_	_	_	_	_	_	04131(CL)	84184	_	_	_	_	84276	_	_	_	_	_	_	_	_
	4	24"	91/4"	-	-	-	-	27015	84012	27357	-	27265	-	-	-	-	-	-	-	-	-	-	-	-
	3	24"	91/4"	-	-	-	25803	_	-	84197(WT)	84187	-	-	-	-	-	-	-	-	-	-	-	_	-
7mm	3	24"	10"	84552	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remington Mag	3	26"	91/4"	-	27097	-	-	27047	84016	27385	-	27271	-	-	-	-	-	-	27311	-	-	-	-	-
way	3	26" 26"	91/4" 91/4"	-	_	_	_	27109(L) -	_	84179(L) -	-	-	- 84163	_	-	-	-	-	-	_	_	_	-	-
7mm Remington Ultra Mag	3	26"	91/2"	-	-	-	-	27051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300 AAC Blackout	5	161/2"	7"	-	-	-	-	-	-	-	-	-	-	84205	-	-	-	-	-	-	-	-	-	-
	4	22"	10"	-	-	-	25793	-	-	84195(WT)	84186	-	-	-	-	84275	-	-	-	-	-	-	_	_
30-06	4	24"	10"	84551	27095	85491	-	27017	84015	27363	-	27269	-	-	-	-	-	-	-	-	-	-	-	-
Springfield	4	24"	10"	-	-	-	-	27107(L)	-	84178(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	10"	-	-	-	-	-	-	-	-	-	84166	-	-	-	-	-	-	-	-	-	-	-
	3	24"	91/4"	84555	-	-	-	-	_	- 0.4400/JMT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	3	24"	10" 10"	-	27099	_	_	27049	-	84199(WT) 27387		- 27273	8/16/	-	_	-	-	-	27313	-	-	-	8/1/62	
300 Win Mag	3	26" 26"	10"	-	27099	_	_	2/049	-	2/38/ 84180(L)	-	27273	84164	_	_	_	_	-	27313	_	_	-	84462	_
,	4	24"	10"	_	_	_	_	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	844
	5	24"	10"	_	_		_	_	-	_	_	_	_	_	_	_	_		_	_	84286	_	_	_

RIFLE CHAMBERING (cont.)

										MO	DEL 700	BOLT CA	LIBER LI	STINGS										
CALIBERS	MAG. Capacity	BARREL / Length	TWIST- R-H I TURN IN	AWR	ADL	ADL SS	BDL	CDL	CDLSF	SPS	SPS CAMO	SPS Stainless	LONG Range	SPS Tactical	SPS Varmint	MOUNTAIN SS	VARMINTSF	VLS	SENDERO SF II	VTR	MAGPUL	XCR Tactical	XCR Tactical Long Range	TACTICAL Chassis
300 WMR	4	26"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300 WSM	3	24"	10"	-	-	-	-	-	84017	27333	-	27255	-	-	-	-	-	-	-	-	-	-	-	-
	4	161/2"	10"	-	-	-	-	-		-	-	-	-	85538	-	-	-	-	-	-	-	-	-	-
	4	20"	10"	-	-	-	-	-	-	-	-	-	-	84203	-	-	-	-	-	-	-	-	-	-
	4	22"	10"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	84377	84293	-	-	-
	4	22"	10"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	84358(SS)	-	-	-	-
	4	24"	10"	-	85407	85490	-	-	_	27359	-	27136	-	-	-	-	-	-	-	-	-	-	-	-
	4	20"	12"	-	-	-	-	-	_	-	-	-	-	84207	-	-	-	-	-	-	-	84467(C)	-	-
308 Win	4	22"	12"	-	-	-	-	-	_	-	-	-	-	-	-	84277	-	-	-	-	-	-	-	-
	4	22"	12"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	111/4"	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	26"	12"	-	-	-	-	-	_	-	-	-	-	-	84218	-	84345	27499	-	-	-	-	84461	-
	4	26"	12"	-	-	-	-	-	-	-	-	-	-	-	84229(L)	-	-	-	-	-	-	-	-	-
	5	22" 24"	10" 10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84474
	5	24	10	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	044/4
300 Remington	3	26"	10"	-	-	-	26410	27053	-	27389	-	27140	84165	-	-	-	-	-	27318	-	-	-	-	-
Ultra Mag	3	26"	10"	-	-	-	-	27111(L)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
338 Win Mag	3	24"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
338 Lapua	3	26"	10"	-	-	_	-	_	_	_	-	-	_	_	-	_	-	-	-	_	_	-	84463	-
Mag	4	26"	10"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84477
338 Remington Ultra Mag	3	26"	10"	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375 H&H ¹	3	22"	12"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Length	of Pull		133/8"	133/8"	133/8"	131/2"	131/2"	133/8"	133/8"	133/8"	133/8"	133/8"	133/8"	133/8"	133/8"	131/2"	133/8"	133/8"	13"	133/8"	133/8"	133/8"
Stock Dimensions		Drop a	t Comb		11/8"	11/8"	1"	11/8"	1 ¹ /s"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	11/8"	1"	11/4"	11/8"	11/4"	11/4"	11/4"	11/4"
PHHEHOIOHS		Drop	at Heel		13/8"	13/8"	1 ⁵ /8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	13/8"	1 ¹ /8"	1 ³ /8"	13/8"	11/2"	13/8"	11/2"	11/2"	11/2"	11/2"

(L) Left-hand model (C) Compact model (AT) A-TACS (BC) Bone Collector (LT) Limited Edition (HP) Polished Blued (R) Rocky Mountain Elk Foundation (WT) Wood Tech (SS) Stainles Steel 1 Equipped with Iron Sights.

					NEW MODEL 70	O BOLT CALIBER LISTINGS			
CALIBERS	MAG. Capacity	BARREL LENGTH	TWIST- R-H I TURN IN	PRECISION CHASSIS RIFLE (PCR)	MAGPUL Enhanced	STAINLESS 5R	STAINLESS 5R Threaded	STAINLESS 5R Threaded gen 2	LONG RANGE Stainless
222 Parriantan	5	20"	9"	-	-	-	85507	-	-
223 Remington	5	24"	9"	-	-	85504	-	-	-
260 Remington	5	22"	8"	84583	-	-	-	-	-
	4	24"	8"	-	-	-	-	85198	-
6.5 Creedmoor	5	24"	8"	84586	-	-	-	-	-
	10	20"	8"	-	84302	-	-	-	-
7mm Remington Mag	3	26"	91/4"	-	-	-	-	-	85611
200 Win Man	3	24"	10"	-	-	-	85508	85197	-
300 Win Mag	3	26"	10"	-	-	85505	-	-	85624
300 Remington Ultra Mag	3	26"	10"	-	-	-	-	-	85625
	4	20"	111/4"	-	-	-	85200	85196	-
308 Win	4	24"	111/4"	-	-	29663	-	85201	-
308 WIN	5	24"	10"	-	-	-	-	-	-
	10	20"	10"	84587	84301	-	-	-	-
		Length	of Pull	Adjustable	13"	133/8"	133/8"	133/8"	13"
Stock Dimensions		Drop a	t Comb	Adjustable	3/8"	1 ¹ / ₄ "	11/4"	11/4"	13/8"
Difficultions		Drop	at Heel	Adjustable	7/8"	11/2"	11/2"	11/2"	13/8"

INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.

Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

	CENTERFIRE
25-20 Remington	38 S&W
25-20 W.C.F.	38 Colt
25-20 Win	380 We
25-20 Win High Speed	38 Colt
25-20 Marlin	38 S&W
25 W.C.F.	8 S&W :
6mm Remington	& D)
244 Remington	38 Spec
25 Automatic	38 Spec
5 Auto. Colt Pistol (ACP)	38-44 9
25 (6.35mm) Automatic	38 Spec
6.35mm Browning	38 Spec
7mm Express, Remington	38 Shor
280 Remington	convers Special
30-30 Sav.	38 Mar
30-30 Win	38 Win
30-30 Win Accelerator (SEE NOTE A)	38 Rem
30-30 Marlin	38-40 V
30-30 Win High Speed	38 W.C.
30 W.C.F.	38 Auto
32 Colt Automatic	but not
32 Auto. Colt Pistol (ACP)	380 Au
32 (7.65mm) Automatic	9mm Bi
7.65mm Automatic Pistol	9mm Lu
7.65mm Browning (not interchangeab	le 9mm Pa
with 7.65mm Luger)	44 S&W
32 Short Colt in 32 Long Colt but not	44 Mar
conversely (SEE NOTE C)	44 Win
32 S&W in 32 S&W Long but not conversely	44 Rem
32 S&W Long	44-40 V
32 Colt New Police	44 W.C.
32 Colt Police Positive	45-70 0
32 W.C.F. (SEE NOTE A)	45-70 N
2 Win (SEE NOTE A)	45-70 V
32-20 Win. High Speed (SEE NOTE A)	45-70-4
32-20 Will. High Speed (SEE NOTE A)	

32-20 W.C.F. (SEE NOTE G) 32-20 Win (SEE NOTE G)

32-20 Marlin (SEE NOTE G)

CENTER	FIRE
	38 S&W
Remington	38 Colt New Police
N.C.F.	
Win Min Min I Count	380 Webley
Nin High Speed	38 Colt Special (SEE NOTE B & D)
Marlin	38 S&W Special (SEE NOTE B & D)
.F. emington	8 S&W Special Mid-Range (SEE NOTE B & D)
	38 Special Targetmaster (SEE NOTE B & D)
mington	38 Special +P (SEE NOTE B & D)
	38-44 Special +P (SEE NOTE B & D)
Colt Pistol (ACP)	38 Special (SEE NOTE B & D)
5mm) Automatic	38 Special Flat Point (SEE NOTE B & D)
m Browning	38 Short Colt in 38 Long Colt but not
xpress, Remington	conversely. Both can be used in 38
mington	Special.
oav.	38 Marlin (SEE NOTE A)
Nin	38 Win (SEE NOTE A)
Nin Accelerator (SEE NOTE A)	38 Remington (SEE NOTE A)
Marlin	38-40 Win (SEE NOTE A)
Win High Speed	38 W.C.F. (SEE NOTE A)
.F. Automatic	38 Automatic in 38 Super +P - but not conversely
o. Colt Pistol (ACP)	380 Automatic
5. Cont Pistor (ACP) 5mm) Automatic	9mm Browning Short (Corto Kurz)
m Automatic Pistol	9mm Luger (SEE NOTE E)
n Browning (not interchangeable	9mm Parabellum (SEE NOTE E)
55mm Luger)	44 S&W Special (SEE NOTE F)
rt Colt in 32 Long Colt but not	44 Marlin
sely (SEE NOTE C)	44 Win
V in 32 S&W Long but not con-	44 Remington
V Long	44-40 Win
New Police	44 W.C.F.
Police Positive	45-70 Government
.F. (SEE NOTE A)	45-70 Marlin
SEE NOTE A)	45-70 Win
,	45-70-405

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them. NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long. NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns. NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely. NOTE G: Not to be used in Win. M-66 and M-73.

22 W.R.F.

22 Remington Special

22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely



CENTERFIRE RIFLE BALLISTICS

	INDEX!		,		DD	_	-1111110	IONTI	TEDALL			INEKE				ENERGY.	(FT 18)				-	A IFCTCT	v (me.	IEC)		D4****
CARTRIDGE	INDEX/ Edi no.	RAMAC	(GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT	ZERO	MUZZLE	100	VELOCIT 200	300 (FPS)	400	500	MUZZLE		ENERGY 200	300 (F1-FR)	400	500	MUZZLE		AJECTOF 200	300	400	500	BALLISTIC COEFFICIEI
17 Remington Fireball	PRA17FB	29165	20	AccuTip-V	71/2	1.5	200	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-1.5	0.8	zero	-5.1	-16.6	-37.6	0.185
-	L17FBV	28472	25	Jacketed Hollow Point	71/2	1.5	200	3850	3273	2767	2313	1905	1547	823	595	425	297	201	133	-1.5	0.9	zero	-5.5	-17.6	-39.3	0.193
17 Remington	PRA17RA	29162	20	AccuTip-V	71/2	1.5	200	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-1.5	0.6	zero	-4.4	-14.4	-32.5	0.185
	R17R2	28460	25	Hollow Point	71/2	1.5	200	4040	3420	2881	2402	1972	1594	906	649	461	320	216	141	-1.5	8.0	zero	-5.0	-16.1	-36.3	0.187
204 Ruger	PRA204A	29218	32	AccuTip-V	71/2	1.5	200	4225	3645	3137	2683	2272	1899	1268	944	699	512	367	256	-1.5	0.6	zero	-4.1	-13.1	-29.0	0.210
	PRA204B	29220	40	AccuTip-V Boat Tail	71/2	1.5	200	3900	3482	3103	2755	2433	2133	1351	1077	855	674	526	404	-1.5	0.7	zero	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	29154	35	AccuTip-V	61/2	1.5	100	3100	2271	1590	1126	-	-	747	401	197	99	-	-	-1.5	zero	-5.6	-25.5	-	-	0.109
	R22HN1	28376	45	Pointed Soft Point	61/2	1.5	100	2690	2044	1505	1130	-	-	723	417	226	128	-	-	-1.5	zero	-7.1	-30.0	-	-	0.130
	R22HN2	28378	45	Hollow Point	61/2	1.5	100	2690		1505	1130	-	-	723	417	226	128	-	-	-1.5	zero	-7.1	-30.0	-	-	0.130
220 Swift	R220S1	21297	50	Pointed Soft Point	91/2	1.5	200	3780			2135	1710	1357	1586	1107	760	506	325	204	-1.5	1.0	zero	-6.2	-20.1	-46.1	0.175
221 Remington Fireball	PRA221FB	29172	50	AccuTip-V Boat Tail	71/2	1.5	200	2995	2605	2246	1917	1621	1368	996	753	560	408	292	208	-1.5	1.8	zero	-8.8	-27.1	-58.8	
222 Remington	R222R1	21303	50	Pointed Soft Point	71/2	1.5	200	3140		2121	1697	1347	1105	1094	751	499	320	202	136	-1.5	1.9	zero	-9.7	-31.8	-73.1	
202 B'	PRA222RB	29174	50	AccuTip-V Boat Tail	71/2	1.5	200	3140	2743	2380	2045	1740	1471	1094	835	629	464	336	240	-1.5	1.6	zero	-7.8	-23.9	-51.7	
223 Remington	L223R3	23711	55	Full Metal Jacket	71/2	1.5	200	3240		2325	1933	1586	1300	1282	929	660	456	307	206	-1.5	1.6	zero	-8.1	-25.6	-57.1	0.202
	L223R7	23748	45 50	Jacketed Hollow Point	71/2	1.5	200	3550	2953	2430	1963	1559	1241	1259	871	590	385 447	243 296	154 195	-1.5	1.3	zero	-7.3	-23.7	-54.7	
	L223R8 PRA223RB	23812 29184	50	Jacketed Hollow Point AccuTip-V Boat Tail	71/2	1.5	200	3425 3410	2899 2989	2430 2605	2007	1633 1928	1324	1302 1291	933 992	655 753	563	413	297	-1.5 -1.5	1.3	zero	-7.3 -6.4	-23.4 -19.7	-52.7 -42.4	
	PRA223RC	29192	55		71/2	1.5	200	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	-1.5	1.4	zero	-7.0	-21.4	-45.9	
	R223R1	28399	55	AccuTip-V Pointed Soft Point	71/2	1.5	200	3240	2747	2304	1904	1554	1270	1282	921	648	443	295	197	-1.5	1.6	zero	-8.2	-21.4	-58.7	
	RD223R4	22107	62	Core-Lokt Ultra Bonded PSP	71/2	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.17	zero	-7.6	-24.2	-53.2	
	HTP223R4	27699	62	Barnes TSX BT	71/2	2.5	200	3100	2766		2167	1898	1651	1323	1054	831	646	496	376	-2.5	1.0	zero	-6.8	-21.1	-45.1	
	R223R6	22106	62	HP (Match)	71/2	2.5	200	3025			1792	1471	1218	1260	911	644	442	298	204	-2.5	1.4	zero	-8.9	-28.9	-65.0	
	RM223R1	27680	69	MatchKing BTHP	71/2	2.5	200	3000	2720	2456	2208	1974	1756	1379	1133	924	747	597	472	-2.5	1.1	zero	-6.9	-21.0	-44.0	
	RM223R3	27686	77	MatchKing BTHP	71/2	2.5	200	2788	2539	2304	2081	1871	1676	1329	1102	907	740	598	480	-2.5	1.5	zero	-8.0	-24.1	-50.2	
22-250 Remington	L22503	23750	45	Jacketed Hollow Point	91/2	1.5	200	4000	3340	2770	2267	1820	1441	1598	1114	767	513	331	207	-1.5	0.8	zero	-5.4	-17.7	-40.7	
•	L22504	23813	50	Jacketed Hollow Point	91/2	1.5	200	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	-1.5	0.9	zero	-5.6	-18.0	-40.3	0.192
	PRA2250RB	29186	50	AccuTip-V Boat Tail	91/2	1.5	200	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	-1.5	0.8	zero	-4.9	-15.2	-32.8	0.242
	R22501	21311	55	Pointed Soft Point	91/2	1.5	200	3680	3136	2654	2220	1829	1490	1654	1201	860	602	409	271	-1.5	1.0	zero	-6.0	-19.2	-42.9	0.197
6mm Remington	R6MM4	29051	100	Core-Lokt Pointed Soft Point	91/2	1.5	200	3100	2829	2574	2333	2104	1890	2133	1777	1471	1208	983	793	-1.5	1.4	zero	-6.7	-19.8	-40.8	0.356
	PRA243WB	29194	75	AccuTip-V Boat Tail	91/2	1.5	200	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	-1.5	1.1	zero	-5.6	-16.8	-35.0	0.330
243 Win	R243W1	27800	80	Pointed Soft Point	91/2	1.5	200	3350	2955	2593	2258	1949	-	1993	1550	1194	906	675	-	-1.5	1.3	zero	-6.5	-19.8	-	0.255
	PRA243WA	29196	95	AccuTip	91/2	1.5	200	3120	2847	2590	2347	2118	1902	2053	1710	1415	1162	946	763	-1.5	1.4	zero	-6.6	-19.5	-40.2	0.355
	R243W3	27802	100	Core-Lokt Pointed Soft Point	91/2	1.5	200	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	-1.5	1.7	zero	-7.5	-22.0	-45.4	0.356
25-06 Remington	R25062	21507	100	Core-Lokt Pointed Soft Point	91/2	1.5	200	3230	2892	2579	2286	2013	1760	2316	1857	1476	1160	899	688	-1.5	1.3	zero	-6.6	-19.9	-41.8	0.292
	R25063	21515		Core-Lokt Pointed Soft Point	91/2	1.5	200	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	-1.5	1.6	zero	-7.2	-21.4	-43.9	
25-20 Win	R25202	28364	86	Core-Lokt Pointed Soft Point	61/2	0.9	100	1460		1030	-	-	-	407	272	202	-	-	-	-0.9	zero	-23.5	-	-	-	0.190
250 Savage	R250SV	29077		Core-Lokt Pointed Soft Point	91/2	1.5	200		2504		1935	1684	-		1392		831	629	-	-1.5	2.0	zero	-9.2	-27.8	-	0.285
6.5 Creedmoor	HTP65CR	27716	120		91/2	1.5	200	2910		2436	2217	2010		2257		1586	1314	1080	880	-1.5	1.7	zero	-7.6			
	R65CR1	27657	140		91/2	1.5	200	2700			2082	1896	1721			1613		1117	921	-1.5	2.1	zero	-8.8	-25.6	-52.2	
0/00 : .	RM65CRD	27661	140		91/2	1.5	200	2700			2258	2120			2018			1398	1228	-1.5	1.9	zero	-8.0	-22.8		
260 Remington	PRA260RA	29198	120		91/2	1.5	200	2890	2697	2512	2334	2163	2000	2225	1937	1681	1451	1247	1066	-1.5	1.6	zero	-7.2		-41.7	
	R260R1	21292	140		91/2	1.5	200	2750		2347	2158	1979				1712	1448	1217	1021	-1.5	1.9	zero	-8.3	-24.0	-48.7	
2/4 Win Man	RM260R	27665		Open Tip Match	9½	1.5	200	2735	2581	2433	2290	2151			2072	1841	1630	1439	1265	-1.5	1.9	zero	-7.7 -6.9	-22.1		
264 Win Mag 6.8 Remington SPC	R264W2 L68R2	29493 24035	140	Core-Lokt Pointed Soft Point Full Metal Jacket	9½ M 9½	1.5	200	3030	2782	2548	2325 1797	2113 1565	1913	2854 1759	1385		1680 825	1388	1137 474	-1.5 -2.5	2.0	zero	-10.3	-20.2 -31.4	-41.3 -66.8	
0.0 Kennington Si C	RM68R1	27676		MatchKing BTHP	91/2	2.5	200		2365		1889	1676	1363 1484	1759		1076	911	717	562	-2.5	1.9	zero	-9.7			
270 Win	PRA270WA	29200		AccuTip Boat Tail	91/2	1.5	200	3060			2444	2256			2336			1469	1245	-1.5	1.4	zero	-6.4	-18.6		
E. V ******	R270WA			Core-Lokt Pointed Soft Point	91/2	1.5	200			2559			-		1897			813	-	-1.5	1.3	zero		-20.4	-37.7	0.447
	R270W1	27808		Core-Lokt Pointed Soft Point	91/2	1.5	200			2509									935	-1.5	1.5	zero	-7.1			
	HTP270W	27717		Barnes TSX BT	91/2	1.5	200			2553											1.5	zero		-20.1		
	R270W4	27810		Core-Lokt Soft Point	91/2	1.5				2183									640	-1.5	2.0	zero	-9.4			
270 WSM	R270WSM1	28940		Core-Lokt Soft Point	9½ M					2707											1.2	zero		-17.8		
280 Remington	PRA280RA	29202		AccuTip	91/2	1.5	200			2617										-1.5	1.5	zero	-6.6		-38.2	
v	R280R3	28313	140	Core-Lokt Pointed Soft Point	91/2	1.5	200	3000	2757	2528	2309	2102	1905	2797	2363	1986	1657	1373	1128	-1.5	1.5	zero	-7.0	-20.5	-42.0	0.390
	R280R1	29069		Core-Lokt Pointed Soft Point	91/2	1.5				2373										-1.5	1.8	zero	-8.0	-23.6		
	R280R2	28417	165	Core-Lokt Soft Point	91/2	1.5	200			2219									800	-1.5	2.0	zero	-9.1	-27.5		
7mm-08 Remington	R7M082	28827		Hollow Point	91/2	1.5	200			2467									842	-1.5	1.6	zero		-21.7		
-	R7M081	21337	140	Core-Lokt Pointed Soft Point	91/2	1.5	200	2860	2625	2402	2189	1988	1798	2542	2142	1793	1490	1228	1005	-1.5	1.8	zero	-7.8	-22.9	-46.9	0.390
	PRA7M08RB	29216		AccuTip Boat Tail	91/2	1.5				2489											1.7	zero	-7.3	-21.1	-42.5	0.486
	R7MM4	28821	140	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	-1.5	1.3	zero	-6.1	-18.0	-36.9	0.390
	PRA7MMRA	29204	140	AccuTip Boat Tail	9½ M	1.5	200	3175	2971	2777	2591	2412	2241	3133	2744	2397	2086	1808	1560	-1.5	1.2	zero	-5.7	-16.7	-33.6	0.486
	HTP7MM	27718	140	Barnes TSX BT	9½ M	1.5	200	3085	2840	2609	2388	2179	1980	2958	2507	2115	1773	1476	1219	-1.5	1.4	zero	-6.5	-19.1	-39.0	0.394
	PRA7MMRB	29206	150	AccuTip Boat Tail	9½ M	1.5	200	3110	2926	2749	2579	2415	2258	3221	2850	2516	2215	1943	1697	-1.5	1.3	zero	-5.9	-17.0	-34.1	0.530
	R7MM2	29487	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	-1.5	1.4	zero	-6.7	-19.9	-41.1	0.346
	R7MM3	27814	175	Core-Lokt Pointed Soft Point	9½ M	1.5	200	2860	2645	2440	2244	2057	1879	3178	2718	2312	1956	1643	1372	-1.5	1.7	zero	-7.6	-22.1	-44.9	0.427
7mm Mauser (7x57)	R7MSR1	29031	140	Core-Lokt Pointed Soft Point	91/2	1.5	200	2660	2435	2221	2018	1827	1648	2199	1843	1533	1266	1037	844	-1.5	2.2	zero	-9.3	-27.1	-55.4	0.390
, . ,				Core-Lokt Pointed Soft Point	91/2	1.5												1320			1.6	zero				0.390

Note: These ballistics are developed using a test barrel length of 24" except those for 30 carbine, 7.62 x 39 and 44 remington magnum which are 20" test barrels, 300 aac blackout which is a 16" test barrel and 300 rum, 27722, which is a 26" barrel. Specifications are nominal ballistics figures established in test barrels. Individual rifles may vary from test barrel results ."Zero" indicates yardage at which rifle was sighted in.
*Ramac 27699 and 27700 require 1:9" twist rate or faster barrel.

HTP COPPER (Page 122)	HIGH PERFORMANCE RIFLE (Page 132)
CORE-LOKT (Page 124)	ULTIMATE DEFENSE RIFLE BONDED (Page 159)
PREMIER ACCUTIP (Page 128)	UMC (Page 164)
PREMIER MATCH (Page 129)	

CENTERFIRE RIFLE BALLISTICS

	INDEY!		V			MM REI	WIINGI	UNSAL	LIKAN				EK			ENERGY.	(FT 18)					A IFCTC	v (Inc.	IEC)		DAI::
CARTRIDGE	INDEX/ Edi no.	RAMAC	(GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT	ZERO	MUZZLE	100	200	TY (FPS) 300	400	500	MUZZLE	100	ENERGY 200	300 (F1-FR)	400	500	MUZZLE		AJECTOR 200	Y (INCH 300	400	500	BALLISTIC COEFFICIEN
7mm Remington SA Ultra Mag	PR7SM2	27874	150	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3110			2321		1867			2197	1793	1450		-1.5	1.4	zero	-6.7		-41.1	0.346
7mm Remington Ultra Mag	HTP7UM	27719	150	Barnes TSX BT	91/2 M	1.5	200	3250	3008	2775	2554	2334	2114	3519	3007	2560	2169	1826	1527	-1.5	1.2	zero	-5.7	-16.7	-34.1	0.408
30 Carbine	L30CR1	23712	110	Full Metal Jacket	61/2	0.9	100	1990	1566	1235	1034	-	-	967	599	372	261	-	-	-0.9	zero	-13.6	-50.0	-	-	0.166
	R30CAR	28322		Soft Point	61/2	0.9	100	1990	1566		1034	-	-	967	599	372	261	-	-	-0.9	zero	-13.6	-50.0	-	-	0.166
300 AAC Blackout	L300AAC1	21421	120		71/2	2.5	100	2200	1937	1695	1479	1294	-	1290	1000	766	583	446	-	-2.5	zero	-6.8	-25.8	-60.8	-	0.297
	RM300AAC6	21503	130	MatchKing Flat Base	71/2	2.5	100	2215	1977		1552	1373	-	1362	1084	854	669 561	523	-	-2.5 -2.5	zero	-6.4 -8.0	-24.2 -29.8	-56.5	-	0.330
	HTP300AAC1 L300AAC4	27710 21422	220		71/2	2.5	100	1015	1824 985	1595 958	1394 934	Ē	÷	1243 503	961 474	735 448	426	÷	÷	-2.5	zero		-29.8		÷	0.680
30 Remington AR	R30RAR2	29485		Core-Lokt Pointed Soft Point	71/2	2.5	200			2047	1812			2208	1765	1395	1093	843		-2.5	2.1	zero	-104.5		_	0.314
30-30 Win	R30301	27818		Core-Lokt Soft Point	91/2	0.9	100	2390	1973		1304	-	_	1902	1297	859	567	-	_	-0.9	zero	-8.2	-30.0	-	_	0.193
	HTP30302	27711		Barnes TSX FN	91/2	0.9	100	2335		1532	1237	_	_	1816	1209	782	510	_	-	-0.9	zero	-8.8	-32.7	_	_	0.184
	R30302	27820		Core-Lokt Soft Point	91/2	0.9	100	2200		1619	1380	-	-	1827	1355	989	719	-	-	-0.9	zero	-8.9	-31.1	-	-	0.254
	R30303	21395	170	Core-Lokt Hollow Point	91/2	0.9	100	2200	1895	1619	1380	-	-	1827	1355	989	719	-	-	-0.9	zero	-8.9	-31.1	-	-	0.254
30-40 Krag	R30402	28345	180	Core-Lokt Pointed Soft Point	91/2	1.5	200	2430	2213	2006	1815	1632	1467	2360	1956	1609	1316	1064	860	-1.5	2.8	zero	-11.5	-33.6	-68.8	0.383
30-06 Sprg	R30061	21401	125	Pointed Soft Point	91/2	1.5	200	3140	2780	2448	2139	1854	1596	2736	2145	1663	1270	954	707	-1.5	1.5	zero	-7.4	-22.4	-47.5	0.268
	L30062	27622		Full Metal Jacket	91/2	1.5	200	2910	2617	2342	2083	1842	1621	2820	2280	1826	1445	1130	875	-1.5	1.8	zero	-8.2	-24.4	-50.9	0.314
	PRA3006A	29208		AccuTip Boat Tail	91/2	1.5	200	2910	2685		2270	2077	1893	2820	2403	2037	1716	1436	1193	-1.5	1.7	zero	-7.4	-21.5	-43.7	0.415
	R30062	27826		Core-Lokt Pointed Soft Point	91/2	1.5	200	2910		2342			1621		2280	1826	1445	1130		-1.5	1.8	zero	-8.2	-24.4		0.314
	HTP30061	27707	168		91/2	1.5	200	2730	2509		2099	1909	1731	2781	2349	1972	1644	1360	1118	-1.5	2.0	zero	-8.6		-51.2	0.404
	PRA3006B	29210		AccuTip Boat Tail	91/2	1.5	200	2800	2597	2403 2283	2217	2039	1870	2872	2470	2115	1800	1523	1281	-1.5	1.8	zero	-7.9	-22.8	-46.2	0.447
	R3006B PRA3006C	21415 29226		Core-Lokt Pointed Soft Point AccuTip Boat Tail	91/2	1.5	200	2800	2534		2047		1622 1867	2872	2352 2576	1910 2226	1535 1914	1221 1637	963 1393	-1.5 -1.5	2.0	zero	-8.7 -8.2	-25.7 -23.7	-53.1	0.339
	R30064	21407		Core-Lokt Soft Point	91/2	1.5	200	2700	2348		1727		1252		2203		1192	860	627	-1.5	2.4	zero zero	-11.0			0.480
	R30065	27828	180		91/2	1.5	200	2700	2469		2041		1662		2436	2022	1665	1360	1104	-1.5	2.1	zero	-9.0	-26.4	-54.0	0.383
	R30067	27830	220		91/2	1.5	200	2410	2130		1632		1246		2216	1708	1301	987	758	-1.5	3.1	zero	-13.1	-39.4	-82.9	0.294
300 Savage	R30SV2	21465	150		91/2	1.5	200	2630		2095	1853		1433		1845		1144	886	684	-1.5	2.4	zero	-10.4	-30.9	-64.6	0.314
300 Win Mag	R300W1	29495	150	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3290	2950		2340		1813		2897	2311	1823	1420	1094	-1.5	1.3	zero	-6.3	-19.0	-39.8	0.294
v	HTP300W	27720	180	Barnes TSX BT	91/2 M	1.5	200	2960	2752	2554	2364	2182	2009	3503	3028	2608	2234	1904	1613	-1.5	1.6	zero	-6.9	-20.0	-40.5	0.453
	PRA300WC	29212	180	AccuTip Boat Tail	91/2 M	1.5	200	2960	2764	2577	2397	2224	2058	3501	3053	2653	2295	1976	1693	-1.5	1.5	zero	-6.8	-19.6	-39.5	0.481
	R300W2	29497	180	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	2960	2715	2484	2263	2054	1857	3501	2946	2465	2047	1687	1379	-1.5	1.6	zero	-7.3	-21.3	-43.7	0.383
300 WSM	R300WSM1	29489	150	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3320	2977	2660	2364	2087	1830	3671	2952	2356	1861	1451	1116	-1.5	1.2	zero	-6.2	-18.6	-39.0	0.294
308 Marlin Express	R308ME1	27848	150	Soft Point	91/2	1.5	200	2725	2275	1871	1519	1239	-	2473	1724	1166	768	511	-	-1.5	2.7	zero	-12.7	-40.8	-	0.193
308 Win	L308W4	23715		Full Metal Jacket	91/2	1.5	200	2820		2262			1560		2136		1344	1048		-1.5	2.0	zero	-8.8		-54.8	0.314
	R308W1	27842		Core-Lokt Pointed Soft Point	91/2	1.5	200	2820		2262			1560				1344	1048		-1.5	2.0	zero	-8.8		-54.8	0.314
	PRA308WB	29214		AccuTip Boat Tail	91/2	1.5	200	2700	2501		2129		1792	2670	2292	1957	1661	1401	1176	-1.5	2.0	zero	-8.6		-86.4	0.447
	HTP308W2	27708		Barnes TSX BT	91/2	1.5	200			2254			1693			1895	1577	1303			2.1	zero	-9.0		-53.5	0.404
	RM308W7 RM308W8	21485		MatchKing BTHP	91/2	1.5	200	2680		2315			1823			1999 1993			1240	-1.5	2.1	zero	-8.6	-24.7		0.475
	R308W2	21486 27844		MatchKing BTHP Core-Lokt Soft Point	91/2	1.5	200	2610 2620		2265 1956			1799	2647	2302	1528	1718	1473 800	1257	-1.5 -1.5	2.2	zero zero	-9.0 -11.8		-51.9	0.496
	R308W3	21479	180		91/2	1.5	200	2620		2177			1603		2288	1895	1556	1268	1027	-1.5	2.3	zero	-9.7		-57.9	0.383
300 Wby Mag	R300WB1	29279	180		9½ M	1.5	200	3120		2627			1979		3283		2301	1905		-1.5	1.4	zero	-6.4	-18.9		0.383
303 British	L303B1	23701	174		91/2	1.5	100	2475	2209		1730		1339	2366	1886	1484	1156	893	692	-1.5	zero	-5.7	-20.4		-88.4	0.315
	R303B1	21471		Core-Lokt Soft Point	91/2	1.5	100		2125		1544		-	2418	1805	1322	953	689	_	-1.5	zero	-6.3	-23.1		_	0.247
7.62 x 39	L762391	23709	123	Full Metal Jacket	91/2	2.0	100	2365	2060	1780	1529	1315	1150	1527	1159	865	638	472	361	-2.0	zero	-6.3	-23.6	-55.9	-108.3	0.266
	R762391	29125	125	Pointed Soft Point	91/2	2.0	100	2365	2061	1782	1531	-	-	1552	1179	881	651	-	-	-2.0	zero	-6.2	-23.5	-	-	0.267
300 Remington SA Ultra Mag	PR300SM2	27954	165	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3075	2792	2527	2277	2041	1820	3464	2856	2339	1899	1525	1213	-1.5	1.5	zero	-7.0	-20.6	-42.7	0.339
300 Remington Ultra Mag	PRA300UM1-P1	29016	150	AccuTip Boat Tail	9½ M	1.5	200	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	-1.5	1.7	zero	-7.4	-21.5	-43.7	0.415
	R300RUM01	27641	180	Core-Lokt Pointed Soft Point	91/2 M	1.5	200	3175	2922	2679	2449	2231	2024	4030	3405	2863	2392	1984	1633	-1.5	1.3	zero	-6.2	-18.1	-37.1	0.383
	HTP300UM	27722		Barnes TSX BT	91/2 M	1.5	200				2532	2343	2162	3967	3440	2972	2558	2190	1865		1.3	zero	-5.9	-17.3	-35.0	0.453
32-20 Win	R32201	28410		Lead	61/2	0.9	100		1021		-	-	-	325	232	185	-	-	-	-0.9	zero	-32.3	-	-	-	0.166
32 Win Special	R32WS2			Core-Lokt Soft Point	91/2	0.9		2250					_		1394		712	-	-	-0.9	zero	-8.6	-30.5		-	0.239
338 Marlin Express	R338ME1			Soft Point	91/2	1.5		2215					-				1211	922	-	-1.5	3.9			-48.0		0.291
338 Win Mag	R338W1	22189		Core-Lokt Pointed Soft Point	9½ M		200							3860							1.9	zero	-8.1			0.435
220 Dansington Liller Man	R338W2	22191		Core-Lokt Pointed Soft Point	9½ M		200							3927							2.1	zero	-9.0	-26.0		0.431
338 Remington Ultra Mag	PR338UM2 RM338LMR1	27942		Core-Lokt Pointed Soft Point Scenar Match	9½ M			2860						4540 4863							1.7	zero	-7.6	-22.0 -17.9		0.431
338 Lapua Mag 35 Remington	R35R2	27852		Core-Lokt Soft Point	9½ M 9½	1.5		2080		1374			_		1278		575	3237	_	-1.5	zero	zero -8.4	-31.7	-17.7	-33.4	0.675
35 Whelen	R35WH1	21495		Core-Lokt Pointed Soft Point	91/2 M	1.5								3177							2.3	zero		-30.9		0.172
33 Wilelell	R35WH3	21499		Pointed Soft Point	9½ M	1.5								3197							2.9			-33.6		0.409
9.3 x 62	R93x621	28276		Pointed Soft Point	91/2	1.5	200							3536							3.0			-35.2		0.400
375 H&H Mag	R375M1	29097		Soft Point	9½ M	1.5								4337							2.4			-32.4		0.267
375 Remington Ultra Mag	PR375UM2	29340		Soft Point	9½ M	1.5	200							5041							1.9	zero		-27.1		0.267
444 Marlin	R444M	29475		Soft Point	91/2	0.9	100			1376		-	-			1009		-	-	-0.9	zero	-10.0		-	-	0.146
45-70 Govt	R4570G	29473		Core-Lokt Soft Point	91/2	0.9	100			1056		-	-			1002		-	-	-0.9		-24.5		-	-	0.281
	R4570G1	21459		Core-Lokt Soft Point	91/2	0.9	100			1210		-	-					-	-	-0.9	zero	-17.3		-	-	0.281
	R4570L1	21463	300	Semi-Jacketed Hollow Point	91/2	0.9	100	1900	1574	1304	1111	-	_	2405	1651	1134	823	-	-	-0.9	zero	-13.3	-47.1	-	-	0.213
	IN-137 OL I																									

Note: These ballistics are developed using a test barrel length of 24" except those for 30 carbine, 7.62 x 39 and 44 remington magnum which are 20" test barrels, 300 aac blackout which is a 16" test barrel and 300 rum, 27722, which is a 26" barrel. Specifications are nominal ballistics figures established in test barrels . Individual rifles may vary from test barrel results ."Zero" indicates yardage at which rifle was sighted in.
*Ramac 27699 and 27700 require 1:9" twist rate or faster barrel.



HIGH PERFORMANCE RIFLE (Page 132) ULTIMATE DEFENSE RIFLE BONDED (Page 159) **UMC** (Page 164)

PISTOL AND REVOLVER BALLISTICS

					25 AUTO – 4	5 GAP								
CARTRIDGE	INDEX/ Edi No.	RAMAC	WT (CD)	BULLET STYLE	PRIMER NO.		VELOCITY (FPS)			ENERGY (FT-LB)			RY (INCHES)	BARREL LENGTH
5 Auto (6.35mm Browning)	L25AP	23716	(GR)	Full Metal Jacket	1 1/2	MUZZLE 760	25 733	50 707	MUZZLE 64	25 60	50	25 0.5	2 .0	2"
2 S&W	RPW32SW	22206	88	Lead Round Nose	1 1/2	680	662	644	90	86	81	0.6	2.5	3"
2 S&W Long	RPW32SWL	22210	98	Lead Round Nose	1 1/2	705	687	669	108	103	97	0.6	2.3	4"
2 Auto (7.65mm Browning)	L32AP	23704	71	Full Metal Jacket	1 1/2	905	879	854	129	122	115	0.4	1.4	4"
57 Mag**	RTP357M7	22229	110	Semi-Jacketed Hollow Point	5 1/2	1295	1182	1093	410	341	292	0.2	0.8	4"
9	HD357MA	28920	125	Brass Jacketed Hollow Point	5 1/2	1220	1095	1009	413	333	283	0.2	0.8	4"
	RTP357M1	22217	125	Semi-Jacketed Hollow Point	5 1/2	1450	1338	1240	583	497	427	0.1	0.6	4"
	L357M12	23738	125	Jacketed Soft Point	5 1/2	1450	1338	1240	583	497	427	0.1	0.6	4"
	RTP357M2	22219	158	Semi-Jacketed Hollow Point	5 1/2	1235	1164	1104	535	475	428	0.2	8.0	4"
	RTP357M3	22221	158	Soft Point	5 1/2	1235	1164	1104	535	475	428	0.2	8.0	4"
	RPW357M5	22223	158	Lead Semi-Wadcutter	5 1/2	1235	1164	1104	535	475	428	0.2	8.0	4"
	RTP357M10	22235	180	Semi-Jacketed Hollow Point	5 1/2	1145	1095	1052	524	479	443	0.2	0.9	8 3/8
157 Sig	L357S1	23734	125	Full Metal Jacket	5 1/2	1350	1238	1146	506	425	365	0.2	0.7	4"
	L357S2	23692	125	Jacketed Hollow Point	5 1/2	1350	1245	1157	506	430	372	0.2	0.7	4"
mm Luger	RTP9MM1	28286	115	Jacketed Hollow Point	1 1/2	1145	1092	1048	335	304	280	0.2	0.9	4" 4"
	RTP9MM6	28297	115	Jacketed Hollow Point +P ‡	1 ½	1250	1175	1113	399	353	316	0.2	8.0	
	L9MM1B L9MM3	23753 23728	115 115	Jacketed Hollow Point Full Metal Jacket	1 ½	1145 1145	1092 1092	1048 1048	335 335	304 304	280 280	0.2	0.9	4"
	LL9MM11	23785	115	Flat Nose Enclosed Base	1 1/2	1145	1092	1048	335	304	280	0.2	0.9	4"
	LL9MM2	23763	124	Flat Nose Enclosed Base	1 1/2	1110	1042	1046	339	314	292	0.2	0.9	4"
	GSN9MMCB	29423	124	Black Belt Jacketed Hollow Point	1 1/2	1110	1074	1031	348	317	293	0.2	0.9	4"
	GSN9MMCA	29427	124	Black Belt Jacketed Hollow Point +P ‡	1 1/2	1180	1131	1089	383	352	326	0.2	0.9	4"
	HD9MMBN	28935	124	Brass Jacketed Hollow Point	1 1/2	1125	1074	1031	348	317	293	0.2	0.9	4"
	HD9MMD	28948	124	Brass Jacketed Hollow Point +P ‡	1 1/2	1180	1131	1089	383	352	326	0.2	0.8	4"
	CHD9MMBN	28963	124	Brass Jacketed Hollow Point	1 1/2	1020	992	967	416	393	374	0.2	1.1	2.7
	L9MM2	23718	124	Full Metal Jacket	1 1/2	1110	1069	1031	339	314	292	0.2	0.9	4"
	RTP9MM8	28300	147	Jacketed Hollow Point (Subsonic)	1 1/2	990	965	941	320	304	289	0.3	1.1	4"
	HD9MMC	28946	147	Brass Jacketed Hollow Point	1 1/2	990	964	941	320	304	289	0.3	1.1	4"
	L9MM9	23732	147	Full Metal Jacket	1 ½	990	965	941	320	304	289	0.3	1.1	4"
	LL9MM9	23749	147	Flat Nose Enclosed Base	1 1/2	990	965	941	320	304	289	0.3	1.1	4"
80 Auto	RTP380A1	22247	88	Jacketed Hollow Point	1 1/2	990	954	923	191	178	166	0.3	1.2	4"
	L380AP	23720	95	Full Metal Jacket	1 1/2	955	904	860	192	172	156	0.3	1.3	4"
	LL380AP2	23805	95	Flat Nose Enclosed Base	1 ½	955	904	860	192	172	156	0.3	1.3	4"
	HD380BN	28937	102	Brass Jacketed Hollow Point	1 1/2	940	920	901	200	192	184	0.3	1.3	4"
	CHD380BN	28964	102	Brass Jacketed Hollow Point	1 1/2	815	801	787	265	256	247	0.4	1.8	2 .7'
8 Super Auto +P	L38SUP	23722	130	Full Metal Jacket +P ‡	1 1/2	1215	1152	1099	426	383	348	0.2	8.0	4"
8 S&W	RPW38SW	22278	146	Lead Round Nose	1 1/2	685	668	652	152	145	138	0.6	2 .5	4"
88 Spl**	RTP38S10	22299	110	Semi-Jacketed Hollow Point +P ‡	1 1/2	995	958	926	242	224	210	0.3	1.2	4"
	RTP38S16 RTP38S21	22311 22283	110 125	Semi-Jacketed Hollow Point Semi-Jacketed Hollow Point +P ‡	1 ½	950 945	919 921	890 898	220 248	206 235	194 224	0.3	1.3	4" 4"
	HD38SBN	28938	125	Brass Jacketed Hollow Point +P ‡	1 1/2	945	950	927	264	250	238	0.3	1.3	4''
	CHD38SBN	28965	125	Brass Jacketed Hollow Point +P ‡	1 1/2	895	876	857	320	306	294	0.3	1.4	1.875
	LL38S17	23789	125	Flat Nose Enclosed Base	1 1/2	850	836	822	201	184	188	0.3	1.4	4"
	L38S2B	23771	125	Jacketed Hollow Point +P ‡	1 1/2	945	921	898	248	235	224	0.3	1.3	4"
	L38S11	23730	130	Full Metal Jacket	1 1/2	800	787	775	185	179	173	0.3	1.7	4"
	RPW38S5	22281	158	Lead Round Nose	1 1/2	755	739	723	200	191	183	0.5	2.1	4"
	RTP38S12	22301	158	Lead Hollow Point +P ‡	1 1/2	890	872	855	278	267	256	0.3	1.4	4"
	L38S5	23724	158	Lead Round Nose	1 1/2	755	739	723	200	191	183	0.5	2.1	4"
8 Short Colt**	RPW38SC	22273	125	Lead Round Nose	1 1/2	730	708	686	148	139	131	0.5	2.1	6"
0 S&W	RTP40SW1	28348	155	Jacketed Hollow Point	1 1/2	1205	1146	1095	500	452	413	0.2	8.0	4"
	L40SW4	23746	165	Full Metal Jacket	1 1/2	1150	1040	964	485		396		1.0	4"
	HD40SWA	28957	165	Brass Jacketed Hollow Point	1 1/2	1150	1089	1040	484	435	396	0.2	0.9	4"
	HD40SWBN	28939	180	Brass Jacketed Hollow Point	1 1/2	1015	986	960	412	388	368	0.3	1.1	4''
	CHD40SWBN	28966	180	Brass Jacketed Hollow Point	1 1/2	785	770	756	246	237	756	0.4	2.0	3 .6'
	GSN40SWCB	29447	180	Black Belt Jacketed Hollow Point	5 1/2	1015	986	960	412	388	368	0.3	1.1	4"
	RTP40SW2	22332	180	Jacketed Hollow Point	1 ½	1015	986	960	412	388	368	0.3	1.1	4"
	L40SW2B	23687	180	Jacketed Hollow Point	1 ½	1015	986	960	412	388	368	0.3	1.1	4"
	L40SW3	23742	180	Full Metal Jacket	1 1/2	990	964	940	392	371	353	0.3	1.1	4"
Omm Auto	LL40SW5	23791	180	Flat Nose Enclosed Base	1 ½	990	964	940	392	371	353	0.3	1.1	4"
Omm Auto 1 Remington Mag**	L10MM6 RTP41MG1	23706 22317	180	Full Metal Jacket	2 1/2	1150 1300	1103 1226	1063	528 788	486	451	0.2	0.9	4"
4 Remington Mag**	L44MG7	23744	210 180	Soft Point Jacketed Soft Point	2 ½	1610	1482	1162 1366	1036	701 878	629 745	0.2	0.7	4"
+ remington wag			240	Soft Point	2 1/2	1180	1126	1081	742	676	623	0.1	0.5	4"
	RTP44MG2 RTP44MG3	22321 22325	240	Semi-Jacketed Hollow Point	2 1/2	1180	1126	1081	742	676	623	0.2	0.9	4"
4 S&W SpI**	RPW44SW	22323	246	Lead Round Nose	2 1/2	755	740	725	311	299	287	0 .4	2.2	6"
5 Colt**	HD45C410**	28927	230	Brass Jacketed Hollow Point	2 1/2	850	830	811	369	352	335	0.4	1.6	5"
	RPW45C	22340	250	Lead Round Nose	2 1/2	750	733	717	312	298	285	0.5	2.0	5"
5 Auto	RTP45AP2	21457	185	Jacketed Hollow Point	2 1/2	1000	968	939	411	385	362	0.3	1.1	5"
	L45AP1	23818	185	Full Metal Jacket	2 1/2	1015	981	951	423	395	371	0.3	1.1	5"
	HD45APA	28971	185	Brass Jacketed Hollow Point	2 1/2	1015	981	951	423	395	372	0.3	1.1	5"
	HD45APC	28973	185	Brass Jacketed Hollow Point +P ‡	2 1/2	1140	1086	1042	534	485	446	0.2	0.9	5"
	GSN45APC	29418	230	Black Belt Jacketed Hollow Point	2 1/2	875	853	833	391	372	354	0.4	1.5	5"
	RTP45AP7	21468	230	Jacketed Hollow Point (Subsonic)	2 1/2	835	817	800	356	341	326	0.4	1.6	5"
	HD45APBN	28942	230	Brass Jacketed Hollow Point	2 1/2	875	853	833	391	372	354	0.4	1.5	5''
	CHD45APBN	28967	230	Brass Jacketed Hollow Point	2 1/2	725	710	695	210	201	193	0.5	2.3	3"
	L45AP4	23726	230	Full Metal Jacket	2 1/2	835	817	800	356	341	326	0.4	1.6	5"
	L45AP7B	23689	230	Jacketed Hollow Point	2 1/2	835	817	800	356	341	326	0.4	1.6	5"
	LL45AP8	23793	230	Flat Nose Enclosed Base	2 1/2	835	817	800	356	341	326	0.4	1.6	5"
5 GAP	L45GAP4	23691	230	Full Metal Jacket	2 1/2	880	860	841	395	378	361	0.4	1.5	5"

‡ Ammunition with "+p" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

GOLDEN SABER BLACK BELT (Page 156)

HTP HIGH TERMINAL PERFORMANCE (Page 123) ULTIMATE DEFENSE FULL SIZE (Page 158) PERFORMANCE WHEELGUN (Page 160) ULTIMATE DEFENSE COMPACT (Page 158) UMC LEADLESS (Page 164) **UMC** (Page 165)

SLUG SHOT BALLISTICS

GAUGE /	INDEX/		LENGTH	WEIGHT	SLUG	SIGHT		VELOCITY (FPS)			ENERGY (FT-LB)		TRA	AJECTORY (INCHI	ES)
BORE	EDI NO.	RAMAC	(INCHES)	WEIGHT	STYLE	HEIGHT	MUZZLE	50	100	MUZZLE	50	100	50	100	150
410	SP41RS	20618	21/2	1/5 oz.	RS	1.5	1830	1335	1040	654	348	211	0.0*	-3.5	-
16	SP16RS	20614	23/4	4/5 oz.	RSHP	1.5	1600	1175	965	1989	1072	724	0.0*	-4.8	-
20	PRX20	20815	23/4	250 gr.	TSX RS	1.5	1825	1631	1457	1849	1477	1178	0	-1.8	-7.7
20	PRX20M	20817	3	250 gr.	TSX RS	1.5	1900	1700	1519	2004	1605	1280	0	-1.5	-6.8
20	PRA20	20496	23/4	260 gr.	PPT	1.5	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*
20	PRA20M	20498	3	260 gr.	PPT	1.5	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0*
20	SPHV20RS	28608	23/4	1/2 oz.	RS	1.5	1800	1800	1321	1037	1575	848	0.0*	-3.6	-
20	PR20CS	20824	23/4	5/8 oz.	CSHP	1.5	1500	1360	1240	1444	1187	986	0.0*	-3.1	-
20	SP20RS	20616	23/4	5/8 oz.	RSHP	1.5	1580	1240	1034	1513	931	648	0.0*	-4.2	-
12	PR12CS	20716	23/4	1 oz.	CSHP	1.5	1450	1320	1208	2040	1689	1417	0.0*	-3.5	-
12	PR12MCS	20718	3	1 oz.	CSHP	1.5	1550	1408	1283	2331	1923	1597	0.0*	-2.9	-
12	PRA12	20727	23/4	385 gr.	PPT	1.5	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
12	PRA12M	20731	3	385 gr.	PPT	1.5	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
12	SPHV12RS	28600	23/4	7/8 oz.	RS	1.5	1800	1252	978	2751	1517	813	0.0*	-4.1	-
12	SPHV12MRS	28604	3	7/8 oz.	RS	1.5	1875	1302	998	2989	1442	847	0.0*	-3.7	-
12	RL12RS	20290	23/4	1 oz.	RS	1.5	1200	988	873	1397	948	739	0.0*	-7.4	-
12	PRX12	20696	23/4	438 gr.	TSX RS	1.5	1450	1313	1198	2042	1676	1395	0	-3.6	-13.2
12	PRX12M	20715	3	438 gr.	TSX RS	1.5	1550	1397	1264	2334	1895	1551	0	-3	-11.4
12	SP12RS	20300	23/4	1 oz.	RS	1.5	1560	1175	977	2361	1340	926	0.0*	-4.8	-
12	S12SRS	20302	23/4	1 oz.	RS	1.5	1680	1285	1045	2378	1605	1059	0.0*	-3.8	-
12	S12MRS	20270	3	1 oz.	RS	1.5	1760	1345	1075	3005	1753	1121	0.0*	-3.4	_

*0.0 indicates yardage at which shotgun was sighted in.

PREMIER EXPANDER (Page 138)
PREMIER ACCUTIP SLUG (Page 139)

SLUGGER (Page 140)
SLUGGER HIGH VELOCITY (Page 140)


MANAGED RECOIL SLUGGER (Page 140)

PREMIER COPPER SOLID

RIMFIRE BALLISTICS

LINE	INDEX/		WT (GR)	BULLET STYLE		VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)	
LINE	EDI NO.	RAMAC	WI (GK)	BULLE I STYLE	MUZZLE	50	100	MUZZLE	50	100	25	50	100
Golden Bullet, High Velocity	1022 1000*	21000/ 21001	29	Plated Round Nose	1095	986	903	77	63	52	0.3	0	-7.4
Yellow Jacket, Hyper Velocity	1722 1700*	21074/ 21280	33	Plated Truncated Cone HP	1500	1243	1075	165	113	85	-0.2	0	-4.1
Viper, Hyper Velocity	1922/1900*	21080/ 21288	36	Plated Truncated Cone Solid	1410	1186	1056	159	112	89	-0.1	0	-4.7
Cyclone, High Velocity	CY-22HP***	21222	36	Lead Hollow Point	1280	1104	1010	131	97	82	0.0	0	-5.6
Golden Bullet, High Velocity	1622* 1600 1622B****	21008/ 21278/ 21231	36	Plated Hollow Point	1280	1104	1010	131	97	82	0.0	0	-5.6
Golden Bullet, High Velocity	1522/1500*	21006/ 21276	40	Plated Round Nose	1255	1103	1017	140	108	92	0.0	0	-5.6
Thunderbolt, High Velocity	TB-22A***	21238	40	Lead Round Nose	1255	1103	1017	140	108	92	0.0	0	-5.6
Target	6122 6100***	21022/ 21284	40	Lead Round Nose	1150	1046	976	117	97	85	0.2	0	-6.4
Subsonic	SUB22HP SUB22HP1*	21140/ 21141	38	Lead Hollow Point	1050	969	901	93	79	68	0.3	0	-7.7
CBee, Low Noise, Low Velocity	CB-22LI00*	21119	33	Plated Truncated Cone HP	740	687	638	40	35	30	1.4	0	-16.9
Eley Match	RE22EPS	21259	40	Lead Flat Nose	1085	1005	941	105	90	79	0.3	0	-7.1
Eley Club Xtra	RE22CX	21256	40	Lead Flat Nose	1085	1005	941	105	90	79	0.3	0	-7.1
Eley Target Rifle	RE22T	21252	40	Lead Flat Nose	1085	1005	941	105	90	79	0.3	0	-7.1

^{*} Available in 100-round slide-open plastic packs. ** Available in 525-round and 550-round bulk packs. *** Available in 500-round bulk packs. **** Available in 100-round buckets.



Remington.

FOR CONSUMER INFORMATION, ARMS SERVICE, PARTS & REPAIRS AND CUSTOM SHOP:

Call (800) 243-9700 or visit www.remington.com



11-87, 597, 700, 750, 783, 870, 887, 1100, 1911 R1, 2020, Accelerator, All-In, ArmorLokt, Black Belt, Brakeout, BriteBore, Bullet, CBee22, Core-Lokt, Copper-Lokt, Copper Solid, Crossfire, Disintegrator, Express, Express Bit, F.A.S.T., Fieldmaster, Golden Saber, Gun Club, Hi-Speed, Hog Hammer, HyperSonic Steel, Kleanbore, Managed-Recoil, Marine Magnum, Model 7, Moistureguard, Nitro 27, Nitro Mag, Nitro Pheasant, Nitro-Steel, Nitro Turkey, Parker, Power Level, Power-Lokt, Power Piston, Premier, ProBore, R-15, R-25, R51, Rem, Remington, Sendero, ShurShot, Slugger, Speedmaster, Sportsman, STS, Super Cell, Super Slug, Thunderbolt, TriNyte, Ultra Bonded, Ultra Mag, UMC, VERSA MAX, VersaPort, Viper, Wingmaster, Woodsmaster, Wood Tech, Yellow Jacket, Xelerator, X-Mark Pro are trademarks of RA Brands, L.L.C. or Remington Arms Company, LLC. Crimson Trace is a trademark of the Crimson Trace Corporation. Novak is a trademark of Wayne Novak. Mossy Oak, Mossy Oak Bottomland, Breakup, Mossy Oak Brush, Mossy Oak Duck Blind, Infinity, Mossy Oak Obsession, Mossy Oak Shadow Grass, and Treestand are trademarks of Haas Outdoors, Inc. RealTree, AP, HD, Hardwoods, Max-1, and Max-4 are trademarks of Jordan Outdoor Enterprises, Ltd. Kryptek is a trademark of Kryptek Outdoor Group, LLC. Kuiu is a trademark of Kuiu, Inc.. MDT and Tac21 are trademarks of Modular Driven Technologies Corp. Cerakote is a trademark of NIC Industries, Inc.. MagPul, PRS, and MOE are trademarks of MagPul Industries Corp. SB Tactical is a trademark of NST Global, LLC. Bell and Carlson is a trademark of Bell and Carlson. Hogue is a trade- mark of Hogue, Inc. A-TACS is a trademark of Concealment Systems, LLC. TruGlo is a trademark of TruGlo, Inc. McMillan is a trademark of McMillan Fiberglass Stocks, Inc. Shilen is a trademark of Shilen Rifles, Inc.. HiViz is a trademark of North Pass Ltd. Ducks Unlimited is a trademark of Ducks Unlimited, Inc. XS is a trademark of XS Sight Systems, Inc.. Pachmayr is a trademark of Pachmayr Gun Works, Inc. Blackhawk, Knoxx, and SpecOps are trademarks of Blackhawk Industries Product Group Unlimited LLC. Swift, A-Frame, and Scirocco are trademarks of Hober-Reed, Inc. Sierra and MatchKing are trademarks of Sierra Bullets, LLC. Hornady is a trademark of Hornady Manufacturing Company Corporation. Scenar is a trademark of Lapua, Ltd. Taurus and Judge are trademarks of Taurus International MFG, Inc. USA, Elev is a trademark of Elev, Ltd. Cordura is a trademark of Invista. Teflon is a trademark of The Chemours Company FC, LLC. H-S Precision is a trademark of H-S Precision, Inc. Magpul is a registered trade mark of Magpul Industries Corp.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, LLC, 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.