# SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 40-X Bore Cleaner – 4 oz Product Code: RemBoreClr4oz

RAMAC: #18397

MANUFACTURER'S NAME: REMINGTON ARMS CO., INC.

ADDRESSS: 870 Remington Drive

Madison, NC 27025

EMERGENCY PHONE: 412-621-8740 INFORMATION PHONE: 800-243-9700

Product Use: Firearm Bore Cleaner

#### 2. HAZARDS IDENTIFICATION

# **CLASSIFICATION**

Flammable liquid 1
Skin Corrosion/Irritation 3
Eye Damage/Irritation 2B
Aspiration hazard 1



SIGNAL WORD: CAUTION

# **Hazard Statements**

Combustible liquid and vapor.

May be fatal if swallowed and enters airways

Causes mild skin irritation

Causes eye irritation

#### **Precautionary Statements**

Keep away from heat/sparks/open flames/hot surfaces - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wash hands thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do NOT induce vomiting

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do –

continue rinsing

If skin irritation occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention

SDS for: 40-X Bore Cleaner Page 1 of 4

In case of fire: Use ... for extinction

Store locked up

Store in a well ventilated place. Keep cool

Dispose of contents/container to comply with all local, state, and federal regulations

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Percent
ANIMAL OIL	8016-28-23	<35.00
PETROLEUM DISTILLATE	64741-86-2	<20.00
PETROLEUM DISTILLATE	64742-96-7	<20.00
NATURAL EARTH MINERAL	1302-62-1	<20.00
OTHER OILS	No CAS#	<20.00

#### 4. FIRST AID MEASURES

**INHALATION:** Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if breathing has stopped. Get medical attention.

EYE CONTACT: Wash immediately with large volumes of fresh water for at least 15 minutes. Get medical attention.

**SKIN CONTACT:** Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.

**INGESTION:** If swallowed, do not induce vomiting. Get immediate medical attention.

Most important symptoms/effects, acute and delayed: Repeated exposure may cause skin dryness or cracking.

Indication of immediate medical attention and special treatment needed: None known.

#### 5. FIRE FIGHTING MEASURES

**Suitable and unsuitable extinguishing media:** Foam, Alcohol foam, CO2, Dry chemical, Water fog. Water spray may be ineffective.

Specific hazards arising from the chemical: Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.

**Special equipment and precautions for fire-fighters:** Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment, and emergency procedures:** Avoid breathing vapors. Ventilate area. Remove all sources of ignition.

**Methods and materials for containment and cleaning up:** Clean up with absorbent material and place in closed containers for disposal.

# 7. HANDLING AND STORAGE

**Precautions for safe handling:** Keep closure tight and container upright to prevent leakage. Open container slowly. Do not get in eyes. Avoid skin contact and contact with clothing. Do not take internally.

**Conditions for safe storage, including any incompatibilities:** Store and use in cool, dry, well-ventilated areas. Keep containers closed when not in use. Keep away from excessive heat or open flame.

### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
ANIMAL OIL 8016-28-2	Not established	Not established	Not established
PETROLEUM DISTILLATE 64741-86-2	Not established	Not established	Not established
PETROLEUM DISTILLATE 64742-96-7	Not established	Not established	Not established
NATURAL EARTH MATERIAL 1302-62-1	Not established	Not established	Not established
OTHER OILS No CAS #	Not established	Not established	Not established

**Appropriate engineering controls:** Ventilation should be sufficient to prevent inhalation of any vapors. General dilution and/or local exhaust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and well below stated limit.

### Individual protection measures:

**Respiratory protection:** None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination or particles and vapor. In confined areas, use an approved air line respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

Protective gloves: None under normal use. Use solvent-resistant for prolonged or repeated contact.

**Eye protection:** None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.

**Other protective clothing or equipment:** None under normal use. However, use of solvent- resitant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Reddish brown (when properly mixed)

Vapor Pressure: 120.3 ssu (viscosity @ 100 F, astm D 88)

Oct

Vapor Density: Heavier than air

Density: 25.2 cst (viscosity @ 100 F, astm D-2161)

Freezing point: Not Determined

Boiling point: 165 F

**Evaporation rate:** Not Determined **Explosive Limits:** Not Determined

Autoignition temperature: Not Determined

Viscosity: Not Determined

Odor: Slight Oil Odor

Odor threshold: Not determined

pH: Not applicable

Melting point: Not determined Solubility: Not determined

Flash point: 186 F (CC, astm D 93)

Flammability: Combustible

Partition coefficient (n- Not determined

octanol/water):

Decomposition temperature: Not determined

# 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical stability: Stable under normal storage and handling conditions.

Possibility of hazardous reactions: None known.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon monoxide and other hazardous fumes.

# 11. TOXICOLOGICAL INFORMATION

Long-term toxicological studies have not been conducted for this product.

#### 12. ECOLOGICAL INFORMATION

Long-term ecological studies have not been conducted for this product.

# 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this document for hazard cautionary information.

#### 14. TRANSPORT INFORMATION

By Land: Not regulated

By Water: DOT Proper Shipping Name: UN1993, COMBUSTIBLE LIQUID, n.o.s., (Petroleum distillates), 3, III

By Air: DOT Proper Shipping Name: UN1993, COMBUSTIBLE LIQUID, n.o.s., (Petroleum distillates), 3, III

### 15. REGULATORY INFORMATION

All ingredients are either listed on the TSCA inventory or are exempt.

### 16. OTHER INFORMATION

Date revised: 2016-01-19 Revision 0

Date Printed: 2016-01-19

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. BECAUSE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO RESPONSIBILITY FOR ITS USE.

SDS for: 40-X Bore Cleaner Page 4 of 4